



REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a Small Value Procurement for the **"Purchase of Laboratory Refrigerator for OFSAM"** in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No. : **C19-138-11**
Name of Project : **Purchase of Laboratory Refrigerator for OFSAM**
Approved Budget for: **Php250,000.00**
Specifications : See the attached Annex "B" for specifications
Location : Procurement Division, CAAP, MIA Road, Pasay City
Delivery Term : **30 calendar days** from the receipt of Notice for Compliance

Interested suppliers are required to submit their valid and current following documents in a sealed envelope:

1. Mayor's Permit;
2. Income/Business Tax Return for ABC's above P500,000;
3. PHILGEPS Registration Number;
4. Tax Clearance;
5. Omnibus Sworn Statement for ABC's above P50,000; (**a.** Form must be in accordance with Section 25.3, 2016 IRR **b.** Authorized representative must attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate/Secretary Certificate for Corporation)
6. Price quotation from (Annex "A") during submission of offer/Quotation and,
7. Brochure if applicable

Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

OSCAR B. DEMETILLO, JR.
CCC-Chairperson



PRICE QUOTATION FORM

Date: _____

The Chairperson
Canvass and Contract Committee
Procurement Division, CAAP,
MIA Road, Pasay City

Sir/Ma'am:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Description			
Purchase of Laboratory Refrigerator for OFSAM			
Specification	QTY.	Unit Price	Total Price
Please see attached specification at Annex "B"			
Total (Inclusive of VAT)			

(Amount in Words) _____

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/Signature of Representative

Position

Name of Company

Contact No.

Email Address



Republic of the Philippines
CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

23-Sep-19 10-11-19

Purchase Request

PR No.
 CBA (Co) # 19-09-1022

Stock No.	Unit	Item Description	Qty	Unit Cost	Total Cost
	Unit	LABORATORY REFRIGERATOR	1	250,000.00	250,000.00
		Specifications:			
		<input type="checkbox"/> Exterior framework made up of Galvanized steel with baked on finish.			
		<input type="checkbox"/> 176 liters(6.2 cu. ft.) capacity for refrigerator and 39 liters (1.4 cu. ft.) capacity for freezer.			
		<input type="checkbox"/> Four shelves refrigerator 3(20kg/shelf), 1(10kg/shelf)			
		<input type="checkbox"/> Approximately 86 kg (190 lbs.) Net weight			
		<input type="checkbox"/> +2°C to +14°C temperature range for refrigerator and -20°C to -30°C for freezer.			
		<input type="checkbox"/> Insulation is composed of rigid Polyurethane foamed in place.			
		<input type="checkbox"/> Built in alarm and safety 1. Door ajar alarm 2. Door key lock 3. Memory back up 4. Remote alarm contact 5. High/low temperature alarm			
		<input type="checkbox"/> 2 pen type circular recorder			
		<input type="checkbox"/> With 55W compressor			
		Features:			
		<input type="checkbox"/> Refrigerator with dual temperature Zone (Refrigerator and Freezer).			

Stock No.	Unit	Item Description	Qty	Unit Cost	Total Cost
		<input type="checkbox"/> Has microprocessor control system that provides accurate temperature.			
		<input type="checkbox"/> With Double-pane windows with heat reduction film reduce condensation.			
		<input type="checkbox"/> Has unique cycle defrost system prevents Temperature rising by shorter defrost cycles which activate after each compressor.			
		Purpose: For storage of specimen and Pharmaceutical supplies			
Total					Php 250,000.00

Prepared by:

Submitted by:

Signature



Signature



Printed Name:

BENJAMIN I. TERCENCIO II, MD

Printed Name: **ROLLY T. BAYABAN, MD**

Designation:

SR. AME

Designation: **CHIEF, OFSAM**

Funds Available:

Approved by:

Signature



Signature



Printed Name:

JOCELYN L. CHING

Printed Name: **MGEN RICARDO C BANAYAT,**

Designation:

Department Manager III, Finance Dept.

Designation: **DDG-A For Administration**