



## **REQUEST FOR QUOTATION**

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a Shopping Method for the **"Purchase of One (1) Unit Camera with Lens Kit"** in accordance with Section 52.1(b) of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No. : **C19-149-11**  
Name of Project : **Purchase of One (1) Unit Camera with Lens Kit**  
Approved Budget for: **Php30,000.00**  
Specifications : See the attached Annex "B" for specifications  
Location : Procurement Division, CAAP, MIA Road, Pasay City  
Delivery Term : **30 calendar days** from the receipt of Notice for Compliance

Interested suppliers are required to submit their valid and current following documents in a sealed envelope:

1. Mayor's Permit;
2. Income/Business Tax Return for ABC's above P500,000;
3. PHILGEPS Registration Number;
4. Tax Clearance;
5. Omnibus Sworn Statement for ABC's above P50,000; (a. Form must be in accordance with Section 25.3, 2016 IRR b. Authorized representative must attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate/Secretary Certificate for Corporation)
6. Price quotation from (Annex "A") during submission of offer/Quotation and,
7. Brochure if applicable

Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

**OSCAR B. DEMETILLO, JR.**  
CCC-Chairperson



**PRICE QUOTATION FORM**

Date: \_\_\_\_\_

The Chairperson  
 Canvass and Contract Committee  
 Procurement Division, CAAP,  
 MIA Road, Pasay City

Sir/Ma'am:  
 After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

| Description  |      |            |             |
|--|------|------------|-------------|
| <b>Purchase of One (1) Unit Camera with Lens Kit</b> |      |            |             |
| Specification  | QTY. | Unit Price | Total Price |
| Please see attached specification at Annex "B"       |      |            |             |
| Total (Inclusive of VAT)                             |      |            |             |

(Amount in Words) \_\_\_\_\_

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

\_\_\_\_\_  
 Name/Signature of Representative

\_\_\_\_\_  
 Position

\_\_\_\_\_  
 Name of Company

\_\_\_\_\_  
 Contact No.

\_\_\_\_\_  
 Email Address



Republic of the Philippines  
Department of Transportation

**CIVIL AVIATION AUTHORITY of the PHILIPPINES**

MIA Road corner Ninoy Aquino Ave., Pasay City, Metro Manila

**PURCHASE REQUEST**

CAAP (CO) - 19-10-1131

Oct. 17, 2019 Annex G-6

|  |                        |
|--|------------------------|
| PR No.:  | Date: October 14, 2019 |
| Department: CAAP Security & Intelligence Service | SAI No.:               |
| Section:   | ALOBS No.:             |

| QTY | Unit Issue | ITEM DESCRIPTION  | Stock No. | Estimated Unit Cost | Estimated Cost |
|-----|------------|---|-----------|---------------------|----------------|
| 1   | unit       | <b>Camera with Lens Kit</b>   |           | ₱ 30,000.00         | ₱ 30,000.00    |
|     |            | <i>Specifications:</i>  |           |                     |                |
|     |            | Sensor Type: 1/2.3 type (7.82 mm) Exmor R® CMOS sensor  |           |                     |                |
|     |            | Lens Type: ZEISS Vario-Sonnar T* Lens, 11 elements in 10 groups (5 aspheric elements)   |           |                     |                |
|     |            | F-Number (MAXIMUM APERTURE): F3.5 (W) – 6.4 (T)   |           |                     |                |
|     |            | Focal Length: f=4.25-118 mm   |           |                     |                |
|     |            | Angle of View (35 MM FORMAT EQUIVALENT): 84 deg.-3 deg. 30 min.(24–720 mm2)3  |           |                     |                |
|     |            | NUMBER OF PIXELS (EFFECTIVE): Approx. 18.2 MP   |           |                     |                |
|     |            | OPTICAL ZOOM: 28x, CLEAR IMAGE ZOOM (MOVIE): 4K: Approx. 45x, HD: Approx. 60x 4   |           |                     |                |
|     |            | DIGITAL ZOOM (STILL IMAGE): 18 M Approx. 120x/10 M Approx. 161x/5.0 M Approx. 226x/VGA Approx. 459x/13 M (16:9) Approx. 120x/2.1 M (16:9) Approx. 306x4   |           |                     |                |
|     |            | SHUTTER SPEED: (4" - 1/2000)/Program Auto (1" - 1/2000)/Aperture Priority (8" - 1/2000)/Shutter Priority (30" - 1/2000)/Manual (30" - 1/2000)7  |           |                     |                |
|     |            | Focus Range: iAuto: AF (W: Approx. 5 cm (0.16 ft.) to Infinity, T: Approx. 250 cm (8.20 ft.) to Infinity) / Program Auto: AF (W: Approx. 5 cm (0.16 ft.) to Infinity, T: Approx. 250 cm (8.20 ft.) to Infinity) |           |                     |                |
|     |            | Screen Type: 7.5 cm (3.0 type) (4:3) / 921,600 dots / Xtra Fine / TFT LCD   |           |                     |                |
|     |            | Display Selector: Auto/EVF  |           |                     |                |
|     |            | FIELD COVERAGE: 100%, 4K Movie: Approx. 97%   |           |                     |                |
|     |            | IMAGE PROCESSING ENGINE: Yes (BIONZ X)  |           |                     |                |
|     |            | FOCUS TYPE: Contrast detection AF   |           |                     |                |
|     |            | EXPOSURE COMPENSATION: +/- 3.0 EV, 1/3 EV step  |           |                     |                |
|     |            | FLASH TYPE: Built-in, manual pop-up, AF ILLUMINATOR: Auto / Off   |           |                     |                |
|     |            | COMPATIBLE RECORDING MEDIA: Memory Stick Micro, Memory Stick Micro (Mark2), microSD Memory Card, microSDHC Memory Card, microSDXC Memory Card11   |           |                     |                |
|     |            | RECORDING FORMAT: [Still Image]: JPEG (DCF Ver. 2.0, Exif Ver. 2.31, MPF Baseline compliant), RAW (Sony ARW 2.3 format), [Movie]: XAVC S, AVCHD format Ver. 2.0 compatible                                      |           |                     |                |

|  |   |  |  |  |
|--|---|--|--|--|
|  | INPUT AND OUTPUT TERMINALS: Multi/Micro USB Terminal12, High-Speed USB (USB 2.0), Micro HDMI  |  |  |  |
|  | POWER SOURCE: DC 3.6 V (supplied battery)/DC 5.0 V (supplied AC adaptor)  |  |  |  |
|  | APERTURE: iAuto (F3.5-F6.3(W))/Program Auto (F3.5-F6.3(W))/Manual (F3.5-F8.0(W))/Aperture Priority (F3.5-F8.0(W))/Shutter Priority (F3.5-F6.3(W))                                   |  |  |  |
|  | DYNAMIC RANGE FUNCTIONS: Off, Dynamic Range Optimizer (Auto/Level 1-5), Auto High Dynamic Range: Off, Auto Exposure Difference, Exposure difference level (1.0-6.0 EV, 1.0 EV step) |  |  |  |
|  | WI-FI: Yes (IEEE802.11b/g/n(2.4 GHz band)), BLUETOOTH®: Yes (Ver. 4.1)  |  |  |  |
|  | <b>Manufacturer's Warranty:</b>   |  |  |  |
|  | One (1) Year warranty against factory defects   |  |  |  |
|  | ***/Nothing Follows/***   |  |  |  |

Prepared By:

**ODESSA M. CORTEZ**  
CSO-D, CSIS

Submitted By:

**GIL R. MAGLAQUE**  
ADG II, CSIS

Funds Earmarked:

**JOCELYN L. CHING**  
Department Manager III, Finance Dept.

**A P P R O V E D**

**MGEN RICARDO C BANAYAT AFP (RET)**  
Deputy Director General for Administration