



REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a Small Value Procurement for the **"Supply and delivery of office electronics equipment for ATS Office and Facilities"** in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No. : **C19-119-10**
Name of Project : **Supply and delivery of office electronics equipment for ATS Office and Facilities**
Approved Budget for: **Php668,600.00**
Specifications : See the attached Annex "B" for specifications
Location : Procurement Division, CAAP, MIA Road, Pasay City
Delivery Term : **30 calendar days** from the receipt of Notice for Compliance

Interested suppliers are required to submit their valid and current following documents in a sealed envelope:

1. Mayor's Permit;
2. Income/Business Tax Return for ABC's above P500,000;
3. PHILGEPS Registration Number;
4. Tax Clearance;
5. Omnibus Sworn Statement for ABC's above P50,000; (a. Form must be in accordance with Section 25.3, 2016 IRR b. Authorized representative must attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate/Secretary Certificate for Corporation)
6. Price quotation from (Annex "A") during submission of offer/Quotation and,
7. Brochure if applicable

Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

OSCAR B. DEMETILLO, JR.
CCC-Chairperson



PRICE QUOTATION FORM

Date: _____

The Chairperson
 Canvass and Contract Committee
 Procurement Division, CAAP,
 MIA Road, Pasay City

Sir/Ma'am:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Description			
Supply and delivery of office electronics equipment for ATS Office and Facilities			
Specification	QTY.	Unit Price	Total Price
Please see attached specifications at Annex "B"			
Total (Inclusive of VAT)			

(Amount in Words) _____

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

 Name/Signature of Representative

 Position


 Name of Company

 Contact No.



 Email Address

CPA # 19-09-935 9/6/19

	PR Date:
Purchase Request	PR No.

Stock No.	Unit	Item Description	Qty	Unit Cost	APP#	Total Cost
1	units	AVR Power Supply	2	6,000.00	50910	12,000.00
2	units	Back Up Storage Device, 1TB	50	700.00	50911	35,000.00
3	units	Back Up Storage, 500GB	50	2,100.00	50912	105,000.00
4	units	Computer Keyboard	10	2,000.00	50913	20,000.00
5	units	External Hard Drive, 1TB, 2.5" HDD	50	3,032.00	5100	151,600.00
		USB 3.0, 1 unit in individual box				
6	pcs	Laser Pointer Wireless Presenter	6	10,000.00	5115	60,000.00
7	pcs	Router	20	1,500.00	5118	30,000.00
8	units	Speakers	2	3,000.00	5121	6,000.00
9	pcs	Tablet PC 8" - 10"	15	10,000.00	5124	150,000.00
10	pcs	Wifi Dongle	20	700.00	5127	14,000.00
11	units	Wifi Modem	50	1,500.00	5128	75,000.00
12	units	Wireless Mouse	50	200.00	5129	10,000.00
		<i>nothing follows</i>				
		Recommend Approval:				
						
		ATTY. ANTONIO G. GONZALES				
		Acting Chief, ATS				
Total						668,600.00

Purpose
For ATS Office and Facilities use.

Requested by: Signature  Printed Name JOSE J. LUNA Designation Department Manager III, ATPPD	Approved by: Signature  Printed Name MGEN. RICARDO C. BANAYAT AFP (RET) Designation DDG for Administration
--	--

1 - COA 2 - Accounting 3 - Originating Office

DISTRIBUTION LIST

10 Units AVR Power Supply	
1. Two units (2) ATS HQ	
10 units Computer Keyboard	
1. ATMC and AFC Facilities	
97 units External HDD 1TB 2.5" USB 3.0	
1. Facilities Nationwide (Chief/FIC)	
2. SMS/LSO/SAG/personnel	
3. ATS HQ	
6 pieces Laser Pointer Wireless Presenter	
1. ATS Planning	
2. ATS Progression	
3. Office of Chief, ATS	
4. AFPDD/ATCAMD	
5. AICD	
6. SMS	
20 pieces Router	
1. ATMC	
2. ATS HQ/AFC Facilities	
1 piece Speaker	
1. ATS Planning	
15 pieces Tablet PC 8" - 10"	
1. ATS HQ (Division Chiefs, Department Managers)	
2. Office of the Chief ATS	
20 pieces Wi-Fi Dongle	
1. ATMC and AFC Facilities	
50 units Wi-Fi Modem	
1. Selected Provinces	
2. ATS NCR Facilities	
50 units Wireless Mouse	
1. ATMC and AFC Facilities	

TECHNICAL SPECIFICATIONS: AVR

- Model: Branded. 1100VA UPS
- Output
 - Output power capacity: 550Watts / 1.1kVA
 - Max Configurable Power (Watts): 550Watts / 1.1kVA
 - Nominal Output Voltage: 230V
 - Output Frequency (sync to mains): 50/60 Hz +/-1 Hz
 - Output Frequency (not synced): 50/60 Hz +/-1 Hz
 - Topology: Line Interactive
 - Waveform type: Stepped approximation to a sinewave
 - Output Connections: (2) IEC 320 C13 (Battery Backup)
 - Transfer Time: 4ms typical, 6ms maximum
- Input
 - Nominal Input Voltage: 230V
 - Input frequency: 50/60 Hz +/- 3 Hz (auto sensing)
 - Input Connections: IEC-320 C14, NEMA 5-15P
 - Cord Length: 1.22meters
 - Input voltage range for main ops: 150 - 280 V
 - Number of Power Cords: 1
 - Type of Input Protection Required: 3-pole breaker
 - Maximum Input Current: 10.0A
 - Input Power Factor at Full Load: 0.5
- Batteries & Runtime
 - Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte, leakproof
 - Included Battery Modules: 1
 - Typical recharge time: 6hour(s)
 - Expected Battery Life (years): 2 - 4

5-900

TECHNICAL SPECIFICATIONS: COMPUTER KEYBOARD

- Built-in Headphone and Microphone Jacks — Convenient and Practical
- High Speed USB 2.0 Extension Port for Plug and Play Input Devices
- Both Natural A-Shape and Traditional Layout are Available
- INTERFACE USB
- BACKLIT NO
- WIRELESS NO
- NUMPAD YES
- MULTIMEDIA KEYS YES

5-900


JOE MARIE ANTHONY E. ELADIO
Head, Procurement Planning
Air Traffic Service


JOSE J. LUNA
Department Manager III, ATPPD
Air Traffic Service

TECHNICAL SPECIFICATIONS: EXTERNAL HARD

- Memory capacity: 500Gb - 1TB
- Hard disk size: 2.5 inch
- Interface type: USB 3.0
- High quality style 2.5" portable hard drive;
- Slim and light weight design, it's so easy to carry and convenient to use;
- Advanced inner cushioning structure, high shock resistance;
- More stable data transportation;

TECHNICAL SPECIFICATIONS: EXTERNAL HDD 1TB 2.5" USB 3.0

- Textured metal finish fits in with modern lifestyle elements.
- Compatible with USB 3.0 and USB 2.0
- Powered by USB connection — offers customized backup and folder mirroring.
- Drop files into the designated folder for automatic file synchronization.
- Works with Windows and Mac without the need to reformat.

TECHNICAL SPECIFICATIONS: LASER POINTER WIRELESS PRESENTER

- TECHNICAL SPECIFICATIONS
 - Connection Type: Bluetooth Smart and 2.4GHz wireless connection
 - Wireless range: 100 ft (30 m) *
- It may vary based on use and computing conditions.
 - Indicator Lights (LED): Battery and Connectivity LED
 - Battery Details: Rechargeable Lithium Polymer, 85mAh
 - Battery Life (rechargeable): 3 months*
- It may vary based on use and computing conditions.
 - Cable Length: 5.5 in (140 mm)
 - Sensor: 3D accelerometer and Gyroscope
 - Sensor technology: Motion sensor
- SYSTEM REQUIREMENTS
 - Bluetooth® Smart
 - Windows® 10 or later, Windows 8
 - macOS™ X 10.10 or later
 - Limited functionalities (no Software): Chrome OS™, Android™ 5.0 or later
 - Logitech Proprietary Receiver
 - Windows 10 or later, Windows 8, Windows 7
 - macOS X 10.10 or later
 - Limited functionalities (no Software): Chrome OS, Linux®


MARIE ANTHONY E. ELIGIO
Head, Procurement Planning
Air Traffic Service


JOSE J. LUNA
Department Manager III, ATPPD
Air Traffic Service

TECHNICAL SPECIFICATIONS: ROUTER

- System requirements
 - Cable or DSL modem with Ethernet port
 - Computer/Compatible with: Windows XP SP2 or Windows 2000 SP4 or Mac OS X (v10.4/v10.3) or Linux-based Operating System
 - An installed Ethernet adapter
 - Internet Explorer 6 or Firefox 2.0 or higher
- Standards
 - IEEE 802.11n up to 300 Mbps1
 - IEEE 802.11g
 - IEEE 802.11b
 - IEEE 802.3
 - IEEE 802.3u
- Wireless frequency range
 - 2.4 GHz to 2.4835 GHz
- Antennas
 - 2 Fixed 5 dbi External Antennas
- Security
 - WEP 64/128-Bit Data Encryption
 - Wi-Fi Protected Access (WPA/WPA2)
 - WPS™ (PBC/PIN)
- Internet
 - WLAN
 - LAN
 - WPS
- Power input
 - 5 V DC/1 A Through External Power Adapter

TECHNICAL SPECIFICATIONS: SPEAKERS

- Portable Trolley Rechargeable Speaker USB/SD, FM Radio, Bluetooth
- Power: 200W
- 2pcs wireless mic included
- Wireless mic frequency: 261.8MHz; 239.4MHz
- Voltage: 100-240V~50/60Hz
- Rechargeable built-in battery
- Suitable for outdoor concert, advertising, entertainment and other activities.
- Built-in intelligent switch power supply circuit
- PA - 10


JOE MARIE ANTHONY E. ELIGIO
Head, Procurement Planning
Air Traffic Service


JOSE J. LUNA
Department Manager III, ATPPD
Air Traffic Service

TECHNICAL SPECIFICATIONS: TABLET 8" OR 10"

- Display: 10.1" 1080p Full HD
- Resolution: 1920 x 1200 (224 ppi)
- Storage: 32 or 64 GB (expandable by up to 256 GB) + unlimited cloud storage for Amazon digital content purchases
- CPU & RAM: Quad-Core up to 1.8 GHz with 2 GB of RAM
- Battery life: Up to 10 hours of reading, browsing the web, watching video, and listening to music
- Audio: Dolby Atmos, dual stereo speakers, built-in microphone
- Alexa enabled: Yes
- Colors: Black, Marine Blue, Punch Red
- Content: Millions of movies, TV episodes, songs, books, apps, games, and more
- Warranty and service: 1-year limited warranty
- Cover: Sold separately
- Camera: VGA front-facing camera + 2 MP rear-facing camera with 720p HD video recording
- Connectivity: Dual-band Wi-Fi
- Weight: 17.7 oz (500 g)
- Dimensions: 10.3" x 6.3" x 0.4" (262 mm x 159 mm x 9.8 mm)
- Customer support: Screen Sharing + email, web, and phone

TECHNICAL SPECIFICATIONS: WIFI DONGLE

- Wireless Standards
 - IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
- Frequency
 - 2.400~2.4835GHz
- Signal Rate
 - 11b: Up to 11Mbps(dynamic)
 - 11g: Up to 54Mbps(dynamic)
 - 11n: Up to 300Mbps(dynamic)
- Wireless Security
 - 64/128-bit WEP
 - WPA-PSK / WPA2-PSK
 - WPA / WPA2
- System Requirements
 - Windows 8.1(32/64bits), Windows 8(32/64bits),
 - Windows 7(32/64bits), Windows Vista(32/64bits)
 - Windows XP (32/64bits), Mac OS X 10.7~10.10, Linux


JOE MARIE ANTHONY E. ELIGIO
Head, Procurement Planning
Air Traffic Service


JOSE J. LUNA
Department Manager III, ATPPL
Air Traffic Service

TECHNICAL SPECIFICATIONS: WIFI MODEM

- Main Features:
 - Supporting global network TDD-LTE/ FDD-LTE/ UMTS
 - up to 150Mbps
 - Up to 10 Wi-Fi accesses at the same time.
 - Low power consumption, battery last long 4~6 hours
 - Support SD card (up to 32GB) and Wi-Fi file sharing
 - 3 three-color LED indicators, working status displayed clearly
 - Stylish and portable

TECHNICAL SPECIFICATIONS: WIRELESS MOUSE

- Connectivity and movement detection: Wireless optical mouse
- Resolution (dpi): 800dpi
- Interface: USB interface
- Buttons: 3 Buttons, 1 x Wheel
- Installation (plug and play): Plug-and-play Nano receiver
- System Requirements: Windows 8, Windows 7, or Windows Vista, Mac OS X 10.5 or later, USB Port
- Battery: 1 Year


JOSE MARIE ANTHONY E. ELIGIO
Head, Procurement Planning
Air Traffic Service


JOSE J. LONA
Department Manager III, ATPPD
Air Traffic Service