



## **REQUEST FOR QUOTATION**

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a Small Value Procurement for the "**Purchase of four (4) units satellite phones with prepaid loads for Search & Rescue Operation Activities of PARCC**" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No. : **C21-034-07**

Name of Project : **Purchase of four (4) units satellite phones with prepaid loads for Search & Rescue Operations Activities of PARCC**

Approved Budget for: **Php200,000.00**

Specifications : See the attached Annex "B" for specifications

Location : Procurement Division, CAAP, MIA Road, Pasay City

Delivery Term : **45 calendar days** from the receipt of Notice for Compliance

Interested suppliers are required to submit their valid and current following documents in a sealed envelope:

1. Mayor's Permit;
2. Income/Business Tax Return for ABC's above P500,000;
3. PHILGEPS Registration Number;
4. Tax Clearance;
5. Omnibus Sworn Statement for ABC's above P50,000; (a. Form must be in accordance with Section 25.3, 2016 IRR b. Authorized representative must attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate/Secretary Certificate for Corporation)
6. Price quotation from (Annex "A") during submission of offer/Quotation and,
7. Brochure if applicable

Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

**OSCAR B. DEMETILLO, JR.**  
CCC-Chairperson



Annex "A"

## PRICE QUOTATION FORM

Date: \_\_\_\_\_

The Chairperson  
 Canvass and Contract Committee  
 Procurement Division, CAAP,  
 MIA Road, Pasay City

Sir/Ma'am:  
 After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Description			
<b>Purchase of four (4) units satellite phones with prepaid loads for Search and Rescue Operation Activities of PARCC</b>			
Specification	QTY.	Unit Price	Total Price
Please see attached specifications at Annex "B"			
		• Inclusive of Delivery	
		Total (Inclusive of VAT)	

(Amount in Words) \_\_\_\_\_

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

\_\_\_\_\_  
 Name/Signature of Representative

\_\_\_\_\_  
 Position

\_\_\_\_\_  
 Name of Company

\_\_\_\_\_  
 Contact No.

\_\_\_\_\_  
 Email Address



## TECHNICAL SPECIFICATION SATELLITE PHONES

- Interface unit, with built in Bluetooth Handsfree
- Antenna unit, with built in GPS Receiver unit
- USB Cable up to 2meters
- Battery Rechargeable Li-Ion
- AC/DC Adapter
- Manual and CD, including Inmarsat common PC User Interface
- Voice 4.0kbps
- The terminal offers simultaneous CS voice and PS data connection
- Support speech to/from the PSTN/ISDN/up to 3G terrestrial network
- Supporting DTMF
- SMS maximum 160 characters
- PS Data:
  - Symmetric IP (Forward: 32 and 64 kbps, Return 32 and 64 kbps) (CBR)
  - Standard IP bit rates up to 384/240 kbps on shared channels (384 downstream/ 240 upstream) (VBR)
- Some of the Supplementary Services supported:
  - Voice mail, Call Line Identification Presentation (CLIP), Call Forwarding on Mobile Busy / No Reply / Not Reachable, Call Waiting (CW), Call Barring
- Micro USB Cable
- 8 hours = talk time. up to 160 hours = standby time
- Operates over globally geostationary satellites ensuring reliable call stability and network connection
- Shock resistant: IP65 - Protected against the events of temporary submersion (10min).
- And IK04 - Protected against 0.5 joules of impact
- Humidity tolerance from 0 to 95%
- Keep people updated of your GPS coordinates. Notifications of inbound calls even when antenna stowed.
- Scratch-resistant.
- Can withstand extreme conditions from -20 C to +50C
- Larger keypad for easy dialing when wearing gloves
- With complete standard accessories
- Size: approximately 169x52x29mm
- Weight: approximately 318 g; Wired Hand-Free Headset; Swivel Belt Holster
- With one-year prepaid load

*Nothing follows*

### Legend:

PSTN (public switched telephone network) is the world's collection of interconnected voice-oriented public telephone networks. PSTN stands for public switched telephone network, or the traditional circuit-switched telephone network.

Integrated Services Digital Network (ISDN) is a set of communication standards for simultaneous digital transmission of voice, video, data, and other network services over the digitalised circuits of the public switched telephone network.

- Circuit switching (CS): It is used for voice communication which requires dedicated connection between calling and called party to take care of latency requirements of real time voice calls.
- Packet switching (PS): It is used for data communication which does not require dedicated connection. It is useful for less time sensitive internet data or emails.

Dual-tone multi-frequency signaling (DTMF) is a telecommunication signaling system using the voice-frequency band over telephone lines between telephone equipment and other communications devices and switching centers.

*Mauro M...*  
FIC, PARCC

*Joe*  
**JOE MAURO ANTHONY E. ELGIO**  
Head, Procurement Planning  
Air Traffic Service