

Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

## **REQUEST FOR QUOTATION**

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "Purchase of boltless steel shelves to be used for COA Storage Rooms" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No.	:	C23-006-04
Name of Project	:	Purchase of boltless steel shelves to be used for COA Storage Rooms
Approved Budget fo	r	
for Contract	÷	P583,500.00
Terms	:	See the attached Annex "A" for Terms of Reference and corresponding Specifications
Location	:	Procurement Division, CAAP, MIA Road, Pasay City
Delivery Term	:	Fifteen (15) calendar days from the receipt of Notice for Compliance

Delivery Time : 8:00 AM – 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above ₱500,000.00;
- 3. PHILGEPS Certificate of Registration;
- 4. Tax Clearance;
- Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above P50,000.00; (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation and,
- 7. Brochure if applicable

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.** 

Price quotation/s must be valid for a period of thirty (120) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

ATTY. JOHN BEAUB. MASIGLAT CCC-Chairperson



# Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Annex "A"

# PRICE QUOTATION FORM

Date:

The Chairperson Canvass and Contract Committee Procurement Division, CAAP, MIA Road, Pasay City

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Description		O L Ctore			
Purchase of boltless steel shelves to be used for COA Storage Rooms Specification QTY Unit Unit Tota					
Specification	VII.	Cint	Price	Price	
Boltless steel shelves 2.10m H x 1.250m W x 0.45m D	31	units			
Specs:					
Layers: 7 layers including top and bottom					
Materials: stainless steel iron					
Thickness: 2.00mm					
Powerful storage space saver space					
Adjustable design to meet specific needs					
Easy to install					
Strong load-bearing, not easy to bend					
Using high quality raw materials					
Epoxy powder coating, healthy anti-rust					
Anti-slip design, suitable for warehouse, home and office use					
Boltless steel shelves 2.40m H x 1.250m W x 0.45m D	10	units			
Specs:	_				
Layers: 8 layers including top and bottom					
Materials: stainless steel iron					
Thickness: 2.00mm					
Powerful storage space saver space					
Adjustable design to meet specific needs					
Easy to install					
Strong load bearing, not easy to bend					
Using high quality raw materials					
Epoxy powder coating, healthy anti -rust			1		
Anti-slip design, suitable for warehouse, home and office					
Delivery Location/s:					
1. BGMS - Basement Admin Building (31 units) Civil					
Aviation Authority of the Philippines (CAAP) Baltao					
Road, Pasay City Metro Manila					
2. Manila Transmitter AFPOVAI, Taguig City, Metro	1				
Manila (10 units)					
Inclusive of Delivery					
	Tot	al (Inclusiv	e of VAT)		

(Amount in Words)

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/Signature of Representative

Position

Name of Company

Contact No.

Email Address



# Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

#### TERMS OF REFERENCE

Name of Project	:	Purchase of boltless steel shelves to be used for COA	A Storage Rooms.
Approved Budget	:	Php583,500.00	
Delivery Period	:	Fifteen (15) Calendar Days from the receipt of Not	ice for Proceed
Delivery Location/s	:	1. BGMS- Basement Admin Building Civil Aviation Authority of the Philippines (CAAP) Baltao Road, Pasay City Metro Manila	31 units
	1	2. Manila Transmitter AFPOVAI, Taguig, Metro Manila	10 units
		<ol> <li>Acceptance of delivery shall be from 8:00A.M to during regular working days, upon coordination with and Grounds Maintenance Section Office.</li> <li>A written notice must be sent via email to the Pro Division (procurement@caap.gov.ph), and Supply II (supply@caap.gov.ph) at least seven (7) working day intended date of delivery.</li> </ol>	n the Buildings curement Division
Delivery Condition(s)	:	<ol> <li>Upon receipt of the Notice of Delivery, a confirm availability of End-User and/or Technical Inspection Committee (TIAC) must be received by the Supplier Procurement Division within two (2) working days by with the delivery.</li> <li>The Supplier's noncompliance to the delivery con-</li> </ol>	and Acceptance r from the before proceeding
		herein and in the Approved Contract shall be a group entry to the CAAP premises and receipt of delivery, the part of the CAAP.	nd for refusal of
Terms of Payment	:	Payment upon full delivery and subject to usual gov accounting rules and regulations.	ernment

### **Technical Specification**

Unit	Item Description	Qty.
Units	Item Description         Boltless steel shelves 2.10m H x 1.250m W x 0.45m D         Specs:         Layers : 7 layers including top and bottom         Materials : stainless steel iron         Thickness : 2.00mm         Powerful storage space saver space         Adjustable design to meet specific needs         Easy to install	Qty. 31
	Strong load-bearing, not easy to bend Using high quality raw materials Epoxy powder coating, healthy anti-rust Anti-slip design, suitable for warehouse, home and office use	


Units	Boltless steel shelves 2.40m H x 1.250m W x 0.45m D Specs:	10
	Layers : 8 layers including top and bottom	
	Materials : stainless steel iron	
	Thickness : 2.00mm	
	Powerful storage space saver space	
	Adjustable design to meet specific needs	
	Easy to install	
	Strong load-bearing, not easy to bend	
	Using high quality raw materials	
	Epoxy powder coating, healthy anti-rust	
	Anti-slip design, suitable for warehouse, home and office	
	use	

Prepared by:

÷ .,

0 MARIO T. MAGPOC OIC, BGMS

Noted: MELINA C. REYES Division Chief III, FMD



8/03

· · · · · ·

and and the

