REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "Purchase of steel rack (metal shelves) to be used at CRAD Storage Room, CAAP Transmitter Station, Fort Bonifacio, Taguig City" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No.

C23-034-06

Name of Project

Purchase of steel rack (metal shelves) to be used at CRAD Storage Room,

CAAP Transmitter Station, Fort Bonifacio, Taguig City

Approved Budget for

for Contract

P297,000,00

Terms

See the attached Annex "A" for Terms of Reference and

corresponding Specifications

Location

Procurement Division, CAAP, MIA Road, Pasay City

Delivery Term

Thirty (30) calendar days from the receipt of Notice for Compliance

Partial delivery is not allowed

Delivery Location

Manila Transmitter Station AFPOVAI, Taguig City

Delivery Time

8:00 AM - 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above P500,000.00;
- 3. PHILGEPS Certificate of Registration;
- Tax Clearance;
- Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above P50,000.00; (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation and,
- 7. Brochure if applicable

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.**

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

ATTY. JOHN BEAU B. MASIGLAT

CCC-Chairperson



Republic of the Philippi CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Annex "A"

PRICE QUOTATION FORM

Date:	THE QUOINT	1110			
The Chairperson Canvass and Contract Committe Procurement Division, CAAP, MIA Road, Pasay City	ee				
Sir: After having carefully read and is our quotation/s for the item/s		tions in	the Requ	uest for Quotati	on, hereunder
	(metal shelves) to be used ransmitter, Fort Bonifacio				CAAP
Specification		QTY	Unit	Unit Price	Total Price
0.450m D x 1.250m W x 1.250m Specs: Thickness: 2.00mm, Adjustable top and bottom. Stainless steel is uninstall, Space Saver, Boltless High quality raw materials Epoxy powder coating, healthy Anti-slip design Strong long-bearing not easy to Total (Inclusive of VAT)	e layers, 8 layers including ron, Easy to install and anti-rust	18	Units		
(Amount in Words)					
The above-quoted prices are inc	lusive of all costs and applica	ble taxe	es.		
Very truly yours,					
Name/Signature of Representati	ve				
Position					
Name of Company					
Contact No.					
Email Address					



Republic of the Philippines

CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

TERMS OF REFERENCE

Name of Project	:	Purchase of steel rack (metal shelves) to be used at CRAD Storage Room, CAAP Transmitter Station, Fort Bonifacio, Taguig City
Approved Budget	:	Php297,000.00
Delivery Period	:	Thirty (30) Calendar Days from the receipt of Notice for Proceed Partial delivery is not allowed
Delivery Location/s	:	Manila Transmitter AFPOVAI, Taguig City, Metro Manila
Delivery Condition(s)	:	 Acceptance of delivery shall be from 8:00A.M to 4:00P.M only during regular working days, upon coordination with the Buildings and Grounds Maintenance Section Office. A written notice must be sent via email to the Procurement Division (procurement@caap.gov.ph), and Supply Division (supply@caap.gov.ph) at least seven (7) working days prior to the intended date of delivery. Upon receipt of the Notice of Delivery, a confirmation of availability of End-User and/or Technical Inspection and Acceptance Committee (TIAC) must be received by the Supplier from the Procurement Division within two (2) working days before proceeding with the delivery.
		4. The Supplier's noncompliance to the delivery conditions stipulated herein and in the Approved Contract shall be a ground for refusal of entry to the CAAP premises and receipt of delivery, with no fault on the part of the CAAP.
Terms of Payment	:	Payment upon full delivery and subject to usual government accounting rules and regulations.

Technical Specification

Unit	Item Description	Qty.	
	0.450m D x 1.250m W x 2.40m H Steel rack		
Units	Specs: Thickness: 2.00mm, Adjustable layers, 8 layers including top and bottom, Stainless steel iron, Easy to install and uninstall, Space Saver, Boltless High quality raw materials Epoxy powder coating, healthy anti-rust Anti-slip design Strong load-bearing not easy to bend	18	

EMERSON S. PAGKALIWANGAN
Division Chief III, Central Records and Archives Division