

Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Plaridel Airport, Plaridel, Bulacan

August 11, 2023

REQUEST FOR PRICE QUOTATION

The Civil Aviation Authority of the Philippines (CAAP) Plaridel hereby invites interested bidders for the PURCHASE OF BASE/MOBILE RADIO TRANSCEIVER FOR MARINDUQUE AIRPORT.

A. Approved budget for the project - Php 85,000.00

Please secure Canvass form from www.philgeps.gov.ph or at the Office of the Acting Area Manager Plaridel Airport during office hours Monday to Friday starting August 14, 2023.

The sealed quotation shall be submitted at Plaridel Airport, Plaridel Bulacan on or before August 21, 2023 at 10:00am to the Bids and Awards Committee c/o the Office of the Acting Area Manager and will be opened on the same date at 2:00pm. Indicate in the sealed envelope the name of the Project you are participating.

The CAAP – Plaridel Airport reserves the right to accept or reject any bid, and to annul the bidding process and reject all Bids at any time prior to contract award without thereby incurring any liability to the affected Bidder/s.

You may call Plaridel Airport BAC Secretariat Members at (044) 794-7071 for details.

Very truly yours,

ROLDAN P. ABEJUELA

BAC Chairman



Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

REQUEST FOR QUOTATION

	Date :
	PAP No.:
Company/Business Name: ¹	
Address:	
Business/Mayor's Permit No.:	
TIN:	
PhilGEPS Registration Number (required for ABC above 50k):	

The Civil Aviation Authority of the Philppines - AreaCenter III, through its Bids and Awards
Committee (BAC), intends to procure the Purchase of Base/Mobile Radio Transceiver for Marinduque Airport through
Section 53.9 (Negotiated Procurement - Small Value Procurement) of the 2016 Revised Implementing
Rules and Regulations of Republic Act No. 9184.

Please quote your **best offer** for the item/s described herein, subject to the Terms and Conditions provided on this Request for Quotation (RFQ). Submit your quotation duly signed by you or your duly authorized representative **not later than the deadline on ____**

Document	Remarks		
Copy of 2023 Mayor's or Business Permit	In case not yet available, you may submit your expired 2022 Mayor's or Business Permit with the Official Receipt of the renewal application. However, a copy of your 2023 Mayor's or Business Permit shall be required to be submitted after the award of the contract but before payment.		
Notarized Omnibus Sworn Statement (GPPB-Prescribed Form)	If unable to have the document notarized, you may submit a signed unnotarized Omnibus Sworn Statement (in the prescribed template), subject to compliance therewith after awarding of the contract but before payment. (For ABCs above P50k)		
PhilGEPS Registration Certificate	In case not yet available, you may submit your expired 2022 PhilGEPS Registration Certificate with the Official Receipt of the renewal application. However, a copy of your 2023 PhilGEPS Registration Certificate shall be required to be submitted after the award of the contract but before payment. (For ABCs above P50k)		
PCAB License	In case not yet available, you may submit your expired 2022 PCAB License with the Official Receipt of renewal application. However, a copy of your Valid 2023 PCAB License shall be required to be submitted after award of contract but before payment. (For ABCs above P50k if applicable)		
Latest Annual Income / Business Tax Return	For ABCs above P500k, Annual Income Tax Return from previous year must be submitted.		
	Once the Notice of Award of the Project (for ABC above P50k) is given, the winning bidder is required to submit Performance Security prior to the signing of the contract as prescribed by Section 39 of Updated 206 Revised IRR of RA 9184 to wit:		
	Form of Performance Security	Amount of Performance Security (Not less than the required percentage of the Total Contract Price	



	a.) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. For biddings conducted by LGUs, the cashier's/manager's check may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (a)	Goods and Consulting
Performance Security	b.) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, That is shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. For biddings conducted by LGUs, bank draft/guarantee, or irrevocable letter of credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (a)	Services – Five percent (5%) Infrastructure Projects - Tempercent (10%)
	c.) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)
	Non-submission of Performance Security shall warrant disqualification of bids as mandated by Section 40 of Updated 2016 Revised IRR of RA 9184.	

For any clarification, you may contact us at telephone no. (044) 794-7071 or email address at areacenter3 bac@caap.gov.ph.

ROLDAN P ABEJUELA
BAC Chairman



¹ In case of discrepancy on the business name as reflected on this RFQ and as reflected in the Business Permit, the latter shall prevail.

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- Do not alter the contents of this form in any way.
- (2) The use of this RFQ is <u>highly encouraged</u> to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ only pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all th mandatory requirements/provisions including manifestation on the agreement with Terms and Conditions below.

In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.

- (3) All mandatory technical specifications (with asterisk) must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- (4) Quotations may be submitted through electronic mail at areacenter3_bac@caap.gov.ph.
- Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the email shall be considered.

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- Price quotation/s must be valid for a period of thirty (30) calendar days from the deadline
 of submission.
- Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- 5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, CAAP Area Center III shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 8. The item/s shall be delivered according to the accepted offer of the bidder.
- Item/s delivered shall be inspected on the scheduled date and time of the CAAP Area Center III. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications
- 10. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e., Order Slip and/or Billing statement, by the supplier, contractor, or consultant. Our Government Servicing Bank, i.e., the Land Bank of the Philippines, shall consultant not earlier than twenty-four (24) hours, but not later than forty-eight (48) hours, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier, contractor, or consultant.
- 11. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods/ services/equipment not complied/delivered within the prescribed delivery period shall be imposed per day of delay. The CAAP Area Center III may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of
 - the contract, without prejudice to other courses of action and remedies open to it.
- 12. All transactions are subject to withholding of credible Government Taxes per revenue regulation(s) of the Bureau of Internal Revenue.
- For first time bidder, you are required to submit a portfolio of manpower and equipment of your company.
- 14. Upon Post Qualification, the Winning Bidder, must also submit Tax receipts from Bureau of Customs as proof of payment of all taxes and duties due on the equipment, if the said equipment was bought outside the Philippines.



After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

0	ota Descriptions of Artistan	I to te	-	Hada D. L.	Tatal A
	ete Descriptions of Articles	Unit	Qty	Unit Price	Total Amoun
	/HF RADIO TRANSCEIVER SET:	-			
Specification: I.1. Base VHF Radio Transceiver		-	1	-	
	135 174 141-	-			
Frequency Coverage:	136 - 174 MHz	-			
Type of Emission: No. of Channels:	F2D, F3E (FM)	+			
Antenna Impedance:	207 channels	-			
Power Supply Requirement:	50 ohms (Ω); (SO-239 antenna jack) 13.8 V DC ± 15 %			-	
Operating Temperature Range:	-10°C to +60°C	-		-	
TX (High)	302(-20)	-	-	-	
Current Drain	11 Amps.	1			
(approx.) RX (Max.	1.5	-			
Audio/		+		-	
10.50 11-7	Amps./	_		-	
Standby) Transmitter	0.4 Amps.	-	_		
Output Power:	50 Watts	_		-	
Max. Frequency Deviation:	±5.0 kHz/±2.5 kHz (Wide/Narrow)	_		-	
Frequency Stability:	±5.0 kHz/±2.5 kHz (Wide/Narrow) ±3 ppm	-			
Spurious Emissions:	±3 ppm Less than –60 dBc				
Microphone Impedance:	600 Ω (8-pin modular)			-	
Receiver	000 tz (o-pin modular)	-			
Sensitivity (at 12 dB SINAD):	Lose than 0.18 July	-	_		
Selectivity: Wide	Less than 0.18 μV More than 6 kHz (at 6 dB)	-			
selectivity: Wide	Less than 14 kHz (at 60 dB)	-			
Narrow		-			
INATIOW	More than 3 kHz (at 6 dB)	-			
Spurious response rejection:	Less than 9 kHz (at 55 dB) More than 60 dB	-		-	
Audio output power:	4.5 W typ. (10% dist. 4 Ω load)	-			_
External speaker connector:	2-conductor 3.5 (d) mm (1/8")/4 Ω	-			
Standard Accessories:	Push-to-talk Hand Microphone; DC power cable	-		-	
Standard Accessories.	Mounting Bracket Kit; Microphone Hanger;	 	-		
	Spare Fuse	+	-	-	
I.2. VHF Antenna	Spare i use	1			
Frequency Coverage:	136 - 174 MHz				
Impedance:	50 ohms (Ω)				
VSWR:	less than 1.5:1			1	
Type:	Omni-directional				
Gain:	3.8 dB or better	1			
Max. Power Rating:	200 Watts				
I.3. Antenna Transmission Line A	Almos Developed			 	
Length:	30 meters				
	RG-8/U Coaxial Cable Assembly	1			
Туре:	Fitted with PL-259				
	RF Connectors on both ends				
I.4. Regulated DC Power Supply					
Туре:	Switching Power Supply				
Input Voltage:	220 VAC, 60 Hz				
Output Voltage:	13.8 VDC				
Current Rating:	30 Amps. Max.				
Meter:	Voltage/Current Meter, backlit				
II. BASE	UHF RADIO TRANSCEIVER SET:				
Specification:					
I.1. Base UHF Radio Transceiver					
Frequency Coverage:	350-400MHz				
Type of Emission:	16K0F3E, 8K50F3E, 4K00F1D/F1E				
No. of Channels:	128 channels	1			

Antenna Impedance:	50 ohms (Ω); (SO-239 antenna jack)		
Power Supply Requirement:	13.8 V DC ± 15 %		
Operating Temperature Range:	-30°C to +60°C		
TX (High)			
Current Drain			
(approx.) RX (Max.			
Audio/			
Standby)			
Transmitter			
Output Power:	45 Watts		
Max. Frequency Deviation:	±5.0kHz/±2.5kHz (Wide/Narrow)		
Frequency Stability:	±1.0ppm		
Spurious Emissions:	70dB min.		
Microphone Impedance:	600Ω (8-pin modular)		
Receiver			
Sensitivity (at 12 dB SINAD):	0.25μV typ.		
Selectivity:	75/70dB typ. (W/N),		
Spurious response rejection:	70dB min.		
Audio output power:	4W typ.		
External speaker connector:	2-conductor 3.5 (d) mm (1/8")/4Ω		
Standard Accessories:	Hand microphone; Microphone hanger;		
	DC power cable; Mounting bracket kit		
I.2. UHF Antenna			
Frequency Coverage:	350-400MHz		
Impedance:	50 ohms (Ω)		
VSWR:	less than 1.5:1		
Type:	Omni-directional		
Gain:	5.5 dB or better		
Max. Power Rating:	200 Watts		
1.3. Antenna Transmission Line	Assembly		
Length:	30 meters		
Type:	RG-8/U Coaxial Cable Assembly		
туре.	Fitted with PL-259		
	RF Connectors on both ends		
I.4. Regulated DC Power Supply			
Type:	Switching Power Supply		
Input Voltage:	220 VAC, 60 Hz		
Output Voltage:	13.8 VDC		
Current Rating:	30 Amps. Max.		
Meter:	Voltage/Current Meter, backlit		
	III. Additional Cost:		
NTC License Processing Fees			
	xxx Nothing Follows xxx	-	

FINANCIAL OFFER:

Terms of Payment:		
Payment shall be made upon compend user if needed. Please provide	letion of all required documents, inspection and acceptance of the the following bank details.	
Payment Details:		
Name of Payee: TIN:		

Please quote your total best offer for the item/s above. Please do not leave any blank items. Indicate "0" if item being offered is for free.



Purchase of Base/Mobile Ra	dio Transceiver for Marinduque Airport
	contract: Eighty Five Thousand Pesos hP85,000.00)
TOTAL OF	FERED QUOTATION
In Words:	
In Figures:	
YN PBARL P. GULHNAO	Signature over Printed Name
thorized Canvasser	Position/Designation
	Office Telephone/Fax/Mobile No
	Email address/es