

REQUEST FOR QUOTATION NO.: RFQ-2022-006

	Date: <u>March 2, 2022</u>
Name of the Company :	
Address :	
Contact No. :	
PhilGEPS Registration No.	

Sir/Madam:

Please quote your best offer (lowest net, price, taxes, and government discount terms included) and submit your Quotation duly signed by you or your duly authorized representative not later than March 7, 2022 at 8:00AM for:

Name of the Project : CONSOLIDATED FIRE FIGHTING EQUIPMENT FOR

CAAP AREA I

Location : Laoag International Airport

Terms of Reference:

Sealed quotations must be submitted either personally to Ms. Hazelle May C. Andres, Head, Secretariat of the Bids and Awards Committee of Laoag International Airport (BAC-LIA) or e-mail at areacenter1 bac@caap.gov.ph. For any clarification, do not hesitate to contact us through the contact information seen below.

Aside from the Terms and Conditions provided at the back portion of this RFQ, please observed the following general conditions:

- 1. The following documents must be attached upon submission of the Quotation:
 - a) Mayor's Permit
 - b) PhilGEPS Certificate of Registration
- 2. All quotations shall be considered as fixed price and not subject to price escalation during the contract implementation.
- **3.** Payment shall be made through check.

(Original Signed)
Atty. RIZZA JOY S. VALLESTERO

Chairperson, Bids and Awards Committee

After having carefully read and accepted the Terms and Conditions, I/We submit our quotations for the following item/s:

ITEM DESCRIPTION	APPROVED							
	BUDGET OF	PRICE				Compliance w/ Technical		REMARKS
(SPECIFY THE BRAND AND	THE					Specifications		
MODEL OF YOUR	CONTRACT	QTY	UNIT	Unit	Total Price	Yes	No	
OFFER/PROPOSAL, IF	(ABC)			Price				
APPLICABLE)	(PER ITEM)	_						
1. PISTOL GRIP NOZZLE	₱90,000.00	2	Units					
Specification:								
Pattern								
Identification								
Larger more legible								
labels								
Simple to operate								
(1/4 turn from								
straight stream to								
fog)								
Raised lug marks								
straight stream for								



			1	1	I	ı	1	T	1
	limited visibility								
	operations								
>	Easy to service &								
	repair								
	Standard								
>	100 psi (7 bar)								
	standard, 75 psi (5 &								
	6 bar) optional								
>	Variety of inlets								
	available including								
	BIM								
>	Compatible with								
	quick attach foam								
>	tube style 792 NFPA 1964, FM and								
	EN-15182 available								
>	Replacement for								
	style 1715 nozzle								
	Applications/								
	Solutions								
>	Emergency								
	responder OEMS								
>	Fire OEMS								
>	Firefighting –								
	Airport (ARFF)								
>	Firefighting –								
	Industrial								
>	Firefighting –								
	Structural								
>	Firefighting –								
2 ENU	Wildland Forestry	P24 0.000.00	2	T T •4					
	FRY SUIT ication:	₱240,000.00	2	Unit					
_	Maximum ambient								
	heat protection is								
	about 2,000 degrees								
	F (1,093 degrees C)								
	for short duration								
	and prolonged								
	radiant heat up to								
	1,500 degrees F (816								
	degrees C)								
Hood									
>	Designed to be used								
	with air mask.								
	Inner drape flame								
	seals. Underarm								
	adjustment straps.								
	Built in shell for								
	structural support. Hard cap with								
	ratchet headgear.								
	Speedy clip for hard								
	cap support.								
	Hardened aluminum								
	window frame with								
I	2 tempered glass								
	2 tempereu giass								
	lenses plus 2 gold								



	plated lenses for						
	thermal protection.						
Coat							
>	Designed to be worn						
	with breathing						
	apparatus. Double						
	storm fly						
Front							
Fiont	Flame seal with						
	drawstring at coat						
	bottom						
D 4							
Pant >	High waist design, 2						
	inch wide adjustable						
	suspenders.						
	Adjustable straps on						
	leg bottoms.						
Doots							
Boots	Designed to fit over						
	work shoes. Rear						
	entry with overlap						
	snap closure and						
	adjustable take-up						
	straps. Insulated wire reinforced sole						
	of flame resistant						
	neoprene fiberglass						
	riveted to boot cover						
3.50							
Mitts	Hoovy weight						
	Heavy weight construction made						
	with Aluminized						
	fabric						
	ventional Bunker Suit	₱300,000.00	3	unit			
(Set)							
	cation: t and Trouser						
	Outer shell: Nomex						
	IIIA (93% meta-						
	aramid, 5% para-						
	aramid, 2%						
>	antistation) Moisture Barrier:						
	Aramid non-woven						
	with PU Membrane						
	Lamination						
>	Thermal Barrier:						
_	Nomex, Kelvar Felt						
>	Reflective Tape: 3M Scotchlite Reflective,						
	9587#						
>	Comfort Lining:						
	Blended Aramid/FR						
	Viscose						
>	Tread: Nomex Thread						
1	rmeau			Ī			



> Style: 1) Coat	1				
included radio					
pocket, 2 external					
pockets and 2					
internal pockets					
2) Trouser –					
*					
complete with 1					
internal pocket,					
suspender and 2					
knee pads					
Knee paus					
A ** 1					
2. Helmet					
Monoblock fire					
proof shell with					
excellent shock					
absorbent % heat					
insulation properties					
Fitted with pliable,					
adjustable head					
harness heat					
resistant visor @					
aluminized nape					
protecting shroud					
High single Center					
Ridge for added					
head protection					
> Function: Anti Fire,					
Acid Oil & Solvent					
proof heat					
endurance > 100					
degrees Celsius					
Non-conductive					
Weather proof &					
comfortable					
3. Fire Fighting Boots					
> Made of specially-					
formulated rubber					
compound to render					
it abrasion, and oil					
resistant					
Also electric shock					
resistant					
One piece stainless					
steel midsole,					
conforms to					
standards sole					
penetration &					
_					
flexing test					
Steel toe meets EN					
345 for impact &					
compression					
Fitted with pull					
strap for easy					
donning					
4. Fireman Rescue Glove					
> Nomex material;					
-					
Reflective strap;					
Guard Strip for anti					
slip on the wrist					
-			-		•



₱630,000.00							
TOTAL:							
	•	, l	,	,	, l	<u> </u>	

Note: Quotation for each item must not exceed the ABC per item

Signature over Printed Name Supplier/Dealer/Contractor



TERMS AND CONDITIONS

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for a period of Thirty (30) calendar days from the date of submission.
- 3. Price quotation/s shall be denominated in Philippine Peso which includes all taxes, duties and/or levies payable.
- 4. Quotations exceeding the ABC shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein. Further, the most advantageous to the government to the point of quality of materials and prices as well as the responsiveness of the bids shall be the basis of the award.
- 6. The Head of the Procuring Entity reserves the right to reject any and all bids, declare a failure of bidding or not award the contract in any of the following conditions set forth by Sec. 41 (Reservation Clause) of the Revised IRR of RA 9184.
- 7. The Supply Office of LIA shall have the right to inspect and to test the goods to confirm their conformity to the technical specifications.
- 8. Date of Completion/Delivery: In case of an approved POW, within the period stated therein. While, in cases of regular procurement, within 7-10 days or less, after the issuance of the Purchase Order. Further, any request of extension shall be sent to the End-User/Implementing Facility concern.
- 9. *Mode and Terms of Payment:* Within ten (10) working days after the supplies/materials and labor/service have been inspected and accepted, respectively, through a check issued by the procuring entity.
- 10. Liquidated damages equivalent to one tenth of one percent (0.001%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. This Office (LIA) shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

NOTE: The aforecited Terms and Conditions shall be without prejudice to any provisions of a Contract which will be executed by and between the Procuring Entity and Contractor/Supplier/Dealer in order to conform with the requirements set forth by RA 9184.