

#### **REQUEST FOR QUOTATION**

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "<u>Purchase of Range Finder and GPS Tracker for ATMSID-AANSOO</u>" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No.	:	C23-046-08
Name of Project	:	Purchase of Range Finder and GPS Tracker for ATMSID-AANSOO
Approved Budget for		
for Contract	2	P 170,000.00
Terms	:	See the attached Annex "A" for Terms of Reference and corresponding Specifications
Location	:	Procurement Division, CAAP, MIA Road, Pasay City
Delivery Term	:	Thirty (30) calendar days from the receipt of Notice
		For Compliance / Partial delivery is not allowed
Delivery Location	:	CAAP Head Office Warehouse
Delivery Time	:	8:00 AM - 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above P500,000.00;
- 3. PHILGEPS Certificate of Registration;
- 4. Tax Clearance;
- Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above ₱50,000.00; (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation and,
- 7. Brochure if applicable

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.** 

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract without prejudice to other courses of action and remedies open to it.

ATTY. JOHN BEAU B. MASIGLAT CCC-Chairperson



Republic of the Philipp 3 CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Annex "A"

### PRICE QUOTATION FORM

Date: \_

The Chairperson Canvass and Contract Committee Procurement Division, CAAP, MIA Road, Pasay City

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

intensity/brightness adjustment Weight: 220 g or less Size: Compact/Handy (can be opened with a single hand) Interface: Serial, via wired RS232 or wireless Bluetooth Max Range: 6,560 ft (2,000m) max to reflective target Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/- 1 yd (+/- 1 m), low quality target Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Opties: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)	<b>Technical Specifications / Requirements</b>	QTY	Unit	Unit Price	Total Price
intensity/brightness adjustment Weight: 220 g or less Size: Compact/Handy (can be opened with a single hand) Interface: Serial, via wired RS232 or wireless Bluetooth Max Range: 6,560 ft (2,000m) max to reflective target Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/- 1 yd (+/- 1 m), low quality target Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Opties: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)	A. Range Finder				
Weight: 220 g or less         Size: Compact/Handy (can be opened with a single hand)         Interface: Serial, via wired RS232 or wireless Bluetooth         Max Range: 6,560 ft (2,000m) max to reflective target         Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/-         1 yd (+/- 1 m), low quality target         Inclination Accuracy: +/- 0.25 degrees         Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline,         NiCd/NiMH, Lithium) or (1) CRV3 battery         Eye Safety: FDA Class I (CFR 21)         Environmental: Impact, water, and dust resistant; NEMA 3, IP         54         Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds)         Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,	Display: I-scope non reflective (sunlight -readable). LCD with				
Size: Compact/Handy (can be opened with a single hand) Interface: Serial, via wired RS232 or wireless Bluetooth Max Range: 6,560 ft (2,000m) max to reflective target Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/- 1 yd (+/- 1 m), low quality target Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NIMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Interface: Serial, via wired RS232 or wireless Bluetooth Max Range: 6,560 ft (2,000m) max to reflective target Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/- 1 yd (+/- 1 m), low quality target Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Max Range: 6,560 ft (2,000m) max to reflective target Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/- 1 yd (+/- 1 m), low quality target Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Range Accuracy: +/- 1 ft (+/- 30 cm), high quality target N13 +/- 1 yd (+/- 1 m), low quality target         Inclination Accuracy: +/- 0.25 degrees         Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery         Eye Safety: FDA Class 1 (CFR 21)         Environmental: Impact, water, and dust resistant; NEMA 3, IP         54         Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds)         Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance <td></td> <td></td> <td></td> <td></td> <td></td>					
1 yd (+/- 1 m), low quality target Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Inclination Accuracy: +/- 0.25 degrees Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ff @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Battery: 3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery         Eye Safety: FDA Class 1 (CFR 21)         Environmental: Impact, water, and dust resistant; NEMA 3, IP         54         Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds)         Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance					
NiCd/NiMH, Lithium) or (1) CRV3 battery Eye Safety: FDA Class 1 (CFR 21) Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ff @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Eye Safety: FDA Class 1 (CFR 21)         Environmental: Impact, water, and dust resistant; NEMA 3, IP         54         Optics: 7x Magnification (field of view: 330 fl @ 1,000 yds)         Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance					
Environmental: Impact, water, and dust resistant; NEMA 3, IP 54 Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds) Units: Feet, Yards, Meters, and Degrees Accessories: Carrying Case, Extra Battery, and Battery Charger B. GPS Tracker Display: Transflective, 65K color TFT, 240 x 320 pixels resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
54         Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds)         Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance         Total (Inclusive of VAT)					
Optics: 7x Magnification (field of view: 330 ft @ 1,000 yds)         Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance         Total (Inclusive of VAT)					
Units: Feet, Yards, Meters, and Degrees         Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance         Total (Inclusive of VAT)	The second	[ ]			
Accessories: Carrying Case, Extra Battery, and Battery Charger         B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance         Total (Inclusive of VAT)					
B. GPS Tracker         Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of         acceptance					
Display: Transflective, 65K color TFT, 240 x 320 pixels         resolution or better         Size: Compact/Handy (can be opened with a single hand)         Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of         acceptance					
resolution or better Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Size: Compact/Handy (can be opened with a single hand) Weight: 141.7 g or less with batteries Battery: 2 AA batteries; NiMH or Lithium recommended Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Weight: 141.7 g or less with batteries         Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of         acceptance					
Battery: 2 AA batteries; NiMH or Lithium recommended         Environmental: Impact, water, and dust resistant: IPX7         Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of acceptance         Total (Inclusive of VAT)					
Environmental: Impact, water, and dust resistant: IPX7 Memory: 8 GC or Expandable with micro-SD Receiver: High-sensitivity, GPS, GLONASS. Etc. Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Memory: 8 GC or Expandable with micro-SD         Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of         acceptance         Total (Inclusive of VAT)					
Receiver: High-sensitivity, GPS, GLONASS. Etc.         Interface: USB, Type C         Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of         acceptance         Total (Inclusive of VAT)					
Interface: USB, Type C Other Features: Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Other Features: Preloaded MAPS, Ability to add maps,         Basemap, Picture Viewer, 3 – axis compass and barometric         altimeter         Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds         Accessories: Carrying Case, Extra Battery, and Battery Charger         Services: Calibration every six (6) months starting on date of         acceptance         Total (Inclusive of VAT)		n - 1			
Basemap, Picture Viewer, 3 – axis compass and barometric altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
altimeter Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)					
Accessories: Carrying Case, Extra Battery, and Battery Charger Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)	altimeter				
Services: Calibration every six (6) months starting on date of acceptance Total (Inclusive of VAT)	Units: Feet, Yards, Meters, and Degrees, Minutes, Seconds				
acceptance Total (Inclusive of VAT)	Accessories: Carrying Case, Extra Battery, and Battery Charger				
Total (Inclusive of VAT)					
	Total (Inclusive of VA1) Warranty:				

(Amount in Words) \_\_\_\_\_

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/Signature of Representative



## Republic of the Philip s CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Position

Name of Company

Contact No.

Email Address



Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

#### **TERMS OF REFERENCE**

Name of Project	:	PURCHASE OF RANGE FINDER AND GPS TRACKER FOR ATMSID- AANSOO
Approved Budget	:	170,000.00Php
Delivery Period	:	Thirty (30) days from the receipt of Notice for Compliance
		Note: Partial delivery is not allowed.
Delivery Location	:	CAAP Head Office Warehouse
		Note: Delivery must be made only from 8:00AM-4:00PM during regular work days.
		A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.
		A confirmation of availability of concerned office must be received by the supplier before proceeding with the delivery. None compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.
Terms of Payment	:	Payment upon full delivery and subject to usual government accounting rules and regulations.

# **Technical Specifications:**

A. Range Finder	
DISPLAY:	I-scope non reflective (sunlight -readable), LCD with intensity/ brightness adjustment
WEIGHT:	220 g or less
SIZE:	Compact/ Handy (can be operated with a single hand)
INTERFACE:	Serial, via wired RS232 or wireless Bluetooth®
MAX RANGE:	6,560 ft (2,000 m) max to reflective target
RANGE ACCURACY:	+/- 1 ft (+/- 30 cm), high quality target N13+/- 1 yd (+/-



Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

	1 m), low quality target
INCLINATION ACCURACY:	'+/- 0.25 degrees
BATTERY:	3.0 volts DC nominal; (2) AA batteries (Alkaline, NiCd/NiMH, Lithium) or (1) CRV3 battery
EYE SAFETY:	FDA Class 1 (CFR 21)
ENVIRONMENTAL:	Impact, water and dust resistant; NEMA 3, IP 54
OPTICS:	7X magnification (field of view: 330 ft @ 1,000 yds)
UNITS:	Feet, Yards, Meters, and Degrees
ACCESSORIES:	Carrying Case, extra Battery and Battery Charger
WARRANTY PERIOD:	At least one (1) year on parts and services from date of acceptance
B. GPS Tracker	
DISPLAY:	transflective, 65K color TFT, 240 x 320 pixels resolution or better
SIZE:	Compact/ Handy (can be operated with a single hand)
WEIGHT:	141.7 g or less with batteries
BATTERY:	2 AA batteries; NiMH or Lithium recommended
ENVIRONMENTAL:	Impact, water and dust resistant; IPX7
MEMORY:	8 GB or expandable with micro-SD
RECEIVER:	High-sensitivity, GPS, GLONASS, etc.
INTERFACE:	USB, Type C
OTHER FEATURES:	Preloaded MAPS, Ability to add maps, Basemap, Picture Viewer, 3-axis compass and barometric altimeter
UNITS:	Feet, Yards, Meters, and Degrees, Minutes, Seconds
ACCESSORIES:	Carrying Case, extra Battery and Battery Charger
SERVICES:	Calibration every six (6) months starting on date of acceptance



Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

WARRANTY PERIOD:	At least one (1) year on parts and services from date of acceptance

Prepared by:

Approved by:

MCKSON M. MORADA Senior ASSI

ATMSID-AANSOO

CAPTAIN FLORENDO JOSE C. AQUINO III Chief ASSI AANSOO