PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT

Civil Aviation Authority of the Philippines

Sixth Edition 01 July 2022

TABLE OF CONTENTS

\mathbf{G}	lossar	ry of Terms, Abbreviations, and Acronyms	4
Se	ction	I. Invitation to Bid	7
Se	ction	II. Instructions to Bidders	8
	1.	Scope of Bid	
	2.	Funding Information	12
	3.	Bidding Requirements	12
	4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	12
	5.	Eligible Bidders	13
	6.	Origin of Associated Goods	13
	7.	Subcontracts	13
	8.	Pre-Bid Conference	13
	9.	Clarification and Amendment of Bidding Documents	13
	10.	Documents Comprising the Bid: Eligibility and Technical Components	14
	11.	Documents Comprising the Bid: Financial Component	14
	12.	Alternative Bids	15
	13.	Bid Prices	15
	14.	Bid and Payment Currencies	15
	15.	Bid Security	15
	16.	Sealing and Marking of Bids	15
	17.	Deadline for Submission of Bids	16
	18.	Opening and Preliminary Examination of Bids	16
	19.	Detailed Evaluation and Comparison of Bids	16
	20.	Post Qualification	16
	21.	Signing of the Contract	17
Se	ction	III. Bid Data Sheet	18
		IV. General Conditions of Contract	
	1.	Scope of Contract	28
	2.	Sectional Completion of Works	
	3.	Possession of Site	
	4.	The Contractor's Obligations	28
	5.	Performance Security	29

6.	Site Investigation Reports	29
7.	Warranty	29
8.	Liability of the Contractor	29
9.	Termination for Other Causes	29
10	0. Dayworks	30
11	1. Program of Work	30
12	2. Instructions, Inspections and Audits	30
13	3. Advance Payment	30
14	4. Progress Payments	30
15	5. Operating and Maintenance Manuals	31
Section	on V. Special Conditions of Contract	32
Section	on VI. Specifications	34
Section	on VII. Drawings	40
	on VIII. Bill of Quantities	
Section	on IX. Checklist of Technical and Financial Documents	48

Glossary of Terms, Abbreviations, and Acronyms

ABC –Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project —Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC –Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Invitation to Bid

FOR THE

REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT

- 1. The Civil Aviation Authority Of The Philippines, Area Center V, Bicol International Airport through the CAAP Corporate Budget for CY 2022 intends to apply the sum of One Million Four Hundred Sixty Eight Thousand Four Hundred Thirty Seven Pesos & 36/100 (Php 1,468,437.36) being the ABC to payments under the contract for REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT / CAAP BICOL INTERNATIONAL AIRPORT BAC CONTRACT NO. 2022-008. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Civil Aviation Authority of the Philippines, Area Center V, Bicol International Airport now invites bids for the REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT. Completion of the Works is required within Sixty Six (66) Calendar Days. Bidders should have completed a contract similar to the Project. For this purpose, similar contract refers to building construction and other vertical works. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instruction to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

4.

- Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 5. Prospective Bidders may obtain further information from Civil Aviation Authority of the Philippines, Area Center V, at its physical address at the BAC Office, G/F Admin Building, Bicol International Airport, Daraga, Albay, and inspect the Bidding Documents from 8:00AM to 5:00PM, Monday to Friday.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) provided that bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. A complete set of Bidding Documents may be acquired by interested Bidders on 07 June 2022 to 01 July 2022 from the given physical address below, and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Six Hundred Pesos (Php 5,600.00), including 12% VAT. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person or through his authorized representative.
- 7. The Civil Aviation Authority Of The Philippines, Area Center V will hold a Pre-Bid Conference on 15 June 2022 at 2:00 p.m. onwards at its physical address at the BAC Office, G/F Admin Building, Bicol International Airport, Daraga, Albay which shall be open to prospective bidders.
- 8. Bids must be duly received by the BAC Secretariat at the physical address indicated below, **not later than 2:00 p.m. of 01 July 2022**. Online submission is not allowed and late submission shall not be accepted.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 10. Prospective Bidders should possess the following:

Technical Personnel	1- Mechanical Engineer
	1- Master Electrician
	1- Master Plumber
	1- Safety Officer
	1- Construction Foreman
Equipment	One Bagger Cement Mixer
	Concrete Vibrator
	Welding Machine
	Bar Cutter
	Minor tools and equipment
PCAB License	Small B – License Category C & D

The Civil Aviation Authority of the Philippines, Area Center V, Bicol International Airport shall resolve cases involving a tie, after post-qualification, among bidders determined and declared as the Lowest Calculated Responsive Bidder (LCRB), by drawing lots.

- Bid opening shall be on 01 July 2022 at 2:00 p.m. onwards at the physical address 11. of the Civil Aviation Authority of the Philippines, Area Center V at the BAC Office, G/F Admin Building, Bicol International Airport, Daraga, Albay. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 12. The Civil Aviation Authority of the Philippines, Area Center V, Bicol **International Airport** shall resolve cases involving a tie, after post-qualification, among bidders determined and declared as the Lowest Calculated Responsive Bidder (LCRB), by drawing lots.
- 13. The Civil Aviation Authority Of The Philippines, Area Center V, Bicol **International Airport** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 14. For further information, please refer to:

THE BAC SECRETARIAT

BAC Office, G/F Admin Building Civil Aviation Authority of the Philippines Area Center V, Bicol International Airport Daraga, Albay Telephone Nos. 0915-197-0819 / 0928-958-4841

Email Ad.: legazpiairport.bac@gmail.com

EPIFANIO O. PRINIA, JR. Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, CIVIL AVIATION AUTHORITY OF THE PHILIPPINES (CAAP), AREA CENTER V, BICOL INTERNATIONAL AIRPORT, invites Bids for the REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT with Project Identification Number CAAP BICOL INTERNATIONAL AIRPORT BAC CONTRACT NO. 2022-008.

The Procurement Project (referred to herein as *REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT* is for the repair and repainting, as described in Section VI (Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for CY 2022 in the amount of One Million Four Hundred Sixty Eight Thousand Four Hundred Thirty Seven Pesos & 36/100 (Php 1,468,437.36).
- 2.2. The source of funding is: GOCC and GFIs, the Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and

obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the

IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in: Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until 120 CALENDAR DAYS FROM THE DATE OF OPENING OF BIDS. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be

opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (EFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

 Submission of two (2) separate Statements: Statement of all Ongoing Government and Private Contracts within (3) years from the submission of bids, including contracts awarded but no started, if any, whether similar or not similar in nature and complexity to contract to be bid. Statement of the bidder's Single Largest Completed Contract(SI similar to the contract to be bid and shall be supported by the Notice of A and/or Notice To Proceed, Projects Owner's Certificate of Final Acceptissued by the Owner other than the Contractor or the Constructor Perform Evaluation System (CPES) Final Rating, which must be at least satisfact. 	LCC) ward tance nance ctory.
 (3) years from the submission of bids, including contracts awarded but no started, if any, whether similar or not similar in nature and complexity to contract to be bid. 2. Statement of the bidder's Single Largest Completed Contract(SI similar to the contract to be bid and shall be supported by the Notice of A and/or Notice To Proceed, Projects Owner's Certificate of Final Acceptissued by the Owner other than the Contractor or the Constructor Perform 	LCC) ward tance nance ectory.
similar to the contract to be bid and shall be supported by the Notice of A and/or Notice To Proceed, Projects Owner's Certificate of Final Accep issued by the Owner other than the Contractor or the Constructor Perform	ward tance nance ctory.
In case of contracts with the private sector, an equivalent document sha submitted.	
The Bidder must have completed, within the last five (5) years, a single conthat is similar to this Project, equivalent to at least fifty percent (50%) of the adjusted to current prices using the National Statistics Office consumer index.	ABC
For this purpose, contracts similar to the Project refer to contracts which have same major categories of work, which shall be: building construction and evertical works	
7.1 Subcontracting is not allowed.	
The Civil Aviation Authority of the Philippines Area Center V will hold a Pr conference for this Project on 15 June 2022 at 2:00PM onwards at its phy address at the BAC Office, G/F Admin Building, Bicol International Air Daraga, Albay.	sical
The Procuring Entity's address is:	
CIVIL AVIATION AUTHORITY OF THE PHILIPPINES AREA CENTER V BICOL INTERNATIONAL AIRPORT DARAGA, ALBAY	
EPIFANIO O. PRINIA, JR. BAC CHAIRPERSON	
BAC OFFICE, G/F ADMIN BUILDING Thru the BAC Secretariat Tel: 0915-197-0819 / 0928-958-4841 legazpiairport.bac@gmail.com	

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

For purposes of clarifying or modifying any provision of the Bidding Documents, Supplemental/Bid Bulletins may be issued upon the Procuring Entity's initiative at least seven (7) calendar days before the deadline for the submission and receipt of bids. Any modification to the Bidding Documents shall be identified as an amendment.

Non-inclusion of copy of Supplemental/Bid Bulletin in the Bid Submission shall not be a ground for disqualification, however, it shall be the responsibility of all those who have properly secured the Bidding Documents to inquire and secure Supplemental/Bid Bulletin that may be issued by the BAC.

- Per CAAP Memorandum dated 17 September 2018, re: Disqualification Of Prospective Bidders With Pending Cases Against the Government In The Procurement Activities of the CAAP, all prospective bidders shall be required to submit the following:
 - 1. A **certification, under oath** attesting that they have no pending case(s) against the Government, in addition to the eligibility requirements for bidders as prescribed under the 2016 Revised Implementing Rules and Regulations (R-IRR) of RA No. 9184.; and
 - 2. Valid **Legal Clearance** issued by the CAAP Enforcement and Legal Service with respect to the non-pendency of any cases of prospective bidders against this Authority.

A prospective bidder's failure to comply with the submission of said requirements together with their bid and/or submission of a false certification shall constitute a ground for automatic disqualification.

The following proofs for the on-going government contracts and private contracts, including contracts that have been awarded but not yet started, must be submitted:


	1. Notice of Award and N	lotice to Proceed; and	
	2. Contract Agreement		
10.4	The key personnel must m	neet the required minin	num years of experience set below:
	Key Personnel	General Experience	Relevant Experience
	Mechanical Engineer	1 year	1 year
	2. Master Electrician	1 year	1 year
	3. Master Plumber	1 year	1 year
	4. Safety Officer	1 year	1 year
	5. Construction Foreman	3 years	3 years
	_		s of key personnel should be ctor's Personnel/Qualification of
	Bids not complying with t	he above instructions s	shall be automatically disqualified.
10.5	The minimum major equip	oment requirements are	e the following:
	 One Bagger Cemer Concrete Vibrator; Welding Machine; Bar Cutter. 		
	under purchase agreemer	nts, supported by pro-	which are owned, leased, and/or of of ownership, certification of ssor/vendor for the duration of the
15.1	The bid security shall be if following forms and amou		ecuring Declaration or any of the
	a. The amount of not cashier's/manager's ch	less than [2% of Anneck, bank draft/guaran	<i>BC]</i> , if bid security is in cash, ntee or irrevocable letter of credit;
	b. The amount of not less	s than [5% of ABC] if	bid security is in Surety Bond.

16

Each bidder shall submit one (1) original and three (3) copies of the first and second components of their bids.


All envelopes shall:

- Contain the name of the contract to be bid in capital letters, and Lot Number and Description if applicable
- Bear the name and address of the bidder in capital letters
- Be addressed to the Procuring Entity's BAC Chairperson
- Bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids
- Must be sealed and signed by the bidder or authorized representative.
- Pls. refer to Section 25 of The 2016 Revised IRR of RA 9184- Submission and Receipt Of Bids.



"Eligibility-Technical & Financial"

"DO NOT OPEN BEFORE"
Date & time of opening of bids



Please refer to the above guide in the preparation/marking of Bid Envelopes.

1.1. **OTHER INSTRUCTIONS**

□ Bidders shall enclose their original eligibility and technical documents described in **ITB** Clause 12 in one sealed envelope marked "ORIGINAL − TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL − FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID"

	 □ Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO
17	The address for submission of bids is: EPIFANIO O. PRINIA, JR. BAC CHAIRPERSON BAC OFFICE, G/F ADMIN BUILDING CIVIL AVIATION AUTHORITY OF THE PHILIPPINES AREA CENTER V BICOL INTERNATIONAL AIRPORT DARAGA, ALBAY The deadline for submission of bids is NOT LATER THAN 2:00PM ON 01 JULY 2022.
	NOTE: ONLINE SUBMISSION IS NOT ALLOWED.
18	The place of bid opening is at the physical address: BAC OFFICE G/F ADMIN BUILDING CIVIL AVIATION AUTHORITY OF THE PHILIPPINES AREA CENTER V BICOL INTERNATIONAL AIRPORT DARAGA, ALBAY
	The date and time of bid opening is on 01 JULY 2022 AT 2:00PM ONWARDS.

As part of post-qualification, the Bidder considered to have the Lowest Calculated Bid (LCB) shall submit the latest income and business tax returns (Tax return filed and paid through the Electronic Filing and Payment System (EFPS).

NOTE:

In accordance with Executive Order (E.O.) No. 398, Revenue Regulation (R.R.) No. 03-2005 and Revenue Memorandum Circular (RMC) 16 – 2005, the abovementioned tax returns shall refer to the following:

- 1. Latest Income Tax Return (ITR) shall be the ITR for the preceding year, whether calendar or fiscal; and
- 2. Latest Business Tax Returns shall refer to the Value Added Tax (VAT) or Percentage Tax filed and paid covering the previous six (6) months before the date of Submission, Receipt, Opening & Preliminary Examination of Bids.
- Contract documents relevant to the Project required during the signing of the contract of the LCRB bidder as follows:
 - Construction/Work schedule
 - S-curve
 - PERT/CPM
 - Manpower schedule
 - Equipment Utilization Schedule
 - Construction/Work methods
 - Contractor's All Risk Insurance ¹
 - Construction Safety & Health Programs (CSHP) approved by the Department of Labor & Employment (DOLE)— REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT²
 - Performance Security

Notes:

- 1. Upon receipt of the Notice of Award (NOA), the winning bidder should immediately apply for the Contractor's All Risk Insurance coverage since it must be submitted within the prescribed period indicated in the NOA or prior to issuance of Notice To Proceed (NTP).
- 2. Copy of the CSHP received by the DOLE may be initially submitted together with the NOA, however, the DOLE approved CSHP must be immediately submitted upon approval.

The **PERFORMANCE SECURITY** shall be in the following amount:

- 1. The amount of Php[10% of total contract price], if in the form of cash, cashier's/manager's check issued by Universal or Commercial bank; or
- 2. The amount of Php[10% of total contract price], if in the form of bank draft/guarantee or irrevocable letter of credit issued by Universal or Commercial Bank Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank; or
- 3. Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security in the amount of Php(30% of total contract price).

Section IV. General Conditions of Contract

2. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

3. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

4. Possession of Site

- 4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

5. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

6. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

7. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

8. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

9. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

10. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

11. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

12. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the SCC.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

13. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

14. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the SCC, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

15. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

16. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the SCC from payments due to the Contractor.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
2	The Intended Completion Date is Sixty Six (66) calendar days.
	NOTE: The contract duration shall be reckoned from the start date and not from contract effectivity date. NOTE: The start date shall be the date of receipt of the Notice to Proceed.
4.1	The Site is located at Bicol International Airport and is defined in the Bicol International Airport Lay-out Plan.
7.2	In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures: Fifteen (15) years.
10	No dayworks are applicable to the contract.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within <i>seven</i> (7) days of delivery of the Notice of Award.
13	In compliance to the instructions from the Transportation Secretary and per memorandum dated July 23, 2018 from the CAAP Director General, no advance payments or mobilization fees, shall, as a rule, be extended or paid with respect to any projects of the Department in order to ensure that projects are awarded to qualified bidders, to eliminate corruption, and to guarantee timely completion.
15.1	The date by which "as built" drawings are required is <i>upon completion</i> of the project.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is 2% of the Contract Price.

Section VI. Specifications

SCOPE OF WORK AND TECHNICAL SPECIFICATION

1.0 GENERAL

The works to be accomplished by the successful bidder shall consist of furnishing, supervision, labor, materials, supply, tools and equipment to complete the scope of work for the "REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT" at CAAP Masbate Airport project.

2.0 LOCATION OF PROJECT

The "REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT" to be bid is located at CAAP Masbate Airport, Masbate City.

3.0 GENERAL CONDITIONS OF PLANS AND SPECIFICATIONS

The execution of this Specification, Plans and other related Contract Documents shall be subject to the rules and regulations as provided in the General Conditions of the Contract. The Plans and specifications shall be interpreted by the Head of Procuring Entity and or his/her representative. No excuses shall be entertained for misinterpretation of the Plans and specifications after the award of contract. All works as deemed required by the Procuring Entity shall be carried out properly by the Contractor.

1. The Contractor shall consult the Head of Procuring Entity or his/her representative on portion of the work not mentioned in the Specification and not illustrated on the Plans. Contractor shall base all their works on detailed plans approved by the Head of Procuring Entity, otherwise Contractor shall be responsible for the in-acceptance of the work done, which did not commensurate to the approved plans. In such case, the Contractor shall make good the work at his own expense.

2. No alteration or addition shall be allowed without the consent and proper documentation approved by the Head of Procuring Entity, even such change is ordered by the designated project in charge, the Contractor shall bring the case to the Procuring Entity. Request for changes, alteration and deviation of work on the approved program of work, lay-outs plan, design and scope of work shall not be done without the approval of the Head of Procuring Entity.

TWO (2) SETS of clean Plans and specification shall always be kept at the jobsite to be available to the Head of Procuring Entity or his/her representative upon his request during the construction.

4.0 GENERAL REQUIREMENTS

1.0 Processing and Securing of Permits and Insurance

The contractor shall be responsible for securing all necessary permits related to the project, including payment of assessed fees as may be required.

5.0 SCOPE OF WORK

The details of work are at best enumerated below, but be noted that the Contract includes all works and services although not specifically mentioned herein, but are needed to fully complete the Project.

The project covers the supply of labor, materials, mobilization/demobilization, tools/equipment's, and construction and related permits necessary for the project "REPAIR/REHAB OF ANS OFFICE AT MASBATE AIRPORT" with the following scope of works which shall be done in accordance with the approved plans, specifications and provision of contract to wit;

Execution of this Section shall be coordinated and harmonized to each corresponding elaborated section of these same specifications.

In case discrepancies exist between this Section and its corresponding elaborated sections, notify the Head of Procuring Entity immediately for clarification; their decision shall be final.

The Contractor shall bear the responsibility of checking all the numbers and units as indicated in the Bill of Quantities. It is understood that the Contractor shall supply and install the required units in accordance with the Plans and the Specifications. Any excess in the bill of quantities shall be the property of the Procuring Entity.

During project implementation, the winning bidder/contractor may propose substitution of materials or equipment or makes other than those specified in the Contract documents shall be subject to the approval of the Head of Procuring Entity for the following reasons only:

- That the materials or equipment proposed for substitution is equal or superior to the materials or equipment specified in construction efficiency and utility provided that any and all costs relative thereof shall be shouldered by the Contractor.
- 2. Or that the materials or equipment specified cannot be delivered to the job site on time to complete the work of the other Contractors due to conditions beyond the control of the Contractor.
- 3. In case of a price difference, the Procuring Entity (CAAP) shall receive all benefits of the difference in cost involved in any substitution and the Contract shall be altered by Change Order to credit the Procuring Entity (CAAP) with any savings so obtained.

To receive consideration, request(s) for substitution shall be accompanied by documentary proof of equality or difference in price and delivery, if any, in the form of certified quotations and guaranteed date of delivery from suppliers of either the proposed substituted materials or equipment.

The Contractor shall conduct thorough inspection of the existing job site conditions.

The scope of work shall include all additions necessary in order to implement the whole set of approved Plans, Working Drawings and Specifications.

The Contractor shall secure and do all the legwork necessary for all pertinent permits needed for the Procuring Entity.

The Contractor shall construct all works in accordance with the Plans and Specifications. All items shown on the Plans but not mentioned in the Specifications shall be included. Discrepancies shall be verified with the Head of Procuring Entity.

The Contractor shall have licensed professionals required in the execution of the project which they have submitted in their bid. Shop drawings of actual reference marks shall be verified and approved by the Head of Procuring Entity prior to any permanent construction. Contactor shall refer to the General Nature and Scope of Work and other Bid Documents for more extensive description of the work.

The Contractor shall submit details and shop drawings, templates, and schedules required for the coordination of the work of the various trades. Drawings should include information on all working dimensions, arrangement and sectional views, connections and materials.

Final Cleaning as Pre-requisite to Final Acceptance: Final cleaning of the work shall be employed by the General Contractor prior to the Head of Procuring Entity or his/her representative final inspection for certification of final acceptance.

The Contractor shall be responsible for the safety and safe working practices of its respective employees and agents.

The Head of Procuring Entity may at any time without invalidating the Contract make changes by altering, adding to or deducting from the work as covered by the drawings, specifications, and general scope in written instructions.

Construction, furnishing, labor, materials, tools and equipment not in accordance with the specification approve by the Head of Procuring Entity, may be undone or replaced as the case may be and expenses relative to these shall be done/shouldered by the contractor.

6.0 MOBILIZATION/DEMOBILIZATION

This work includes mobilization and demobilization of the contractor's personnel and equipment necessary for performing the work required under the contract.

Mobilization shall include all activities and associated costs for transportation of contractor's personnel, equipment, and operating supplies to the site; establishment of offices, temporary facilities, buildings, and other necessary general facilities for the contractor's operations at the site.

Demobilization shall include the disassembly, hauling, removal of debris/rubbish, and site cleanup of offices, buildings, and other facilities assembled on the site.

Mobilization shall consist of obtaining all required insurance, bonds and permits; preparatory work and operations necessary for the movement of personnel, equipment, supplies, and incidentals to the project site; preparation of construction schedule; furnishing and erecting field offices, laboratory, batch plants and progressive Program of Work.

Dis-assembled materials useful to the agency shall be entrusted to the Supply Unit of CAAP. Materials considered as waste material shall be supported by a waste disposal report.

7.0 CIVIL/STRUCTURAL WORKS

7.1 Site Works

a. Clearing

Protection and/or removal of existing structures shall have the approval of the Procuring Entity. The Procuring Entity must be consulted prior to any demolition. Rubbish shall be legally and properly disposed of.

Before any construction starts the roadway must be cleared of debris. Unless there are specific reasons, agreed to by the Engineer in writing, all materials including trees, grass, crops and structures, which fall within the road alignment must be removed.

Also all major stumps and roots need to be removed (grubbed out) and the holes left must be filled with compacted suitable fill material.

The Building site shall be leveled according to plans and cleared of rubbish, roots and other perishable and objectionable matters to a suitable subgrade.

b. Excavation

All excavation shall be undertaken in a safe manner to minimize danger to road users and personnel. Excavated materials need assessing as suitable or unsuitable. Suitable materials should be used when possible in the works. The excavated materials can be temporarily stockpiled, but must cause no damage to roads, services or property and not prevent water draining from the road or from the surrounding land.

Any excess suitable material, which is not required for the construction of the Works or any material classified as unsuitable is the property of the agency. The Contractor should stockpile these materials separately, as directed, or place the material in an approved location on site. To be suitable as fill material the soil must not contain any vegetable matter. To be suitable as road pavement the requirements for sub base or base materials must be met. Materials excavated from existing road pavements may meet the necessary requirements directly, or after breaking and mixing with other materials.

c. Backfill

After concrete for foundations is hard enough to withstand pressure resulting from fills, the materials removed from excavations shall be used for backfill around them.

Backfill and fills shall be placed in layers not exceeding 150mm thickness, and each layer shall be thoroughly compacted by wetting, tamping and rolling.

d. Sub Grade Base

The subgrade is the layer of embankment immediately below the pavement. This may be undisturbed local material or may be soil excavated elsewhere and placed as fill. In either case it has to be prepared to give added strength.

All subgrade material must be free of vegetable matter. The material also needs to be of a type and moisture content that it can be compacted to form a stable layer. If the material in the subgrade level is found to be unsuitable, this must be excavated and replaced with suitable material, which should then be compacted.

The subgrade must be compacted uniformly by use of adequate and appropriate compaction equipment. The material should be at moisture content close to optimum throughout the layer so that it can be compacted to produce a dense compacted layer. Generally the compaction should begin at the outer edges of the embankment and by rolling in a longitudinal direction gradually progress towards the center so that each section receives equal compaction.

Three compaction tests are required for each 1,000 square meters of subgrade. If the test results show that the density is less than that required, further compaction will be necessary. After which the density should be rechecked to ensure the required dry density has been achieved.

The surface of the finished subgrade must be to the required cross section with a tolerance of 20mm above or below the specified level at any point. Typically the subgrade should be checked at not greater than 25m intervals, where necessary shorter lengths can be checked. There must be no depressions which could form water ponding areas in the subgrade.

The subgrade layer must be approved before the Contractor can start on the construction of the road pavement.

Before any shoulder fill is placed, all subgrade preparation and subgrade drainage work require to be completed. For the shoulder a compaction test must be carried out for every 500 square meters of finished layer.

7.02 Concrete

At least 14 days before a material is proposed to be used samples of the material along with laboratory test results should be submitted to the Engineer. If approved, the Contractor should carry out trial mixes.

Until a trial mix for a type of concrete has been approved (by the Engineer), no concrete of that class may be placed in the Works.

Continued checks on materials should occur throughout the contract period. If tests indicate changes have occurred the Contractor must be notified and the Engineer informed immediately. Reinforcement must be free from dirt, oil, grease, paint, and loose or thick rust.

All reinforcement must be placed, supported and secured at the locations shown on the Drawings prior to any concreting operations, using pre-cast cover blocks.

At least 24 hours before any proposed pour the Contractor must provide notification in writing. The reinforcement, materials and equipment must then be checked and the contractor informed of aspects that need to be corrected, or rectified. Only after correction should the concrete pour be allowed to proceed.

Within 20 minutes of the mixing being completed, concrete must reach its final position in the forms. The concrete requires to be placed to avoid segregation of the materials.

Concrete must be thoroughly compacted by mechanical vibration immediately the concrete is placed in the forms. Enough vibrators must be on site for this to be achieved.

Temperature of concrete at the time of placing shall not exceed 350C.

Three concrete cubes or cylinders should be taken for each days casting, or for large pours for every 15m³ concrete placed. The samples should be taken at random to ensure all the concrete placed in the Works meets the specified requirements.

All surfaces must be kept thoroughly wet for 7 days after concrete is placed. Thereafter the concrete must be watered daily for the following 2 weeks to prevent the concrete drying out.

a. Materials

Samples of materials proposed to be used and their test results have to be received at least 14 days before their proposed use. If the samples comply with the Specification the Engineer should give his agreement for the Contractor to proceed with test mixes and trials.

Full material requirements are given within the Specification for cement, water, and aggregates. However, the following site requirements should be noted:

1. Bagged or bulk cement which has partially set or which contains lumps of caked cement must be rejected. The use of cement reclaimed from discarded or used bags is not permitted. Any cement stored for a long time needs to be tested before its use:

- 2. If accepted by the Engineer river water may be used, however, if the water's appearance deteriorates the use of this source of water must be stopped;
 - 3. Admixtures are only allowed with the written approval of the Engineer;
- 4. The coarse aggregate (that larger than 5 mm), with the exception of blinding concrete, must consist of hard durable crushed or broken rock. This should be clean, free from dust and contain no vegetable matter and should not appear particularly flaky or elongated;
- 5. The fine aggregate (that smaller than 5mm) should consist of either natural sand or fine aggregates. Crushed materials from different sources of supply must not be mixed or stored in the same pile, unless this has been approved; and
- 6. The grading and quality of the aggregates need to be checked throughout the works. Samples of the materials brought to site should be taken regularly and tested to ensure that the materials continue to meet those specified. Reinforcement needs to be handled and stored to ensure it does not become bent out of the desired shape. When it is placed in the works it should be free from dirt, oil, grease, paint and loose or thick rust.

b. Trial Mixes for Concrete

After the cement and aggregates have been approved the Contractor must carry out trial mixes. These must be made in the design proportions to prove and establish the workability, strength and water/cement ratio of the concrete. The concrete should be made in full scale trials using the same type of plant and equipment, which will be used for the Works. Concrete cubes or cylinders should be taken and these should be crushed after 28 days to ensure the concrete has reached the required strength.

The Contractor is required to submit all the relevant information to the Engineer who will approve the mix if he is satisfied. Thereafter no changes in any of the materials or the mix proportions are allowed. If any changes occur on site the Contractor must be informed immediately as must also the Engineer who may require further trial mixes to be undertaken.

Until the trial mix for a particular concrete class have been approved, no concrete of that class may be placed in the Works.

7.03 Construction Methods

The Contractor must maintain an adequate number of trained and experienced supervisors at the Site to control the work.

A layer of 75mm thickness blinding concrete must be provided for all concrete structures. This should be placed on a single layer brick flat soling laid directly on the prepared soil.

Reinforcement bars required to be cut and bent cold to the dimensions on the drawings. The method and the equipment the contractor intends to use to bend reinforcement, needs to be inspected and, if acceptable, approved. Welding of reinforcing steel is not normally accepted and should only occur after specific authorization is given.

Cover blocks are required to ensure that the reinforcement is correctly positioned, as the use of any small stones or wood blocks within the forms is not allowed. Cover blocks should be precast 50mm x 50mm blocks, to ensure 50mm cover or 75mm x 75mm blocks when the concrete works are below finished ground level; unless otherwise indicated on the contract drawings. The maximum size of aggregate should be 6mm and a mix proportion of one part of cement to 2 parts of sand by weight should be used. Wire requires to be cast into the blocks so that they can be tied to the reinforcement. The blocks should also be fixed so that they will not overturn when the concrete is placed.

Changes in sizes of reinforcement bars to that shown on the drawings are only permitted if specific authorization is given. If bars are substituted they must have a cross sectional area equal, or greater to, the design area. If the Contractor wishes to use more splices than are indicated and/or necessary, the Contractor must furnish Working Drawings for approval. Any such changes of reinforcement that occur will not result in any extra payments to the Contractor.

At least 24 hours before any concrete pour the Contractor needs to inform site staff of the proposed pour in writing. At this stage, before the concrete pour can proceed, the following require to be checked:

- Whether the reinforcement is placed, supported and secured at the locations shown on the Drawings.
- Whether the inside of the form is thoroughly clean and there is no debris.
- Whether the forms are rigid enough to maintain the concrete in position and any voids/gaps are filled.
- Whether the forms are of an appropriate material to produce an acceptable finish.
- Whether all the materials required are on site for the completion of the concrete pour (unless concrete manufactured elsewhere).
- Whether there are sufficient vibrators and mixers on site, which are all in working condition.

If any items above are not ready the contractor should be informed of the measures which must be taken before the concrete pour can proceed. Once all the conditions are satisfied then approval for the concrete pour to proceed can be given.

The correct volume of materials (cement, aggregates and water) to comply with the approved job mix must be used for each batch of concrete. The usual method of controlling the quantity added is to construct measuring boxes, or other types of containers, which will provide the appropriate volume of materials for one bag of cement.

Concrete must reach its final position in the forms within 20 minutes of mixing. The concrete must be placed in a manner, which avoids materials separating, and which ensures there is no movement of the reinforcement within the forms. When the concrete is placed it requires to be thoroughly compacted by mechanical vibration. The vibrators need to work the concrete around the reinforcement and into the corners and angles of the forms. The vibrators must be inserted and withdrawn from the concrete slowly at the point the concrete is deposited.

Sufficient working vibrators must be used to compact all the concrete immediately it is placed in the forms. A working vibrator will visibly affect recently placed concrete at least 450 mm from where the vibrator is located. However, vibrators should not be used to move concrete around the forms; in this case spades should be used. The vibration should last long enough to thoroughly compact the concrete, but should not continue so as to cause segregation. Any grout loss from the forms should be immediately stopped.

At least one slump test for every 25m³ of concrete placed should be carried out. Normally, unless a different value is indicated on the drawings or in the documents, the slump should not be greater than 75mm. A minimum of 3 concrete cubes or cylinders should be taken for each day's casting but on large concrete pours these should be taken for every 15m³ of concrete placed. When samples of concrete are taken the slump of the concrete also needs to be measured.

8.0 STEEL WORKS

Steel Works

All steel welding works shall be executed with workmanship of the best quality and according to plan and bill of quantities.

The works include all materials, labor and equipment's to be utilized for fabrication of Louver-type Window and 3,000 liters capacity fuel tanks (see specification on the approved plan).

All welders/steel fabricators works shall be accurately set out in strict accordance with the drawings and shall be framed together and securely fixed in best possible manner with properly made joints. All necessary flat bars, square bars, bolts including welding and etc, shall be provided by the contractor including power generating unit for the welding machine and other electrical equipment's necessary for the completion of the project.

No metal reinforcements shall be installed in place unless it is free from rust, scale or other coatings which will destroy or reduce the bond with the concrete.

9.0 PAINTING WORKS

The painting contractor shall supply all labor, paint materials, tools staging and equipment necessary, and shall perform all painting and finishing work as shown in the schedule of painting and finishing work for the project.

Before any painting is to be done, all surfaces shall be cleaned, smoothed and freed from dust, dirt grease, mortar, rust and other foreign substances. All parts where paint remover has been used shall be washed off with paint or lacquer thinner. All paints shall be spread evenly and carefully.

All paint and paint materials shall be delivered to the building site in unbroken packages, bearing the marks of the specified brand. No adulteration of specified paints with other brand shall be allowed.

Application:

- 1. All sample paint shall be submitted on at least 300-mm x 300mm plywood panel, color and shade as per approval by the Procuring Entity.
- 2. Application shall be as per paint Manufacturer's specification and recommendation.
- 3. All applications and methods used shall strictly follow the Manufacturer's Instructions and Specifications. All surfaces shall be thoroughly cleaned, puttied, sandpapered, rubbed and polished.
- 4. All painting jobs shall be applied with primer.

.

10.0 CARPENTRY WORKS

All carpentry shall be executed with workmanship of the best quality. Scantlings and boarding shall be accurately sawn and shall be of uniform width and

thickness throughout.

All carpenter's work shall be accurately set out in strict accordance with the drawings and shall be framed together and securely fixed in best possible manner with

properly made joints. All necessary brads, nails and screws, etc. shall be provided as

directed and approved.

11.0 CONSTRUCTION SAFETY AND HEALTH

The contractor shall include a Construction Safety and Health Program for the project by providing bill boards, necessary gear and protective accessories for

workers such as safety helmet, shoes, vest, gloves, boots and raincoats if necessary are to be provided. A Safety Practitioner and Health Personnel are required a list of

safety protocols shall be provided. The contractor shall be solely liable for any

accidents injury caused to any person by reason of negligence at the work area.

10.0 BILLBOARD

A tarpaulin billboard shall be put in place near the vicinity of the location of the

project after the receipt of Notice of Award.

Tarpaulin: White 8'x8',

Resolution: 70 dpi

Font: Helvetica

Font Size: Main Information - 3"

Sub Information - 1"

Font Color: Black

47

Section VII. Drawings

Section VIII. Bill of Quantities

Bill of Quantities

Annex "B" Form 1	Bill of Quantities
Annex "B" Form 2	Bid Proposa
Annex "B" Form 3	Detailed Estimate

(Contractor's Logo On Main Page)

BILL OF QUANTITIES

Project: Repair/Rehab Of ANS Office At Masbate Airport

Location: Masbate City

	Description		Qty	Unit	Unit Price	Amount
CIVIL WORL	KS					
Pesos Words	Amount	in				
and	centavos		1.00	lot		
ARCHITECT	TURAL WORKS					
Roofing Work	S					
Pesos Words	Amount	in				
			1.00	lot		
and	centavos					
Ceiling Works						
Pesos Words	Amount	in	1.00	lot		
and	centavos					
Tile Works						
Pesos Words	Amount	in	1.00	lot		
and	centavos					
	Pesos Words and ARCHITECT Roofing Work Pesos Words And Ceiling Works Pesos Words Tile Works Pesos Words	and centavos ARCHITECTURAL WORKS Roofing Works Pesos Amount Words Ceiling Works Pesos Amount Words Tile Works Pesos Amount Amount Amount Amount Amount Amount Mords	CIVIL WORKS Pesos Amount in Words and centavos ARCHITECTURAL WORKS Roofing Works Pesos Amount in Words Ceiling Works Pesos Amount in Words Tile Works Pesos Amount in Words Amount in Words	Pesos Amount in Words ARCHITECTURAL WORKS Roofing Works Pesos Amount in Words Ceiling Works Pesos Amount in 1.00 and centavos Tile Works Pesos Amount in 1.00 Tile Works Pesos Amount in 1.00 Tile Works Pesos Amount in 1.00	Pesos Amount in Words I 1.00 lot and centavos ARCHITECTURAL WORKS Roofing Works Pesos Amount in Words Ceiling Works Pesos Amount in 1.00 lot and centavos Ceiling Works Pesos Amount in 1.00 lot Tile Works Pesos Amount in 1.00 lot Tile Works	CIVIL WORKS Pesos Amount in Words ARCHITECTURAL WORKS Pesos Amount in Words 1.00 lot and centavos 1.00 lot and centavos Ceiling Works Pesos Amount in Words Tile Works Pesos Amount in 1.00 lot Tile Works Pesos Amount in 1.00 lot Tile Works Pesos Amount in 1.00 lot Tile Works

2.04	Painting Works						
	Pesos	Amount	in	1.00	lot		
	Words			1.00	100		
	and	centavos					
		5511 , 55					
2.05	Steel Works						
2.05	Pesos	Amount	in				
	Words	7 Milouit	111	1.00	lot		
	and	centavos					
2.06	Doors & Windo						
	Pesos	Amount	in	1.00	lot		
	Words						
			-				
	and	centavos					
3.00	PLUMBING W						
	Pesos	Amount	in	1.00	104		
	Words			1.00	lot		
	and	centavos					
4.00	ELECTRICAL	WORKS					
4.00	Pesos	Amount	in				
	Words			1.00	lot		
	and	centavos					
5.00	MECHANICAL		. 1				
	Pesos Words	Amount	in	1.00	lot		
	Wolds						
	and	centavos					
	mount (Php):						
Total Bid A	mount in Words:						
		C					
		Submitted by Printed Name					
		Printed Name Position:	•				
		Name Compa	nv:				

(Contractor's Logo On Main Page)
BID PROPOSAL

Repair/Rehab Of ANS Office At Masbate Airport

ITEM	DESCRIPTION OF WORK	QUANTIT	IND E		_	4ARK-UPS IN PERCENT	TOTAL	TOTAL MARK-UP	VAT	TOTAL INDIRECT	TOTAL COST	UNIT COST
Ö.		¥	=	DIRECT COST	OCM	Profit	%	VALUE		COST		
(1)	(2)	(3)	(4)	(5)	(9)	(2)	(8)	(9) (5) x (8)	[(6) + (5)] X %S	(II) $(0I) + (6)$	(12) $(5) + (11)$	(13) (12)/(3)
1.00	CIVIL WORKS	1.00	lot								-	-
2.00	ARCHITECTURAL WORKS											
2.01	ROOFING WORKS	1.00	lot									
2.02	CEILING WORKS	1.00	lot									
2.03	TILE WORKS	1.00	lot									
2.04	PAINTING WORKS	1.00	lot									
2.05	STEEL WORKS	1.00	lot									
2.06	DOORS & WINDOWS	1.00	lot									
3.00	PLUMBING WORKS	1.00	lot									
4.00	ELECTRICAL WORKS	1.00	lot									
5.00	MECHANICAL WORKS	1.00	lot									
	TOTAL AMOUNT											

ed by:	
Submitte	

Name Company:

Date:

Printed Name: Position: (Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

SUBJI	ECT : Bill of Quantities				
ГЕМ	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
.00	CIVIL WORKS				
.01	Site Works:				
	Footing, Pedestal & Trapezoidal Waste Water Pit				
	Excavation & Backfilling	30.12	m³		
	Roofing & Ceiling including canopy				
	Dismantling of existing roof & ceiling	124.02	m²		
	Floor & Wall Tiles				
	Removal & Chipping of tiles to be replaced	36.80	m²		
	Doors & Windows				
	Dismantling/Removal of doors, steel louver window & steel windows	15.62	m²		
	(Proper turnover of waste materials i.e. roofing, canopy, ceilings	etc.)	Labor Cost		
A	MATERIAL COST				
	Concrete Works				
	(floor slab, footing & pedestal)				
	G1, Gravel Beddings	2.00	m³		
	Cement	13.00	bag		
	Sand	1.00	m³		
	3/4" Gravel	2.00	m³		
	RSB 10mm Ø , 6m	9.00	pc		
	RSB 12m Ø, 6m	12.00	pc		
	GI Tie Wire, #16	2.00	kg		
	4" dia GI Pipe, 6m	2.00	pc		
	Forms & Scaffoldings:				
	Ordinary Plywood 1/4" Thk.	1.00	pc		
	Coco Lumber 2"x2"	16.00	bdft		
	Common Nails Assorted	1.00	kg		
			Material Cost .		• • •
.02	Site Works:				
	Concrete Support Structure for Fuel Tank				
	Excavation & Backfilling	2.77	m³		
			Labor Cost		

A	MATERIAL COST					
	Concrete Works					
	Concrete Support Structure for Fuel Tank					
	G1, Gravel Beddings		1.00	m³		
	Cement		27.00	bag		
	Sand		2.00	m³		
	3/4" Gravel		3.00	m³		
	RSB 10mmØ, 6m		5.00	pc		
	RSB 12m Ø, 6m		5.00	pc		
	RSB 16m Ø, 6m		10.00	kg		
	GI Tie Wire, #16		3.00	kg		
	Forms & Scaffoldings:					
	Ordinary Plywood 1/4" Thk.		2.00	pc		
	Coco Lumber 2"x2"		32.00	bdft		
	Common Nails Assorted		1.00	kg		
				Material Cost	•••••	• • • • • • •
В	LABOR COST		QTY	DUR. (DAYS)	RATE/DAY	
	Foreman		1	6		
	Skilled Labor		4	6		
	Common Labor		2	6		
				Labor Cost		
C	EQUIPMENT RENTAL COST		QTY	DUR. (DAYS)	RATE/DAY	
	One Bagger Cement Mixer		1	2		
	Concrete Vibrator		1	2		
	Welding Machine		1	1		
				Equipment Cost		
A	TOTAL MATERIAL COST					
В	TOTAL LABOR COST					
C	TOTAL EQUIPMENT COST					
D	TOTAL DIRECT COST					
		INDIRECT	COSTS			
1.00	CM	15.0%		ed Direct Cost		
	ONTRACTOR's PROFIT	10.0%	of Estimate	ed Direct Cost		
	OTAL OCM & PROFIT	25.0%	of D			
	LUE ADDED TAX, (VAT)	5.0%	of (D + E)			
	OTAL ESTIMATED INDIRECT COST (
	OTAL ESTIMATED UNIT INDIRECT CO	OST (G/Quantity), I	P/Unit			
	AL ESTIMATED COST (D+G), P					
TOTA	AL ESTIMATED UNIT COST (Total Esti	mated Cost / Quantity	y), P/Unit			
		Submitted by:				
		Printed Name:	:			
		Position:				
		Name Compa	ny:			
		Detai				

Annex "B" Form 3

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

SUBJ	ECT : Bill of Quantities				
ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2.00	ARCHITECTURAL WORKS				
2.01	ROOFING WORKS				
A	MATERIAL COST				
	Roofing				
	Pre-painted roofing sheet, GA24 Long Span Rib-type	114.00	lnm		
	Pre-Painted Ridge Roll, GA24(0.701mm x 2.44m)	12.00	lnm		
	GI Sheet, GA24 4'x8'	15.00	sheet		
	2"X3" Good Lumber	378.00	bdft		
	2"X6" Good Lumber	270.00	bdft		
	Vulcaseal	1.00	1tr		
	2" Umbrella Nails	9.00	kg		
	Common Nails Assorted	5.00	kg		
	Canopy				
	Pre-painted roofing sheet, GA24 Long Span Rib-type	18.00	lnm		
	2"x2" Angular Steel Bar	3.00	pc		
	10mm dia Plain Round Bar	17.00	pc		
	Welding Rod	5.00	kg		
	Tekscrew	70.00	pc		
			Material Cost	•	
В	LABOR COST	QTY	DUR. (DAYS)	RATE/DAY	
	Foreman	1	18		
	Skilled Labor	2	18		
	Common Labor	4	18		
			Labor Cost		
C	EQUIPMENT RENTAL COST	QTY	DUR. (DAYS)	RATE/DAY	
	Welding Machine	1	2		
	Bar Cutter	1	2		
			Equipment Cost		
A	TOTAL MATERIAL COST				
В	TOTAL LABOR COST				
C	TOTAL EQUIPMENT COST				
D	TOTAL DIRECT COST				
	INDIRECT	COSTS			
1. 00	CM 15.0%	of Estimate	ed Direct Cost		
2. CC	ONTRACTOR'S PROFIT 10.0%	of Estimate	ed Direct Cost		
E. TC	OTAL OCM & PROFIT 25.0%	of D			
	LUE ADDED TAX, (VAT) 5.0%	of (D + E)			
	OTAL ESTIMATED INDIRECT COST (F+E), P				
H. TO	OTAL ESTIMATED UNIT INDIRECT COST (G / Quantity)	, P/Unit			
	AL ESTIMATED COST (D + G), P				
TOTA	AL ESTIMATED UNIT COST (Total Estimated Cost / Quant	ity), P/Unit			

Submitted by:	
Printed Name:	
Position:	
Name Company:	
Date:	

								Annex "B" Form 3
				(Contractor's Logo	On Main Pag	ge)		
				DETAILED ESTI				
NAM	E OF I	PROJECT	:	Repair/Rehab Of ANS Office At	Masbate Ai	rport		
LOC	ATION		:	Masbate City				
SUBJ	ECT		:	Bill of Quantities				
ITEM			DESC	CRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2.00	ARCI	HITECTURAL V	WOR	KS				
2.02	CEILI	ING WORKS						
A	MATI	ERIAL COST						
		1/4" thk Marine P	lywoo	od, 4'X8'	32.00	pc		
		2"X2" Good Lum	ber		358.00	bdft		
		2"X3" Good Lum	ber		267.00	bdft		
		Common Nails A	ssorte	d	9.00	kg		
						Material Cost		•••••
В	LABC	OR COST			QTY	DUR. (DAYS)	RATE/DAY	
		Foreman			1	10		
		Skilled Labor			2	10		
		Common Labor			4	10		
						Labor Cost		
A	TOTA	L MATERIAL	COS	Γ				
В	1	L LABOR COS						
C		L EQUIPMEN'		ST				
D	TOTA	L DIRECT CO	ST					
	-		1	INDIRECT	COSTS			
1. O				15.0%		d Direct Cost		
		ACTOR's PROFI		10.0%	of Estimate	d Direct Cost		
		OCM & PROFI		25.0%	of D			
		ADDED TAX, (V		5.0%	of $(D + E)$			
				ECT COST (F+E), P				
				NDIRECT COST (G/Quantity), P/Unit			
		TIMATED COS						
TOTA	AL EST	TIMATED UNI	T CO	ST (Total Estimated Cost / Quan	tity), P/Unit			
				0.1. %	1.1			
				Submitted				
				Printed N	ame:			
				Position:				
				Name Co	пірапу:			
				Date:				

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

SUBJI	SCI ; DIII OI (Quantities				
ITEM	DESCRIPTIO	DN .	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2.00	ARCHITECTURAL WORKS					
2.03	TILE WORKS					
A	MATERIAL COST					
	60X60cm Glazed Ceramic Floor	Tiles	66.00	pc		
	20X20cm Unglazed Ceramic Ti	les	46.00	pc		
	20X20cm Glazed Ceramic Floor	& Wall Tiles	331.00	pc		
	Cement, 40kg		4.00	bag		
	Tile Adhesive, 25kg		20.00	bag		
	Tile Grout, 5kg		5.00	bag		
				Material Cost		
В	LABOR COST		QTY	DUR. (DAYS)	RATE/DAY	
	Foreman		1	6		
	Skilled Labor		2	6		
	Common Labor		2	6		
				Labor Cost		
A	TOTAL MATERIAL COST					
В	TOTAL LABOR COST					
C	TOTAL EQUIPMENT COST					
D	TOTAL DIRECT COST					
		INDIRECT	COSTS			
1. 00	CM	15.0%	of Estimate	ed Direct Cost		
2. CC	NTRACTOR's PROFIT	10.0%	of Estimate	ed Direct Cost		
E. TO	TAL OCM & PROFIT	25.0%	of D			
F. VA	LUE ADDED TAX, (VAT)	5.0%	of $(D + E)$			
G. TC	TAL ESTIMATED INDIRECT COS	ST (F + E), P				
H. TC	TAL ESTIMATED UNIT INDIREC	T COST (G/Quantity),	P/Unit			
TOTA	AL ESTIMATED COST (D+G), P					
TOTA	AL ESTIMATED UNIT COST (Total	Estimated Cost / Quantit	y), P/Unit			

Submitted by:		
Printed Name:		
Position:		
Name Company:		
Date:		

Annex "B" Form 3

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

SUBJ	ECT : Bill of Quantities				
ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2.00	ARCHITECTURAL WORKS				
2.04	PAINTING WORKS				
A	MATERIAL COST				
	Exterior & Interior Wall				
	Flat Latex Paint	11.00	gal		
	Latex Paint	22.00	gal		
	Rust Remover	1.00	gal		
	Roller Brush	2.00	pc		
	Steel Brush	2.00	pc		
	#120 Sand Paper	1.00	doz		
	Paint Brush	1.00	рс		
	Ceiling, Doors & Windows & Steel Post				
	Red Oxide Metal Primer	6.00	gal		
	QDE	12.00	gal		
	Roller Brush	2.00	рс		
	Steel Brush	2.00	рс		
	#120 Sand Paper	1.00	doz		
	Paint Brush	1.00	рс		
	Floor				
	Rubberized Paint	6.00	gal		
	Roller Brush	2.00	рс		
	Paint Brush	1.00	рс		
			Material Cost	·	
В	LABOR COST	QTY	DUR. (DAYS)	RATE/DAY	
	Skilled Labor	2	8		
	Common Labor	2	8		
			Labor Cost	· · · · · · · · · · · · · · · · · ·	
A	TOTAL MATERIAL COST				
В	TOTAL LABOR COST				
C	TOTAL EQUIPMENT COST				
D	TOTAL DIRECT COST				
	INDIRECT	COSTS			
1. 00	CM 15.0%	of Estimate	ed Direct Cost		
2. CC	ONTRACTOR'S PROFIT 10.0%	of Estimate	ed Direct Cost		
E. TC	TAL OCM & PROFIT 25.0%	of D			
F. VA	LUE ADDED TAX, (VAT) 5.0%	of (D + E)			
G. TO	OTAL ESTIMATED INDIRECT COST (F+E), P				
н. то	OTAL ESTIMATED UNIT INDIRECT COST (G / Quantity),	P/Unit			
TOT	AL ESTIMATED COST (D + G), P				
TOT	AL ESTIMATED UNIT COST (Total Estimated Cost / Quantit	ty), P/Unit			

Submitted by:	-		
Printed Name:		 	
Position:		 	
Name Company:			
Date:			

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2.00	ARCHITECTURAL WORKS				
2.05	STEEL WORKS				
A	MATERIAL COST (for Louver-type Window)				
	2"X1/8"thk Flat Bar	15.00	pc		
	2"X2" Angle Bar	3.00	pc		
	Welding Rod	6.00	kg		
			Material Cost	• • • • • • • • • • • • • • • • • • • •	• • • • • • •
В	LABOR COST	QTY	DUR. (DAYS)	RATE/DAY	
	Skilled Labor	1	4		
	Common Labor	1	4		
			Labor Cost	• • • • • • • • • • • • • • • • • • • •	
C	EQUIPMENT RENTAL COST	QTY	DUR. (DAYS)	RATE/DAY	
	Welding Machine	1	2		
	Bar Cutter	1	2		
			Equipment Cost	•	

- B TOTAL LABOR COST
- C TOTAL EQUIPMENT COST
- D TOTAL DIRECT COST

D TOTAL DIRECT COST			
	INDIRECT	COSTS	
1. OCM	15.0%	of Estimated Direct Cost	
2. CONTRACTOR'S PROFIT	10.0%	of Estimated Direct Cost	
E. TOTAL OCM & PROFIT	25.0%	of D	
F. VALUE ADDED TAX, (VAT)	5.0%	of $(D + E)$	
G. TOTAL ESTIMATED INDIRECT CO	OST (F + E), P		
H. TOTAL ESTIMATED UNIT INDIRE	CCT COST (G / Quantity), I	P/Unit	
TOTAL ESTIMATED COST (D+G), I	P		
TOTAL ESTIMATED UNIT COST (Tot	tal Estimated Cost / Quantity	y), P/Unit	

Submitted by:		
Printed Name:	-	
Position:	- <u></u>	
Name Company:	-	
Date:		

Annex "B" Form 3

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

SUBJI	ECT : Bill of Quantities				
ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2.00	ARCHITECTURAL WORKS				
2.06	DOORS & WINDOWS				
A	MATERIAL COST				
	Doors				
	Single-Leaf Swing Panel Door Painted w/ Enamel QDE Paint Finished including Door Lockset, Door Stopper & Hinge				
	1set-2.10mX1.00m	2.10	m²		
	2sets-2.10mX0.80m	3.36	m²		
	1set-2.10mX0.75m	1.58	m²		
	PVC Door w/ jamb, lockset & accessories				
	1set-2.10mX0.60m	1.26	m²		
	Windows				
	2-Panels, 6mm thk Tempered Glass Sliding Type Window on Powder Coated (brown) Aluminum Frame				
	1set-1.20mX1.20m	1.44	m²		
	2sets-0.60mX0.80m	0.96	m²		
	2-Panels, 6mm thk Tempered Glass Sliding Type Window w/ 1-Panel, 6mm thk tinted Tempered Fixed Glass on Powder Coated (brown) Aluminum Frame	0.60	2		
	1set-0.60mX1.00m 6-Panels, 6mm thk Tempered Glass Awning Type Window on Powder Coated (brown) Aluminum Frame	0.60	m²		
	1set-0.30mX1.80m	0.54	m²		
			Material Cost	·	
В	LABOR COST	QTY	DUR. (DAYS)	RATE/DAY	
	Skilled Labor/Installer	2	4		
	Common Labor	2	4		
			Labor Cost	·	
A	TOTAL MATERIAL COST				
В	TOTAL LABOR COST				
C	TOTAL EQUIPMENT COST				
D	TOTAL DIRECT COST				
	INDIRECT	COSTS			
1. OC	CM 15.0%	of Estimate	ed Direct Cost		
2. CC	NTRACTOR's PROFIT 10.0%	of Estimate	ed Direct Cost		
E. TO	TAL OCM & PROFIT 25.0%	of D			
F. VA	LUE ADDED TAX, (VAT) 5.0%	of $(D + E)$			
G. TO	TAL ESTIMATED INDIRECT COST (F + E), P				
H. TC	TAL ESTIMATED UNIT INDIRECT COST (G / Quantity), I	P/Unit			
TOTA	AL ESTIMATED COST (D + G), P				
TOTA	AL ESTIMATED UNIT COST (Total Estimated Cost / Quantity	y), P/Unit			

Submitted by:	
Printed Name:	
Position:	
Name Company:	
Date:	

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

LOCATION

Masbate City

SUBJECT : Bill of Quantities

ITEM	DESCRIPTION	V	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3.00	PLUMBING WORKS					
A	MATERIAL COST					
	Kitchen Sink					
	Single Bowl-Single Drain Kitcher	n Sink	1.00	set		
	Kitchen Faucet		2.00	рс		
	Rain Shower Head Set with hand		1.00	set		
	1 1/2" P-trap w/ plug & sealing ri	ng	1.00	pc		
	3"dia uPVC Pipe, 3m length		6.00	pc		
	Floor Drain		1.00	рс		
	Solvent Cement		1.00	can		
	Teflon Tape		1.00	roll		
				Material Cost		
В	LABOR COST		QTY	DUR. (DAYS)	RATE/DAY	
	Skilled Labor/Plumber		2	3		
	Common Labor		2	3		
				Labor Cost		
A	TOTAL MATERIAL COST					
В	TOTAL LABOR COST					
C	TOTAL EQUIPMENT COST					
D	TOTAL DIRECT COST					
		INDIRECT	COSTS			
1.00	CM	15.0%	of Estimate	ed Direct Cost		
2. CC	NTRACTOR's PROFIT	10.0%	of Estimate	ed Direct Cost		
E. TO	TAL OCM & PROFIT	25.0%	of D			
F. VA	LUE ADDED TAX, (VAT)	5.0%	of (D + E)			
G. TO	TAL ESTIMATED INDIRECT COS	$\Gamma(F+E), P$				
H. TO	OTAL ESTIMATED UNIT INDIRECT	COST (G/Quantity),	P/Unit			
TOTA	AL ESTIMATED COST (D+G), P					
TOTA	AL ESTIMATED UNIT COST (Total)	Estimated Cost / Quantit	y), P/Unit			

Submitted by:	
Printed Name:	
Position:	
Name Company:	
Date:	

Annex "B" Form 3

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

ITEM	DESCRIPTION		QUANTITY	UNIT	UNIT PRICE	AMOUNT
4.00	ELECTRICAL WORKS					
A	MATERIAL COST					
	Square Type LED Recessed Ceiling Downlight, 90	W	11.00	pc		
	LED Bulb, 9w		1.00	pc		
	Electrical Wires 2.5mm ² THHN #14		50.00	m		
	1-gang switch		1.00	set		
	2-gang switch		2.00	set		
	3-gang switch		1.00	set		
	Electrical Tape		3.00	roll		
				Material Cost	•••••	
В	LABOR COST		QTY	DUR. (DAYS)	RATE/DAY	
	Master Electrician		1	4		
	Common Labor		1	4		
				Labor Cost		
A	TOTAL MATERIAL COST					
В	TOTAL LABOR COST					
C	TOTAL EQUIPMENT COST					
D	TOTAL DIRECT COST					
	INDI	RECT	COSTS			
1.00	CM 15.0%		of Estimate	d Direct Cost		
2. CC	ONTRACTOR'S PROFIT 10.0%		of Estimate	d Direct Cost		
E. TO	TAL OCM & PROFIT 25.0%		of D			
F. VA	LUE ADDED TAX, (VAT) 5.0%		of (D + E)			
G. TC	OTAL ESTIMATED INDIRECT COST (F+E), P					
H. TC	OTAL ESTIMATED UNIT INDIRECT COST (G / Qu	ıantity), I	P/Unit			
TOTA	AL ESTIMATED COST (D + G), P					
TOTA	AL ESTIMATED UNIT COST (Total Estimated Cost A	Quantity	y), P/Unit			

Submitted by:	
Printed Name:	
Position:	
Name Company:	
Date:	

Annex "B" Form 3

(Contractor's Logo On Main Page)

DETAILED ESTIMATE FORM

NAME OF PROJECT : Repair/Rehab Of ANS Office At Masbate Airport

LOCATION : Masbate City

SUBJECT : Bill of Quantities

ТЕМ	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
.00	MECHANICAL WORKS				
A	MATERIAL COST				
	1.2m dia X 2.5m GI fuel tank 3000liters capacity with complete fittings, Gauge 11 (specified on approved plans)	1.00	unit		
	GI fuel pipes with sealer valves	9.00	set		
	Pipe fitting lines and control valves	1.00	lot		
	Including supply, delivery & hauling		Material Cost		
В	LABOR COST	QTY	DUR. (DAYS)	RATE/DAY	
	Mechanical Engineer	1	5		
	Skilled Labor	2	5		
	Common Labor	2	5		
			Labor Cost		
C	EQUIPMENT RENTAL COST	QTY	DUR. (DAYS)	RATE/DAY	
C	EQUIPMENT RENTAL COST Chain Block	QTY 1	DUR. (DAYS)	RATE/DAY	
	Chain Block		DUR. (DAYS) 1 Equipment Cost		
A	Chain Block TOTAL MATERIAL COST		1		
A B	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST		1		
A B C	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST		1		
A B	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST	1	1		
A B C D	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST INDIRECT	COSTS	1 Equipment Cost		
A B C D	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST INDIRECT EM 15.0%	COSTS of Estimate	1 Equipment Cost ed Direct Cost		
A B C D	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST INDIRECT COST CM 15.0% DNTRACTOR'S PROFIT 10.0%	COSTS of Estimate	1 Equipment Cost		
A B C D	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST IN DIRECT COST CM 15.0% DNTRACTOR'S PROFIT 10.0% DTAL OCM & PROFIT 25.0%	COSTS of Estimate of D	1 Equipment Cost ed Direct Cost		
A B C D	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST INDIRECT COST CM 15.0% DNTRACTOR'S PROFIT 10.0% OTAL OCM & PROFIT 25.0% LUE ADDED TAX, (VAT) 5.0%	COSTS of Estimate	1 Equipment Cost ed Direct Cost		
A B C D 1. 000 2. C00 E. T00 G. T00	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL DIRECT COST INDIRECT C CM 15.0% ONTRACTOR'S PROFIT 10.0% OTAL OCM & PROFIT 25.0% LUE ADDED TAX, (VAT) 5.0% OTAL ESTIMATED INDIRECT COST (F + E), P	COSTS of Estimate of D of (D + E)	1 Equipment Cost ed Direct Cost		
A B C D 1. 000 2. C00 7. VA G. T0 H. T0	TOTAL MATERIAL COST TOTAL LABOR COST TOTAL EQUIPMENT COST TOTAL DIRECT COST INDIRECT COST INDIRECT COST CM 15.0% ONTRACTOR'S PROFIT 10.0% OTAL OCM & PROFIT 25.0% LUE ADDED TAX, (VAT) 5.0% OTAL ESTIMATED INDIRECT COST (F + E), P OTAL ESTIMATED UNIT INDIRECT COST (G / Quantity),	COSTS of Estimate of D of (D + E)	1 Equipment Cost ed Direct Cost		
A B C D 1. OC 2. CC E. TO G. TC	Chain Block TOTAL MATERIAL COST TOTAL LABOR COST TOTAL DIRECT COST INDIRECT C CM 15.0% ONTRACTOR'S PROFIT 10.0% OTAL OCM & PROFIT 25.0% LUE ADDED TAX, (VAT) 5.0% OTAL ESTIMATED INDIRECT COST (F + E), P	COSTS of Estimate of Estimate of D of (D + E)	1 Equipment Cost ed Direct Cost		

Name Company:

Date:

Section IX. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC),
 Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative
 Development Authority (CDA) for cooperatives or its equivalent document;

 and
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
 and
- (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (h) Philippine Contractors Accreditation Board (PCAB) License;
 or

Special PCAB License in case of Joint Ventures;

and registration for the type and cost of the contract to be bid; and

(i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 Or

Original copy of Notarized Bid Securing Declaration (Please use Form per GPPB Resolution No. 16-2020); and

- (j) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;
- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; and
- Original duly signed Omnibus Sworn Statement (OSS);

 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

(Please use Revised Form per GPPB Resolution No. 16-2020.)

Financial Documents

?

- The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- (m) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

The computation of a prospective bidder; NFCC must be at least equal to the ABC to be bid, calculated as follows:

NFCC + [(Current Assets minus Current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

Class "B" Documents

(n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

(o) Original of duly signed and accomplished Financial Bid Form; and

(Please use Bid Form per GPPB Resolution No. 16-2020.)

Other documentary requirements under RA No. 9184

- (p) Original of duly signed Bid Prices in the Bill of Quantities; and
- Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; and
- (r) Cash Flow by Quarter.

Bidding Forms Sample

Bid Form for the Procurement of Infrastructure Projects

[shall be submitted with the Bid]

BID FORM

Date :	
Project Identification No. :	
	_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines12 for this purpose;
- 12 currently based on GPPB Resolution No. 09-2020
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute

and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].

l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of: _	
Date:	

Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

CONTRACT AGREEMENT

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein. NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, *viz.*:
- a. Philippine Bidding Documents (PBDs);
- i. Drawings/Plans;
- ii. Specifications;
- iii. Bill of Quantities;
- iv. General and Special Conditions of Contract;
- v. Supplemental or Bid Bulletins, if any;
- **b.** Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- **d.** Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid. GPPB Resolution No. 16-2020, dated 16 September 2020
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS WHEREOF, the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

Acknowledgment

Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES	5)		
CITY/MUNICIPALITY OF)	S.S	

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
- a. Carefully examining all of the Bidding Documents;
- b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I have	hereunto	set	my	hand	this	 day	of	,	20	at
	,	Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
- a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
- b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
- c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

AUTHORITY OF SIGNATORY (SPECIAL POWER OF ATTORNEY)

I,		, President of	(Name of t	the Bidder)_	, a
corporation incorporated					
registered office at		, by	y virtue of F	Board Resol	lution
No dated					
appointed					
and stead, to do, execu					
	_ in the bidding o	of(Name of	the Project)_	as full	y and
effectively as corporation revocation and hereby co be done by virtue hereof.		• •			
•	HEREOF, I have		•	s da	ite of
Signed in the Presence of:	: 				

ACKNOWLEDGEMENT

Contractor's Organizational Chart for the Project

Submit Copy of the Organizational Chart that the Contractor intends to use to execute contract if awarded to him. Indicate in the chart the names of the Mechanical Engine Master Electrician, Master Plumber, Safety Officer, and Construction Foreman.	
Attach the required Proposed Organizational Chart for the Contract as stated above.	

Note:

Organizational Chart must tally with List of contractor's personnel to be assigned to the contract to be bid, with their complete qualification and experience data (Qualification of Key Personnel Proposed to be assigned to the Project).

Key Personnel's Certificate of Employment

Date of Issuance

Head of the Procuring Entity	y		
Designation			
Address			
Dear Sir:			
I am <u>(Name of Nominal</u> issued on(Date		_	Professional License No !.
I hereby certify that (Name of the Project			services as (<i>Designation</i>) for
As(<i>Designation</i>), I contract under bidding:	supervised the fo	ollowing complet	ed projects similar to the
NAME OF PROJECT	OWNER	COST	DATE COMPLETED
At present, I am supervising	the following pro	ject:	
NAME OF PROJECT	OWNER	COST	DATE COMPLETED

In case of my separation for any reason whatsoever from the above-mentioned Contractor, I shall notify the _(Name of the Procuring Entity)at least twenty one (21) days before the effective date of my separation.

As(<u>Designation</u>), I know I will have to stay in the job site all the time to supervise and managed the Contract works to the best of my ability, and aware that I am authorized to handle only one (1) contract at a time.

I do not allow the use of my name for the Contractor to qualify for the Contract without any the post of (Designation) thereof, if the contract is do so will be a sufficient ground for any future (Name of the Procuring Entity) bidding or business with the (Name of the Procuring Entity)	y firm commitment on my part to assume awarded to him since I understand that to disqualification as(Designation) in my employment with any Contractor doing
	(Signature of Personnel)
SUBSCRIBED AND SWORN to before me this _	day of, 20
affiant exhibiting to me his/her Residence Certific at	Philippines.
	Notory Dublic
	Notary Public
	Until 31 December 20
	PRT No.:
	Issued at:
	Issued on:
	TIN No.:
Doc. No	
Page No	
Book No	
Series of	

KEY PERSONNEL

(FORMAT OF BIO-DATA)

Give the detailed information of the following personnel who are scheduled to be assigned as full-time field staff for the project. Fill up a form for each person.

2.	Authorized Managing Officer / Representative
3.	Sustained Technical Employee
4. 5. 6. 7. 8. 9.	Name: Date of Birth: Nationality: Education and Degrees: Specialty: Registration: Length of Service with the Year from (months) (year)
	Firm: To(months)(year)
11. 12.	Years of Experience: If Item 7 is less than ten (10) years, give name and length of service with previou employers for a ten (10) year period (attached additional sheet/s, if necessary: Name and Address of Employer Length of Service
	year(s) fromto
13. 14. 15.	
16	Name and Address of the Owner's Engineer (Consultant):
17.	Indicate the Features of Project(particulars of the project components and any other particular interest connected with the project):
18	Contract Amount Expressed in Philippine Currency:

19.	Position:			
20.	Structures for which the empl	oyee was respons	 sible:	
21.	Assignment Period:	from _	(months)	(years)
		to _	(months)	(years)
		_		
Nam	e and Signature of Personnel			
It is l	nereby certified that the above pe	ersonnel can be a	ssigned to this proj	ect, if the
contr	act is awarded to our company.			
	(Place and Date)	The	Authorized	Representative

(Contractor's Logo on Main Page) Qualification of Key Personnel Proposed to be Assigned to the Project

Business Name : Business Address :				_	
	Project Manager/Engineer	Civil Engineer	Foreman	Construction Safety and Health Personnel	Other position deemed required by the Applicant for this project
1 Name					
2 Address					
3 Date of Birth					
4 Employed Since					
5 Experience					
6 Previous Employment					
7 Education					
8 PRC License					
Minimum Requirements	: Civil Engineer: Safety Officer: Foreman				
Note Submitted by	: Attached individu		License of the	(professional) perso	onnel.
Designation	(Signature Over l	Printed Name)			
Date	:				

List of Equipment, Owned or Leased and/or under Purchased Agreements, Pledge to the Proposed Project

Business Name:

	Proof of Ownership/ Lessor or Vendor																		
	Condition																		
	Location																		
	Motor No./ Body No.																		
	Plate No.																		
	Capacity/ Performance/ Size																		
	Model/Year																		
Business Address :	Description	A. Owned	I.	п.	III	IV.	>	B. <u>Leased</u>	1.	II.	III	IV.	^	C. Under Purchase Agreement	1.	II.	III	IV.	Λ

List of Minimum equipment required for the project:

Submitted by : (Signature Over Printed Name)

Designation : Date :

Note: Attach Proof of Ownership, Leased Agreement or Purchased Agreement

Location					
CASH I	TLOW BY Q	CASH FLOW BY QUARTER AND PAYMENT SCHEDULE	IENT SCHED ULE		
PARTICULAR	%WT.	1ST QUARTER	2ND QUARTER	3RD QUARTER	4TH QUARTER
ACCOMPLISHMENT					
CASH FLOW					
CUMULATIVE ACCOMPLISHMENT					
CUMULATIVE CASH FLOW					
Submitted by:					
Name of the Representative of the Bidder	idder				
Position					
Name of the Bidder					
Date:					

