

Republic of the Philippi CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "Supply and delivery of one (1) unit Thermal Imager for Manila CNS/ATM Facility" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No.

C23-068-09

Name of Project

Supply and delivery of one (1) unit Thermal Imager for Manila

CNS/ATM Facility

Approved Budget for

for Contract

P148,924.16

Terms

See the attached Annex "A" for Terms of Reference and

corresponding Specifications

Location

Procurement Division, CAAP, MIA Road, Pasay City

Delivery Term

Thirty (30) Calendar Days from the receipt of Notice for Compliance

Partial delivery is not allowed

Delivery Location

Manila CNS/ATM Facility

Delivery Time

8:00 AM - 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above P500,000.00;
- 3. PHILGEPS Certificate of Registration;
- 4. Tax Clearance;
- Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above P50,000.00; (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation and,
- 7. Brochure if applicable

:

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.**

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

MELINAC. REYES
CCC Vice-Chairperson



Annex "A"

PRICE	QUOTA	TION	FORM
--------------	-------	------	-------------

Date:				
The Chairperson Canvass and Contract Committee Procurement Division, CAAP, MIA Road, Pasay City				
Sir: After having carefully read and accepted the hereunder is our quotation/s for the item/s and accepted the hereunder is our quotation.		nditions ir	the Request f	or Quotation
Supply and delivery of one (1) unit T	Thermal Imager	for Man	ila CNS/ATM	Facility
Technical Specifications	QTY	Unit	Unit Price	Total Price
THERMAL IMAGER 120 X 90 Infrared Resolution (10,800 pixel 3.5" LCD Continuous Touchscreen IR-Fusion Min Focus Distance: 50cm Water and dust resistance – IP54 enclosure Thermal sensitivity (NETD): 60 mK Frame rate: 9Hz Battery capacity: >5 hours continuous Accuracy: ±2°C or ±2% at 25°C Memory: 4G with wireless connectivity Temperature range up to 150°C	ion	unit		
Warranty:				
One (1) year from the date of acceptance Additional Requirements: 1. Calibration Certificate 2. Certificate of Authorized Distributors (Amount in Words)	ship			
The above-quoted prices are inclusive of all	I costs and applic	cable taxe	s	6
Very truly yours,	обото шти предпа			
Name/Signature of Representative				
Position				
Name of Company				
Contact No.				
Email Address				



Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

TERMS OF REFERENCE

Name of Project	:	Supply and delivery of one unit Thermal Imager forManila CNS/ATM Facility.		
Approved Budget	1:	Php 148,924.16		
Delivery Period	:	Thirty (30) calendar days from the receipt of Notice for Compliance Note: Partial delivery is not allowed.		
Delivery Location		Manila CNS/ATM Facility Note: Delivery must be made only from 8:00AM-4:00PM during regular work days. A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery. A confirmation of availability of concerned office must be received by the supplier before proceeding with the delivery. None compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.		
Terms of Payment	:	: Payment upon full delivery and subject to usual government accounting rules and regulations.		

Warranty: One (1) year from the date of acceptance.

Technical Specifications:

120 x 90 infrared resolution (10,800 pixels) 3.5" LCD Continuous Touchscreen IR-Fusion

Min Focus Distance: 50cm

Water and dust resistance -IP54 enclosure rating

Thermal sensitivity (NETD): 60 mK

Frame rate: 9Hz

Battery capacity: >5 hours continuous Accuracy: ±2°C or ±2% at 25°C

Memory: 4G with wireless connectivity

Temperature range up to 150°C

Additional Requirements:

1. Calibration Certificate

2. Certificate of Authorized Distributorship

Prepared by:

ROGER P. ABALO ANF Engineer II EMMID-ANOD

Approved by:

Acting Chief EMMID

Air Navigation Operations Department