



### REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the “Supply and delivery of One (1) unit Projector” in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No. : **C23-088-10**  
Name of Project : **Supply and delivery of One (1) unit Projector**  
Approved Budget for  
for Contract : **P40,000.00**  
Terms : See the attached Annex “A” for Terms of Reference and  
corresponding Specifications  
Location : Procurement Division, CAAP, MIA Road, Pasay City  
Delivery Term : **Thirty (30) Days** from the receipt of Notice for Compliance  
Partial delivery is **not allowed**  
Delivery Location : **CAAP Head Office Warehouse**  
Delivery Time : 8:00 AM – 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

1. Mayor’s or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
2. Income Business Tax Return for ABC’s above P500,000.00;
3. PHILGEPS Certificate of Registration;
4. Tax Clearance;
5. Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC’s above P50,000.00; (Authorized representative must attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
6. Price quotation from (Annex “A”) during submission of offer/Quotation and,
7. Brochure if applicable

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid**.

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ “draw lots” as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

  
**MELINA C. REYES**  
CCC Vice Chairperson

10-16-23  
4:20 PM



**PRICE QUOTATION FORM**

Date: \_\_\_\_\_

The Chairperson  
Canvass and Contract Committee  
Procurement Division, CAAP,  
MIA Road, Pasay City

Sir:  
After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

<b>Supply and delivery of One (1) unit Projector</b>				
<b>Technical Specifications</b>	<b>QTY</b>	<b>Unit</b>	<b>Unit Price</b>	<b>Total Price</b>
<p><b>PROJECTOR</b></p> <p><b>DISPLAY</b> Brightness (ANSI Lumens) 4000 WXGA (1280x800) 16:10 Native Aspect Ratio 20,000:1 Contrast Ratio 30-bit (1.07 billion colors) Light source (Lamp) Light source Life:     a. Normal 6000 hours     b. ECO 10000 hours     c. SmartEco 10000 hours     d. LampSave 15000 hours</p> <p><b>OPTICAL</b> Throw Ratio 1.55~1.7 Zoom Ratio 1.1x Lens F/# = 2.56 ~ 2.68, f = 22 ~ 24.1 mm Projection Offset (100%) Keystone adjustment ID, Vertical +_40 degrees</p> <p><b>PICTURE</b> 3D, Bright, Infographic, Presentation, Spreadsheet, sRGB</p> <p><b>COMPATIBILITY</b> VGA (640x480) to WUXGA_RB(1920X1200) *Reduced blanking 15K~102KHz Horizontal Frequency 23~120KHz Vertical Scan Rate</p> <p><b>I/O INTERFACE</b> PC in (D-sub 15pin) x 1 Monitor out x1 Compositive Video (RCA) x1 S-Video (Mini DIN 4pin) x1 HDMI x2 USB Type A x1 USB Type Mini B x1 RS232 (DB-9pin) x1</p>	<b>1</b>	<b>unit</b>		



<p><b>AUDIO</b>  Speaker x1, 10W  Audio in (3.5mm Mini Jack) x1  Audio out (3.5mm Mini Jack) x1</p> <p><b>ENVIRONMENT</b>  Operating Temperature 0 ~40°C  Power Supply AC 100 to 240V, 50/60Hz  260W/110V Power Consumption  Acoustic Noise 34/29</p> <p><b>ACCESSORIES</b>  Remote RCX016  Power Cord x1 (1.8M)  VGA cable x1 (1.5M)  User Manual CD x1  3D Glasses (optional), DGD5  Quick Start Guide x1  Warranty Card (by region)  Universal Ceiling Mount (optional), CM00G3</p> <p><b>DIMENSION &amp; WEIGHT</b>  296x120x221 Dimension (WxHxD) mm  2.3 Net Weight (kg)</p> <p><b>PROJECTION SYSTEM</b>  DLP</p>				
<b>Total (Inclusive of VAT)</b>				
<p><b>Warranty:</b>  One (1) year warranty on parts and service from the date of acceptance.</p>				

(Amount in Words)

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

\_\_\_\_\_  
Name/Signature of Representative

\_\_\_\_\_  
Position

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Contact No.

\_\_\_\_\_  
Email Address



### TERMS OF REFERENCE

Name of Project	:	1 Unit Projector
Approved Budget	:	₱40,000.00
Delivery Period	:	Thirty (30) days from the receipt of Notice for Compliance  <i>Note: Partial delivery in not allowed</i>
Delivery Location	:	CAAP Head Office Warehouse  <i>Note: Delivery must be made only from 8:00AM – 4:00PM during regular work days.</i>  <i>A Written notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.</i>  <i>A confirmation of availability of concerned office must be received by the supplier before proceeding with the delivery. None compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.</i>
Terms of Payment	:	Payment upon full delivery and subject to usual government accounting rules and regulations.
Warranty	:	One (1) year warranty on parts and services from the date of acceptance

### Technical Specification

UNIT	DESCRIPTION	QUANTITY
<b>PROJECTOR</b>	<b>DISPLAY</b> Brightness (ANSI lumens) 4000 WXGA (1280x800) 16:10 Native Aspect Ratio 20,000:1 Contrast Ratio 30-bit (1.07 billion colors) Light source (Lamp) Light source Life: a. Normal 6000 hours b. ECO 10000 hours	1

- c. SmartEco 10000 hours
- d. LampSave 15000 hours

**OPTICAL**

Throw Ratio 1.55~1.7  
Zoom Ratio 1.1x  
Lens F/# = 2.56 ~ 2.68, f = 22 ~ 24.1 mm  
Projection Offset (100%)  
Keystone adjustment 1D, Vertical +\_ 40 degrees

**PICTURE**

3D, Bright, Infographic, Presentation, Spreadsheet, sRGB

**COMPATIBILITY**

VGA (640x480) to WUXGA\_RB(1920X1200)  
\*Reduced blanking  
15K~102KHz Horizontal Frequency  
23~120KHz Vertical Scan Rate

**I/O INTERFACE**

PC in (D-sub 15pin) x1  
Monitor out x1  
Compositive Video (RCA) x1  
S-Video (Mini DIN 4pin) x1  
HDMI x2  
USB Type A x1  
USB Type Mini B x1  
RS232 (DB-9pin) x1

**AUDIO**

Speaker x1, 10W  
Audio in (3.5mm Mini Jack) x1  
Audio out (3.5mm Mini Jack) x1

**ENVIRONMENT**


Operating Temperature 0~40°C  
Power Supply AC 100 to 240V, 50/60Hz  
260W/110V Power Consumption  
Acoustic Noise 34/29

**ACCESSORIES**

Remote RCX016  
Power Cord x1 (1.8M)  
VGA cable x1 (1.5M)  
User Manual CD x1  
3D Glasses (optional), DGD5  
Quick Start Guide x1  
Warranty Card (by region)  
Universal Ceiling Mount (optional), CM00G3

	<b>DIMENSION &amp; WEIGHT</b> 296x120x221 Dimension (WxHxD) mm 2.3 Net Weight (kg)	
	<b>PROJECTION SYSTEM</b> DLP	

Submitted by:

  
GLENDA L. AGUIRRE  
Division Chief III, ARMD-RSD