

REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "<u>Purchase of materials for the renovation of ACC – 2nd floor (selected rooms) for the temporary displacement of CAAP Main Building Offices"</u> in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No.

C23-108-11

Name of Project

Purchase of materials for the renovation of ACC - 2nd floor (selected

rooms) for the temporary displacement of CAAP Main Building Offices

Approved Budget for

for Contract

P868,365.00

Terms

See the attached Annex "A" for Terms of Reference and

corresponding Specifications

Location

Procurement Division, CAAP, MIA Road, Pasay City

Delivery Term

Thirty (30) Calendar Days from the receipt of Notice for

Compliance

Partial delivery is allowed.

Delivery Location

CAAP Head Office Warehouse

Delivery Time

8:00 AM - 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above ₱500,000.00;
- 3. PHILGEPS Certificate of Registration;
- 4. Tax Clearance;

:

:

- Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above ₱50,000.00;
 (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation.

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a Certified True Copy of the original document which must be certified by the issuing government agency. However, the original copy of the Omnibus Sworn Statement, Price Quotation Form, and Brochure must be included in the sealed bid.

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

The quotation shall be submitted in sealed envelope on or before the closing date of 10:00 AM, CAAP Procurement Division and addressed to:

ATTY. JOHN BEAU B. MASIGLAT Chairperson, Canvass and Contract Committee Officer-In-Charge, Procurement Division Gate 3 CAAP, Old MIA Road Pasay City, Metro Manila



Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

MELINA C REYES CCC Vice-Chairperson





Annex "A"

PRICE QUOTATION FORM

The	Chairperson
Can	vass and Contract Committee
Proc	urement Division, CAAP,
MIA	Road Pasay City

Date: _____

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Technical Specifications	CAAP Main QTY	Unit	Unit Price	Total Price
reclinical Specifications	QII	Unit	Unit Price	1 otal Price
I. Office of the Internal Audit Service				
A. Drywall Partition				
1/4"thk. x 4'x 8'Ordinary plywood	6	Pcs.		
2" x 2" x 10'Good lumber	8	Pcs.		
1-1/4" Hex head concrete crew	207	Pcs.		
Board screw, 100 pcs/box	1	Box		
Assorted CWN	0.5	Kgs.		
B. Dropwall Materials				
1/4"thk. x 4'x 8'Ordinary plywood	6	Pcs.		
2" x 2" x 10'Good lumber	55	Pcs.		
Assorted CWN	3.3	Kgs.		
C. Office Cubicle Materials				
1/2"thk. x 4'x 8'Ordinary plywood	3	Pcs.		
1" x 2" x 10'Good lumber	5	Pcs.		
2" x 2" x 10'Good lumber	3	Pcs.		
Assorted CWN	0.2	Kgs.		
D. Painting Materials				
Semi-gloss latex	3	Gals.		
Enamel Paint	7	Gals.		
Varnish	1	Liter		
350ml Paint thinner	8	Bottles		
9" Paint roller	5	Pcs.		
3" Paint brush	1	Pc.		
1kg. Patching compound	6	Packs		
Putty knife	1	Pairs		
Assorted sand paper	4	Pcs.		
E. Tiling Materials				
30cm x 30cm vinyl floor tiles	579	Pcs.		
Vinyl adhesive	2	Gals.		
40kg. Portland cement	1	Bag		
Screened sand 40kg.	1	Bag		





F. Ceiling Materials			
60cm x 60cm Acoustic board	175	Pcs.	
Main runner, 24mm x 38mm x 3.6m	15	Pcs.	
Cross tee, 24mm x 25mm x 1.2m	103	Pcs.	
Cross tee, 24mm x 25mm x 0.6m	104	Pcs.	
1" x 1" x 10' Wall angle, 0.5mm thk.	16	Pcs.	
G.I Tie wire #16	1	Kgs.	
G. Door Locks			
Entrance lever lock	3	Sets	
H. Electrical Materials			
0.60m x 0.60m Recessed type fluorescent			
fixture, louver type w/ mirroirzed aluminum reflector w/ 2 x 9Watts T8 LED tube	21	Sets	
Duplex universal convenience outlet with			
ground 16A 250V	17	Sets	
Air conditioning unit outlet with ground 16	2		
A	3	Sets	
Two-Gang Switch, 10A, 250V, Wide Series	1	Set	
Three-Gang Switch, 10A, 250V, Wide Series	2	Sets	
2.0 mm ² THHN/THWN-2 600V 90 °C			
Copper Wire, Lead Free Type x 150m	1	Box	
3.5 mm ² THHN/THWN-2 600V 90 °C			
Copper Wire, Lead Free Type x 150m	2	Boxes	
20mm diameter x 3m uPVC Electrical Pipe,	45	D.	
Thick Wall	15	Pcs.	
3/4' x 8ft PVC Moulding	20	Pcs.	
50mm Flexible Rubber Floor Moulding	2	Lm.	
1/2" diameter Flexible Hose	20	Lm.	
Amco Box Electrical Surface Type Utility	17	Dan	
Box	17	Pcs.	
Octagonal Junction Box with Cover	25	Pcs.	
Electrical Tape, 0.16mmx19mmx16m	2	Pcs.	
6mm Tox and Screws	100	Pairs	
II. Office of the Corporate Board Secretary			
A. Drywall Partition			
1/2"thk. x 4'x 8'Ordinary plywood	12	Pcs.	
2" x 2" x 10'Good lumber	28	Pcs.	
Assorted CWN	2	Pcs.	
B. Tiling Materials			
60cm x 60cm vinyl Floor Tiles	136	Pcs.	
Vinyl Adhesive	2	Gals.	
C. Ceiling Materials			
60cm x 60cm Acoustic Board	122	Pcs.	
Main Runner, 24mm x 38mm x 3.6m	15	Pcs.	
Cross Tee, 24mm x 25mm x 1.2m	53	Pcs.	
Cross Tee, 24mm x 25mm x 0.6m	58	Pcs.	
1" x 1" x 10' Wall Angle, 0.5mm thk.	14	Pcs.	
G.I. Tie Wire, #16	1	Kgs.	
D. Painting Materials			





Semi-gloss Latex	1	Gal.	
Enamel Paint	4	Gals.	
350mL Paint Thinner	5	Bottles.	
9" Paint Roller with plastic tray	2	Sets	
3" Paint Brush	2	Pcs.	
1kg. Patching compound	1	Pack	
Putty knife	1	Pair	
Assorted Sand Paper	5	Pcs.	
Rags	1	Kg.	
III. Office of the Resident Auditor	1	Ng.	-
(Commission on Audit)			
A. Masonry Materials		+	
4" CHB	81	Pcs.	
40kg. Portland Cement	17	Bags.	
Screened Sand	11	Bags.	
10mm Ø DRSB, 6m	5	Pcs.	
B. Drywall Partition		1 05.	
1/2" thk. X 4' x 8' Ordinary Plyboard	8	Pcs.	
2" x 2" x 10' Good Lumber	29	Pcs.	
Assorted CWN	2	-	
		Kgs.	
C. File Shelves	F1	Des	
3/4" thk. X 4' x 8' Ordinary Plyboard	51	Pcs.	
1/2" x 2" x 10' Good Lumber	40	Pcs.	
1" Common Wire Nails	10	Kgs.	
Woody Putty	34	Kgs	
Putty knife	2	Pairs	
Natural Varnish	16	L	
6" Paint Roller with Plastic Tray	5	Sets	
3" Paint Brush	3	Pcs.	
D. Tiling Materials			
60cm x 60cm Vinyl Floor Tiles	530	Pcs.	
Vinyl adhesive	6	Gals.	
E. Ceiling Materials			
60cm x 60cm Acoustic Board	462	Pcs.	
Main Runner, 24mm x 38mm x 3.6m	56	Pcs.	
Cross Tee, 24mm x 25mm x 1.2m	598	Pcs.	
Cross Tee, 24mm x 25mm x 0.6m	313	Pcs.	
1" x 1" x 10' Wall Angle, 0.5mm thk.	22	Pcs.	
G.I. Tie Wire, #16	4	Kgs.	
F. Painting Materials			
Semi-gloss latex	7	Gals.	
Enamel Paint	8	Gals.	
350mL Paint Thinner	4	L	
9" Paint roller with plastic tray	6	Sets.	
3" Paint brush	5	Pcs.	
1kg. Patching compound	1	Packs	
Putty knife	1	Pair	
Assorted sand paper	11	Pcs.	
Rags	1	Kg.	





G. Electrical Materials (for CORSEC and COA)			
0.60m x 0.60m recessed type fluorescent			
fixture, louver type w/ mirrorized, aluminum	66	Sets	
reflector with 2 x 9 Watts T8 LED Tube			
Duplex Universal Convenience Outlet with	24	C	
Ground, 16A, 250V	31	Sets	
Air Conditioning Unit Outlet with Ground,	4	Cata	
16A, 250V	1	Sets	
Single Outlet with Ground, 10A, 250V	3	Sets	
One-Gang Switch, 10A, 250V, Wide Series	2	Sets	
Two-Gang Switch, 10A, 250V, Wide Series	1	Sets	
Three-Gang Switch, 10A, 250V, Wide Series	5	Sets	
2.0 mm ² THHN/THWN-2 600V 90 °C	2	D	
Copper Wire, Lead Free Type x 150m	3	Boxes	
3.5 mm ² THHN/THWN-2 600V 90 °C	89020		
Copper Wire, Lead Free Type x 150m	10	Boxes	
5.5 mm ² THHN/THWN-2 600V 90 °C	-21	1	
Copper Wire, Lead Free Type x 150m	1	Box	
8.0 mm ² THHN/THWN-2 600V 90 °C		-	
AND	1	Box	
Copper Wire, Lead Free Type x 150m Cat6 Cable x 305m	3	Boxes	
	3	boxes	
20mm diameter x 3m uPVC Electrical Pipe, Thick Wall	162	Pcs.	
25mm diameter x 3m uPVC Electrical Pipe,		-	
Thick Wall	55	Pcs.	
20mm diameter uPVC Adapter w/ Locknut	313	Pcs.	
25mm diameter uPVC Adapter w/ Locknut	32	Pcs.	
3/4" x 8ft PVC Moulding	18	Pcs.	
50mm Flexible Rubber Floor Moulding	6	Lm	
1/2" diameter Flexible Hose	71	Lm	
Octagonal Junction Box with Cover	80	Pcs.	
Utility Box	62	Pcs.	
Electrical Tape, 0.16mm x 19mm x 16m	10	Pcs.	
60mm Tox and Screws	100	Pairs.	
150mm diameter recessed mounted	100	i all S.	
downlight fixture with 12W LED bulb	31	Sets	
Single Data Outlet	17	Sets	
Duplex Data/Telephone Outlet	4	Sets	
Pullbox 300 x 300mm	3	Pcs.	
20AT, 2P, 230V, 60Hz CB in NEMA-3R	2	Sets	
	1	Sets	
30AT, 2P, 230V, 60Hz CB in NEMA-3R	2	Sets	
50AT, 2P, 230V, 60Hz CB in NEMA-3R	2	sets	
H. Plumbing and Sanitary Materials			
Waterline System	2	Dac	
1/2" Ø PPR Pipe (PN 20), 4m		Pcs.	
1" - 1/2" Ø PPR Reducer Tee 1/2" Ø PPR 90° Elbow	1	Pcs.	
172" IA DDD OO LIBOW	5	Pcs.	





Teflon Tape	3	Pcs.	
Waste Pipe			
2" Ø x 3m uPVC Pipe, Series 1000	2	Pcs.	
2" Ø uPVC 90° Elbow	2	Pcs.	
2" Ø uPVC Trap with cleanout	1	Pcs.	
2" Ø uPVC Tee	1	Pcs.	
Solvent Cement (400cc)	1	Can	
Pipe Hanger and Support	4	Sets	
Stainless Steel Grease Trap, 5 gpm	1	Set	
Vent Pipe			
2" Ø x 3m uPVC Pipe, Series 1000	2	Pcs.	
2" Ø uPVC 90° Elbow	1	Pcs.	
Pipe Hanger and Support	6	Pcs	
Catchbasin			
6" Ø x 3m uPVC Pipe, Series 1000	1	Pc	
150mm thk. CHB	14	Pcs.	
Portland Cement, 40kg	1	Bags	
Screened Sand	1	Bags.	
Fixtures			
Stainless Steel Single Bowl Kitchen Sink with Drainboard, Complete Fittings and Accessories	1	Set	
Stainless Steel Gooseneck Faucet	1	Set	
Total (Inclusive of VAT)			

The above-quoted prices are inclusive of al	l costs and applicable taxes.
Very truly yours,	
Name/Signature of Representative	
Position	
Name of Company	
Contact No.	
Email Address	



TERMS OF REFERENCE

Name of Project	Purchase of materials for rooms) for the temporar Offices	for the renovation of ACC – 2 nd floor (selected ry displacement of CAAP Main Building
Approved Budget	: Php868,365	
Delivery Period	: Thirty (30) Calendar I Compliance : Note: Partial delivery is	Days from the receipt of Notice for
Delivery Location/s	Supply Division Wareh Ground Floor, CAAP C Gate 3, Civil Aviation A Baltao Road, Pasay City	nouse General Services Building Authority of the Philippines y
Delivery Condition(s)	during regular working 2. A written notice must Division (procurement (supply@caap.gov.ph) intended date of deliver 3. Upon receipt of the Navailability of End-Use Committee (TIAC) must Procurement Division with the delivery. 4. The Supplier's nonce herein and in the Approximation of the procurement Division with the delivery.	at be sent via email to the Procurement @caap.gov.ph), and Supply Division at least seven (7) working days prior to the
Terms of Payment	Payment upon full delivaccounting rules and re	very and subject to usual government egulations.

Technical Specification

Unit	Item Description	Qty.
I. Office of the In	ternal Audit Service	
a. Drywall Partit	ion	
Pcs.	1/4" thk. x 4' x 8' Ordinary plywood	6
Pcs.	2" x 2" x 10' Good lumber	8
Pcs.	1-1/4" Hex head concrete screw	207
Box	Board screw, 100 pcs/box	1
Kgs.	Assorted CWN	0.5
b. Dropwall Mat	erials	
Pcs.	1/4" thk. x 4' x 8' Ordinary plywood	6
Pcs.	2" x 2" x 10' Good lumber	55
Kgs.	Assorted CWN	3.3
c. Office Cubicle	Materials	
Pcs.	1/2" thk. x 4' x 8' Ordinary plyboard	3

Pcs.	1" x 2" x 10' Good lumber	5
Pcs.	2" x 2" x 10' Good lumber	3
Kgs.	Assorted CWN	0.2
. Painting Materials		
Gals.	Semi-gloss latex	3
Gals.	Enamel paint	7
Liter	Varnish	1
Bottles	350ml Paint thinner	8
Pcs.	9" Paint roller	5
Pc.	3" Paint brush	1
Packs	1kg. Patching compound	6
The state of the s	Putty knife	1
Pairs	Assorted sand paper	4
Pcs.	Assorted Said paper	
e. Tiling Materials	30cm x 30cm vinyl floor tiles	579
Pcs.		2
Gals.	Vinyl adhesive	1
Bag	40kg. Portland cement	1
Bag	Screened sand 40kg.	
f. Ceiling Materials		175
Pcs.	60cm x 60cm Acoustic board	15
Pcs.	Main runner, 24mm x 38mm x 3.6m	103
Pcs.	Cross tee, 24mm x 25mm x 1.2m	104
Pcs.	Cross tee, 24mm x 25mm x 0.6m	16
Pcs.	1" x 1" x 10' Wall angle, 0.5mm thk.	1
Kgs.	G.I Tie wire #16	1
g. Door Locks		2
Sets	Entrance lever lock	3
h. Electrical Mate	erials	
Sets	0.60m x 0.60m Recessed type fluorescent fixture, louver type w/ mirroirzed aluminum reflector w/ 2 x 9Watts T8 LED tube	21
Sets	Duplex universal convenience outlet with ground 16A 250V	17
Sets	Air conditioning unit outlet with ground 16 A	3
Set	Two-Gang Switch, 10A, 250V, Wide Series	1
Sets	Three-Gang Switch, 10A, 250V, Wide Series	2
Вох	2.0 mm ² THHN/THWN-2 600V 90°C Copper Wire, Lead	1
Boxes	3.5 mm ² THHN/THWN-2 600V 90°C Copper Wire, Lead Free Type x 150m	2
Pcs.	20mm diameter × 3m uPVC Electrical Pipe, Thick Wall	15
Pcs.	3/4" x 8ft PVC Moulding	20
Lm.	50mm Flexible Rubber Floor Moulding	2
Lm.	1/2" diameter Flexible Hose	20

Pcs.	Amco Box Electrical Surface Type Utility Box	17
Pcs.	Octagonal Junction Box with Cover	25
Pcs.	Electrical Tape, 0.16mm×19mm×16m	2
Pairs	6mm Tox and Screws	100
	orporate Board Secretary	
. Drywall Partitio		
Pcs.	1/2" thk. x 4' x 8' Ordinary Plyboard	12
Pcs.	2" x 2" x 10' Good Lumber	28
Pcs.	Assorted CWN	2
b. Tiling Material	s	
Pcs.	60cm x 60 cm Vinyl Floor Tiles	136
Gals	Vinyl Adhesive	2
c. Ceiling Materia	ds	
Pcs.	60cm x 60cm Acoustic Board	122
Pcs.	Main Runner, 24mm x 38mm x 3.6m	15
Pcs.	Cross Tee, 24mm x 25mm x 1.2m	53
Pcs.	Cross Tee, 24mm x 25mm x 0.6m	58
Pcs.	1" x 1" x 10' Wall Angle, 0.5mm thk.	14
	G.I. Tie Wire, #16	1
Kgs. d. Painting Mater		
	Semi-gloss Latex	1
Gal.	Enamel Paint	4
Gals	350mL Paint Thinner	5
Bottles	9" Paint Roller with plastic tray	2
Sets	3" Paint Brush	2
Pcs.		1
Pack	1kg. Patching Compound	1
Pair	Putty Knife	5
Pcs.	Assorted Sand Paper	1
Kg.	Resident Auditor (Commission on Audit)	
a. Masonry Mat	4" CHB	81
Pcs.	40kg. Portland Cement	17
Bags	Screened Sand	11
Bags	A CONTRACTOR OF THE CONTRACTOR	5
Pcs.	10mm Ø DRSB, 6m	
b. Drywall Part		8
Pcs.	1/2" thk. x 4' x 8' Ordinary Plyboard	29
Pcs.	2" x 2" x 10' Good Lumber	2
Kgs.	Assorted CWN	
c. File Shelves Pcs.	3/4" thk. x 4' x 8' Ordinary Plyboard	51

	0	
Pcs	1/2" x 2" x 10' Good Lumber	40
Kgs	1" Common Wire Nails	10
Kgs	Wood Putty	34
Pairs	Putty Knife	2
L	Natural Varnish	16
Sets	6" Paint Roller with Plastic Tray	5
Pcs	3" Paint Brush	3
I. Tiling Materials	J I min Di son	
Pcs	60cm x 60cm Vinyl Floor Tiles	530
Gals	Vinyl Adhesive	6
. Ceiling Materials		
	60cm x 60cm Acoustic Board	462
pcs.	Main Runner, 24mm x 38mm x 3.6m	56
pcs.	Cross Tee, 24mm x 25mm x 1.2m	598
pcs.	Cross Tee, 24mm x 25mm x 0.6m	313
pcs.	1" x 1" x 10' Wall Angle, 0.5mm thk.	22
pcs.		4
kgs	G.I. Tie Wire, #16	
f. Painting Materia		7
Gals	Semi-gloss Latex	8
Gals	Enamel Paint	4
L	350mL Paint Thinner	6
Sets	9" Paint Roller with plastic tray	5
Pcs.	3" Paint Brush	1
Pack	1kg. Patching Compound	1
Pair	Putty Knife	11
Pcs.	Assorted Sand Paper	1
Kg.	Rags	1
g. Electrical Mate	o.60m×0.60m recessed type fluorescent fixture, louver type w/ mirrorized, aluminum reflector with 2×9 Watts T8 LED Tube	66
Sets	Duplex Universal Convenience Outlet with Ground, 16A, 250V	31
Sets	Air Conditioning Unit Outlet with Ground, 16A, 250V	1
	Single Outlet with Ground, 10A, 250V	3
Sets	One-Gang Switch, 10A, 250V, Wide Series	2
Sets	Two-Gang Switch, 10A, 250V, Wide Series	11
Sets	Three-Gang Switch, 10A, 250V, Wide Series Three-Gang Switch, 10A, 250V, Wide Series	5
Sets	2.0 mm ² THHN/THWN-2 600V 90°C Copper Wire, Lead	3
Boxes	Free Type x 150m 3.5 mm ² THHN/THWN-2 600V 90°C Copper Wire, Lead	10
Boxes	France Trans v 150m	10
Boxes	5.5 mm ² THHN/THWN-2 600V 90°C Copper Wire, Lead Free Type x 150m	1
Boxes	8.0 mm ² THHN/THWN-2 600V 90°C Copper Wire, Lead	1

	Free Type x 150m	<u> </u>
Boxes	Cat6 Cable x 305m	3
Pcs.	20mm diameter × 3m uPVC Electrical Pipe, Thick Wall	162
Pcs.	25mm diameter × 3m uPVC Electrical Pipe, Thick Wall	55
Pcs.	20mm diameter uPVC Adapter w/ Locknut	313
Pcs.	25mm diameter uPVC Adapter w/ Locknut	32
Pcs.	3/4" x 8ft PVC Moulding	18
Lm	50mm Flexible Rubber Floor Moulding	6
Lm	1/2" diameter Flexible Hose	71
Pcs.	Octagonal Junction Box with Cover	80
Pcs.	Utility Box	62
Pcs.	Electrical Tape, 0.16mm×19mm×16m	10
Pairs	6mm Tox and Screws	100
Sets	150mm diameter recessed mounted downlight fixture with 12W LED bulb	31
Sets	Single Data Outlet	17
Sets	Duplex Data/Telephone Outlet	4
Pcs.	Pullbox 300 x 300mm	3
Sets	20AT, 2P, 230V, 60Hz CB in NEMA-3R	2
Sets	30AT, 2P, 230V, 60Hz CB in NEMA-3R	1
Sets	50AT, 3P, 230V, 60Hz CB in NEMA-3R	2
Plumbing and	Sanitary Materials	
	Waterline System	
Pcs	1/2" Ø PPR Pipe (PN 20), 4m	2
Pcs	1" - 1/2" Ø PPR Reducer Tee	1
Pcs	1/2" Ø PPR 90° Elbow	5
Pcs	1/2"Ø PPR Compact Ball valve	1
Pcs	Teflon Tape	3
	Waste Pipe	
Pcs	2" Ø x 3m uPVC Pipe, Series 1000	2
Pcs	2" Ø uPVC 90° Elbow	2
Pcs	2" Ø uPVC Trap with cleanout	1
Pcs	2" Ø uPVC Tee	1
Can	Solvent Cement (400cc)	1
Sets	Pipe Hanger and Support	4
Set	Stainless Steel Grease Trap, 5 gpm	1
	Vent Pipe	
Pcs	2" Ø x 3m uPVC Pipe, Series 1000	2

pcs	2" Ø uPVC 90° Elbow	1
pcs	Pipe Hanger and Support	6
	Catchbasin	
Pc	6" Ø x 3m uPVC Pipe, Series 1000	1
Pcs.	150mm thk. CHB	14
Bags	Portland Cement, 40kg	1
Bags	Screened Sand	1
	Fixtures	
Set	Stainless Steel Single Bowl Kitchen Sink with Drainboard, Complete Fittings and Accessories	1
Set	Stainless Steel Gooseneck Faucet	1

MELINAC. REYES

Division Chiev III, Facilities Maintenance Division