

#### REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "Supply and delivery of Laminating Machines for various offices at CAAP Head Office" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFO No.

C24-012-03

Name of Project

Supply and delivery of Laminating Machines for various offices

at CAAP Head Office

Approved Budget for

Contract

P37,500.00

Terms :

See the attached Annex "A" for Terms of Reference and

corresponding Specifications

Location

Procurement Division, CAAP, MIA Road, Pasay City

Thirty (30) Calendar Days from the receipt of

Notice for Compliance

Partial delivery is not allowed.

Delivery Location

**CAAP Head Office Warehouse** 

Delivery Time

Delivery Term

8:00 AM - 4:00 PM (working days)

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above ₱500,000.00;
- 3. PHILGEPS Certificate of Registration;
- 4. Tax Clearance;
- Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above ₱50,000.00;
   (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation.

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.** 

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

The quotation shall be submitted in sealed envelope on or before the closing date of \_\_\_\_\_\_at 10:00 AM, CAAP Procurement Division and addressed to:

#### ATTY. JOHN BEAU B. MASIGLAT

Chairperson, Canvass and Contract Committee Gate 3 CAAP, Old MIA Road Pasay City, Metro Manila





Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

ATTY, JOHN BEAU B. MASIGLAT

**CCC**Chairperson

mg





### PRICE QUOTATION FORM

The Chairperson Canvass and Contract Committee Procurement Division, CAAP, MIA Road, Pasay City				
Sir: After having carefully read and accepted hereunder is our quotation/s for the item/s as		and con	nditions in the Requ	est for Quotation,
Supply and Delivery of Lamina	ting Mac	hines for v	various offices at CAA	AP Head Office
Technical Specifications	QTY	Unit	Unit Price	Total Price
Laminating Machines  Specification  Enclosed in Heavy duty metal  Maximum Width: 12 in / 305 mm (can laminate up to A3 size)  Maximum Speed: At least 300mm/min  Maximum Pouch Thickness: At least 250mic(10mil)  Hot and Cold  Preheat Time: At least 5 to 8 minutes  Reverse and forward switch and Ready Indicator  4 Rubber Rollers  Weight: At least 2kgs  Dimensions: At least 220(L) x 160(W) x 90(H) mm  Power: 220V-240V / 60 Hz  Total (Inclusive of VAT)  (Amount in Words)	6	Pcs.		
The above-quoted prices are inclusive of all Very truly yours, Name/Signature of Representative Position Name of Company Contact No. Email Address	costs and	applicab	le taxes.	



#### TERMS OF REFERENCE

Supply and delivery of Laminating Machines for various offices at CAAP H.O.
PHP 37,500.00
Thirty (30) Calendar days from the receipt of Notice for Compliance
Note: Partial delivery is not allowed.
CAAP Head Office Warehouse
Note: Delivery must be made only from 8:00AM-4:00PM during regular work days.
A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.
A confirmation of availability of concerned office must be received by the supplied before proceeding with the delivery. None compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.
Payment upon full delivery and subject to usual government accounting rules and regulations.
One (1) year warranty on all parts and services from the date of acceptance

### Specification

UNIT	DESCRIPTION	QTY
	LAMINATING MACHINE	
	Specification	
	* Enclosed in Heavy duty metal	
	* Maximum Width: 12 in / 305 mm (can laminate up to A3 size)	
* Maximum Speed: At least	* Maximum Speed: At least 300mm/min	
<b>Jnits</b>	* Maximum Pouch Thickness: At least 250mic(10mil)	6
	* Hot and Cold lamination	
	* Preheat Time: At least 5 to 8 minutes	
	* Reverse and forward switch and Ready Indicator	
	* 4 Rubber Rollers	
	* Weight: At least 2kgs	



\* Weight: At least 2kgs

\* Dimensions: At least 220(L) x 160(W) x 90(H) mm

\* Power: 220V-240V / 60 Hz

Prepared by:

FREDILIM O. LIBIANO

Office Clerk

Approved by:

ATTY. JOHN BEAT B. MASIGLAT

Officer in-Charge Procurement Division