

Republic of the Philippines

CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Plaridel Airport, Plaridel, Bulacan

May 9, 2024

REQUEST FOR PRICE QUOTATION

The Civil Aviation Authority of the Philippines (CAAP) Plaridel hereby invites interested bidders for the PURCHASE OF SEMI-EXPENDABLE MACHINERY AND EQUIPMENT FOR AREA CENTER III.

A. Approved budget for the project – Php 762,475.00

Please secure Canvass form from www.philgeps.gov.ph or at the Office of the Civil Aviation Area Manager Plaridel Airport during office hours Monday to Friday starting May 10, 2024.

The sealed quotation shall be submitted at Plaridel Airport, Plaridel Bulacan on or before May 17, 2024 at 10:00am to the Bids and Awards Committee c/o the Office of the Civil Aviation Area Manager and will be opened on the same date at 2:00pm. Indicate in the sealed envelope the name of the Project you are participating.

The CAAP – Plaridel Airport reserves the right to accept or reject any bid, and to annul the bidding process and reject all Bids at any time prior to contract award without thereby incurring any liability to the affected Bidder/s.

You may call Plaridel Airport BAC Secretariat Members at (044) 794-7071 for details.

Very truly yours,

ROLDAN P. ABEJUELA

BAC Chairman



Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES



REQUEST FOR QUOTATION

	Date :
	AT Item No.
Company/Business Name: 1	
Address:	
Business/Mayor's Permit No.:	
TIN:	
PhilGEPS Registration Number (required for ABC	above 50k):

The Civil Aviation Authority of the Philppines - AreaCenter III, through its Bids and Awards Committee (BAC), intends to procure the Purchase of Semi-Expendable Machinery and Equipment at Area Center III through Section 53.9 (Negotiated Procurement - Small Value Procurement) of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.

Please quote your **best offer** for the item/s described herein, subject to the Terms and Conditions provided on this Request for Quotation (RFQ). Submit your quotation duly signed by you or your duly authorized representative **not later than the deadline on <u>May 17, 2024 at 10:00am.</u>**

Document	Remarks
Copy of 2024 Mayor's or Business Permit	In case not yet available, you may submit your expired 2023 Mayor's or Business Permit with the Official Receipt of the renewal application. However, a copy of your 2024 Mayor's or Business Permit shall be required to be submitted after the award of the contract but before payment.
Notarized Omnibus Sworn Statement (GPPB-Prescribed Form)	If unable to have the document notarized, you may submit a signed unnotarized Omnibus Sworn Statement (in the prescribed template), subject to compliance therewith after awarding of the contract but before payment. (For ABCs above P50k)
PhilGEPS Registration Certificate	In case not yet available, you may submit your expired 2023 PhilGEPS Registration Certificate with the Official Receipt of the renewal application. However, a copy of your 2024 PhilGEPS Registration Certificate shall be required to be submitted after the award of the contract but before payment. (For ABCs above P50k)
PCAB License	In case not yet available, you may submit your expired 2023 PCAB License with the Official Receipt of renewal application. However, a copy of your Valid 2024 PCAB License shall be required to be submitted after award of contract but before payment. (For ABCs above P50k if applicable)
Latest Annual Income / Business Tax Return	For ABCs above P500k, Annual Income Tax Return from previous year must be submitted.
	Once the Notice of Award of the Project (for ABC above P50k) is given, the winning bidder is required to submit Performance Security prior to the signing of the contract as prescribed by Section 39 of Updated 206 Revised IRR of RA 9184 to wit:



	Form of Performance Security	Amount of Performance Security (Not less than the required percentage of the Total Contract Price)
	a.) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. For biddings conducted by LGUs, the cashier's/manager's check may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (a)	
Performance Security	b.) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, That is shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. For biddings conducted by LGUs, bank draft/guarantee, or irrevocable letter of credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (a)	Goods and Consulting Services – Five percent (5%) Infrastructure Projects - Ten percent (10%)
	c.) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)
	Non-submission of Performance Securi disqualification of bids as mandated by 2016 Revised IRR of RA 9184.	

For any clarification, you may contact us at telephone no. <u>(044) 794-7071</u> or email address at <u>bac area3@caap.gov.ph</u>.



 $^{^{\}dagger}$ In case of discrepancy on the business name as reflected on this RFQ and as reflected in the Business Permit, the latter shall prevail.



INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- (1) Do not alter the contents of this form in any way.
- (2) The use of this RFQ is <u>highly encouraged</u> to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ only pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with Terms and Conditions below.

In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.

- (3) All mandatory technical specifications (with asterisk) must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- (4) Quotations may be submitted through electronic mail at bac_area3@caap.gov.ph.
- (5) Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the email shall be considered.

TERMS AND CONDITIONS:

- Bidders shall provide correct and accurate information required in this form.
- Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- Price quotation/s must be valid for a period of thirty (30) calendar days from the deadline of submission.
- Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- Quotations exceeding the Approved Budget for the Contract shall be rejected.
- In case of two or more bidders are determined to have submitted the Lowest Calculated
 Quotation/Lowest Calculated and Responsive Quotation, CAAP Area Center III shall adopt
 and employ "draw lots" as the tie-breaking method to finally determine the single winning
 provider in accordance with GPPB Circular 06-2005.
- Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 8. The item/s shall be delivered according to the accepted offer of the bidder.
- Item/s delivered shall be inspected on the scheduled date and time of the CAAP Area
 Center III. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications
- 10. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e., Order Slip and/or Billing statement, by the supplier, contractor, or consultant. Our Government Servicing Bank, i.e., the Land Bank of the Philippines, shall consultant not earlier than twenty-four (24) hours, but not later than forty-eight (48) hours, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier, contractor, or consultant.
- 11. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods/ services/equipment not complied/delivered within the prescribed delivery period shall be imposed per day of delay. The CAAP Area Center III may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 12. All transactions are subject to withholding of credible Government Taxes per revenue regulation(s) of the Bureau of Internal Revenue.
- For first time bidder, you are required to submit a portfolio of manpower and equipment of your company.
- 14. Upon Post Qualification, the Winning Bidder, must also submit Tax receipts from Bureau of Customs as proof of payment of all taxes and duties due on the equipment, if the said equipment was bought outside the Philippines.



After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Complete Descriptions of Articles	Unit	Qty	Unit Price	Total Amount
Air Compressor	unit	1		
Specifications:				
Material: 75 kg				
Motor: 1 hp				
No. of Cylinder: 2				
Phase: 1				
Pressure: 115 psi				
Capacity: 76 liters				
Displacement (cfm): 10cfm				
Unit comes with:				
25 meters airhose				
Air valve				
Air pressure gauge				
Air spray gun				
27 in 1 Repair/Hardware tool set	unit	1		
Consists of: (Heavy Duty)				
- 6pcs Precision Screwdrivers				
- 2pcs Screwdrivers 6*100 (±)				
- 2pcs Screwdrivers 3*100 (±)				
- 1pc 6" Combination Pliers				
- 1pc 8" Adjustable Wrench				
- 1pc Digital Electric Tester				
- 1pc 6" Long Nose Pliers				1
- 1pc Claw Hammer (8oz)				
- 1pc Tape Measure (2m)				
- 1pc Utility Knife				1
- 1pc PVC Tape				
- 5pcs Hex Key				
- 1pc Scissors				
- 1pc Torch				
- 1pc Files				
- 1pc Saw	1			+
Coffee Maker	unit	1		
Specifications:				
Caraffe Material: Glass				
Keep Warm Function	1			
Cup Capacity: 8	+			
Colour: Stainless Steel				
Power: 1000 W	1			
Frequency: 50 - 60 Hz				
Voltage: 220 - 240 V				
Height: 36.8 cm; Width: 22.4 cm; Depth: 22.9 cm				
Weight: 2.4 kg				1
9	+			-




Aluminum Ladder	unit	1		
Specifications:	u.iii			
8 ft				
Multi-purpose				+
Heavy duty		-		
Foldable by 4				
(A) A STATE CONTROL (A) A STATE A STAT				-
4 x 2 step		-		
Base Bench Vise, 4" with anvil	unit	1		
Specifications:			N	
Heavy Duty				
360 degree rotating chassis				
Biometrics (Fingerprint Scanner)	unit	6		
Specifications:				
Fingerprint Capacity: 1000 (2000 without SSR)				
ID Card Capacity: 1000 (Optional)				
Record Capacity: 80,000				
Display: 2.8-inch TFT Screen				
Communication TCP/IP, USB Host				
Standard Functions WDMS, Web Server, SMS, Automatic Status Switch, Self-Service Query, Work Code, T9 input, 9 Digits User ID, DST, Schedule Bell				
Optional Functions ID/Mifare				
Power Supply DC 12V 1.5A				
Verification Speed ≤0.5 sec				
Operating Temp. 0 °C- 45 °				
Operating Humidity 20%-80%				
Dimension: 184 × 136 × 37.6				
(Length × Width × Thickness)				
Digital Voice Recorder, memory: 4GB (expandable), 1 unit in individual box	unit	1		
Specifications:				
Record in MP3/LPCM with a high sensitivity				
S-Microphone				
Up to 4 GB of built-in storage, expandable via microSD (SDHC/SDXC) cards				
Auto Voice Recording reduces background noise				
Direct USB built in for easy connection to PC				
Built-in lithium battery with three-minute quick charge for one hour of recording				
Playback Format: LPCM/MP3/AAC/WMA				
Electric Fan, Stand Type	unit	12		
Specifications:	#10V410TB.			
16 inch Stand Fan with Rotary				
3 Speed Control Steering Wheel Base				
Electric Motor Pump(submersible pump for water supply)	unit	2		
Specifications:				
kW (HP): 1HP				
Max Flow: 208 I/min				
Max Head: 8.5m				
Size: 1" / 1-1/4"/1-1/2"				



Pump Body: Cast Iron	Т	T	
Impeller: Brass with radial peripheral vanes.			
Motor Shaft: 45# Steel or Stainless steel 304			
Mechanic Seal: Ceramic - graphite			
Insulation: Class B			
Protection: IP 44	-		
Protection, in 44			
Fire Ladder	unit	1	
Specifications:	unt		
16 ft Extendable Type			
Fiberglass			
Fibergiass	_	_	
Floor Polisher (Heavy Duty) with brush and bracket	unit	2	
Specifications:	unit	- 4	
16 inches Floor Polisher			
TO AND CONTROL OF THE PARTY OF			
Net Weight: 30kgs			
Underside Size: 40.6cm with Bumper			
Handle Size: 1m Adjustable stainless tube			
Cord motor: 13.5m Royal Cord			
3/4 HP 220-230 Volts 60 Cycles			
Brush Speed: 175 Revolutions Per Minute			
Consumption: 0.559 kw / 559 Watts			
Inclusions: brush and bracket			
2-Stroke Grass Cutter	unit	3	
Specifications:			
Engine: Air-Cooled 2-Stroke, Single Cylinder			
Displacement: 40.2cc			
Rated Power: 1450W/7000RPM			
Loading Speed: 2800-3200rpm			
Gas/Oil Ration: 1:50			
Fuel Tank: 850ML			
Hand-held Metal Detector	unit	1	
Specifications:			
Heavy Duty			
Three-color LED indication: Green LED = ON Amber LED = LOW BATTERY Red LED = ALARM			
Tuning: Automatic			
Controls: Power switch (Audible / Off / Silent) Interference Elimination Switch			
Handheld Radio (5W) - Heavy Duty	unit	2	
Specifications:			
Frequency Range : UHF 400-470MHz			
Channel Capacity: 16			
Channel Spacing: 25KHz			
Operated Voltage: 3.7 V			
Battery: 1500MAh Li-ion			
Frequency Stability: 2.5ppm			



Antenna Impedance : 50			
			+
Communication Range: about 3km			
Package Contents:			
1 x Two-way Radio			
1 x Battery (built-in)			
1 x earphone			
1x Charging Dock			
1 x Antenna			
1 x Plastic Clip			
1 x Hand Strap			
1 x English User Manual			
Hi-speed scanner	unit	1	
Specifications:	narae ne		
Speed Up to 52 ipm			+
Scan Up to A3			
Scan from 50gsm to 209gsm			
One-pass Duplex Scanning	7		
OCR			
Scanner Type: A4 sheet-fed, one-pass duplex colour scanner			
Sensor: Contact Image Sensor (CIS) x 2			
Scanning Method: Fixed carriage and moving document			
Light Source: RGB LED			
Optical Resolution: 600 x 600 dpi			1
Output Resolution: 50 - 1,200 dpi (in 1 dpi increments)			
Bit Depth:			
Colour: 48-bit input, 24-bit output			
Greyscale: 16-bit input, 8-bit output			
Black & White: 16-bit input, 1-bit output			
Document Size:			
Minimum: 50.8 x 50.8 mm			
Maximum: 215.9 x 3.048 mm			
Supported Paper Weight: 50 - 209 g/m2 , Less than A8 size: 127 - 209g/m2			
ADF Capacity: 50 sheets (80g/m2)			
Daily Scan Volume: up to 3,000 sheets / day			
Multi-feed Detection: Length Detection			
Interface: USB 2.0			
Resolution (Simplex / Duplex):			
200dpi - 26 ppm / 52 ipm (Monochrome, Colour)			1
300dpi - 26 ppm / 52 ipm (Monochrome, Colour)			
600dpi - 21 ppm / 42 ipm (Monochrome), 7.0 ppm / 14 ipm (Colour)			
Supported OS (Scanner Driver):			
Windows: Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / 2008 / 2012 / 2016			
Mac: Mac OS X 10.6.8 or later			
Driver Compatibility: TWAIN, SANE, WIA, ICA, ISIS (Windows)			
File Format:			
Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP, PNG			
Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX			



	Т			
Impact Electrical Drill (Heavy Duty)	unit	1		
Specifications:				
Input Power: 1100W				
Voltage: 220-240V				
Frequency: 50/60Hz				
No-load Speed: 0-2800rpm				
Max. Drilling Capacity: 13mm				
With 1 set Extra Carbon Brushes				
Features:				
Aluminum Gearbox				
Forward/Reverse Switch				
Hammer Drill Function				
Hammer Dini i wickeri				-
Laminating Machine	unit	1		
Specifications:	unit			
Temperature Control		-		
(A) (Prince 1) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A				
Laminating / Cold Control			-	
Reverse Control "ON" Switch				
College College Annual College				
"HEAT" Light				
"ON" Light				-
Hot and Cold				
Temperature Range: 80 - 180				
Power supply : 220 - 240v . 60Hz				
Power consumption: 620watts				
Max. laminating width: 330mm				
Can laminate up to a3				
Manual Drum Pump (Heavy Duty, Original)	unit	1		
Specifications:				
Manual hand operated rotary pump				
Material : cast iron pump body				
Inlet Tube : Galvanized Material				
Inlet Size : 1-1/4" or 32mm				
Outlet Size : 1"				
Flow Rate : 25kg/min.				
Total Height : 50"				
Standard size				
stable performance				
easy to carry				
Megaphone	unit	1		
Specifications:				
50 Watts Max Power				
Pistol Grip				
Wired Handheld Microphone				
Microwave Oven (20Liters Capacity)	unit	1		
Specifications:	unit			
Mechanical Control Panel / Mechanical / Manual Control				
modifical control ratio / Medianical / Manual Control				
Defrost Function				



	1		1	1
6 Power Levels; Strong and Efficient Heating Power				
Net weight: 10.5 kg; Gross weight: 11.5 kg				
Net Dimensions: 452mm x 262mm x 345mm (17.79in x 10.31in x 13.58in)				
Gross Dimensions: 486mm x 292mm x 380mm (19.13in x 11.49in x 14.96in)				
230V~60Hz				
Input Power: 1200W; Output Power: 700W				
Mini Portable Projector (Mini Portable Led Pico Pocket 1200 Lumens)	unit	1		
Specifications:				
Technology: LCD				
Resolution: Native:800*480 support 720P 1080P				
Brightness: 1200lumens				
Contrast ratio: 1200:1				
Multimedia interface: HDMI(support 1.1-1.4), USB 2.0 port,VGA(PC),composite A/V,				
Headphone output, Analog				
Video compatibility: PAL/SECAM/NTSC				
Lens: F=125mm(manual focusing)				
Speaker: 2W				
Lamp: 45w LED lamp/bulb; 50000hours				
Displayable colors: Full color				
Projection method: Front,rear, table top				
Throw ratio: 50"1.70m 72"2.40m 100" 3.30m 120" 4.00m				
Aspect ratio: 16:9 Native, 4:3 Compatible; Switch freely				
B. 1				-
Printer with scanner, Continuous ink	unit	7		
Specifications:				
Print, scan, copy				
Compact integrated tank design				
High yield ink bottles				
Spill-free, error-free refilling				
Wi-Fi & Wi-Fi Direct				
Seamless setup via Epson Smart Panel				
Borderless printing up to 4R				
Ring Binder Machine - Heavy Duty	unit	1		
Specifications:				
Manual Comb Binding Machine (Long Legal)				
Binding form: Plastic comb, Clamp strap				
Maximum 15 sheets (80g paper) per manual punch				
Maximum Binding Capacity: 250sheets (80g) paper				
Max. Binding Width: Below 330mm				
Adjustable Margin: 2.5, 4.5, 6.5mm				
Number of Holes: 24 holes				
Hole Distance: 14.3mm				
Size of Machine: 425x235x150mm	-			
Net Weight: 7.7kgs				



Paper Shredder Machine - Heavy Duty	unit	2	
Specifications:	Grint	-	
Strip Cut 13 liters			
3 Mode Switch: Automatic, Off and Reverse Function			
Separate slot for CD/DVD and Credit Card			
Clear button - Clears the remaining/stuck paper			
in the shredder			
Powerful performance, reliable shredding with its durable motor and steel cutters			
Industrial Siren	unit	1	
Specifications:			
Siren Range: 5KM			
Voltage: 440V			
Power Source: AC Voltage			
Color: Green			
Sound Level: 140DB			
Weight: 30KG			
Coating: Alluminum Casting			
Portable Sound System	unit	1	
Specifications:	unit	1	
4500w PMPO	-		
USB Playback	-		
FM Tuner	-		
Bluetooth + TWS	-	_	
1 Wired Mic Input			
1 Wireless UHF Mic	-		
Remote Control	-		
5500 mAh Battery	 		
2 x 2 Tweeter			
2 x 6.5" Speaker Woofer	-		
Aux In			
USB MIC Recording	_		
Television, LED SMART	unit	3	
Specifications:	75.00		
Screen Size: 43-inch LED			
TV Resolution: 4K Ultra HD			
Connectivity: Wi-Fi, LAN Port, RF Antenna, Cable,			
Optical Output; Mobile Connection; Bluetooth			
HDMI Ports: 3x HDMI 2.0; USB Ports: 2	-		
Voltage: 100-240Hz	-		
Model Year: 2023			
Wattage: 110	-		
Features: Slim Frame			
A5 Gen6 Al (Artificial Intelligence) Processor 4K with Deep Learning			
Al Sound, Al Brightness, Al Home Hub			
WebOS 23			
HDR10 Pro			
Smart Energy Saving			



Plantant				T 1
Bluetooth				
HDMI aARC		-		
4K@60Hz				
USB(Movie, Photo, Music)				
Inclusions: Stand Base A & B, Screws, Cable Management, User's Manual, Remote Control, 2x AAA Battery			li li	
Vacuum Cleaner, Wet & Dry 20 liters	unit	1		
Specifications:				
Tank Capacity: 20L				
Max Power: 1250W				
Power Supply: 220V-240V				
Rated Frequency: 50/60Hz				
Kilo Pascal: 18kpa				
Max Air Flow I/Sec Motor: 50L/S				
Sound Level: (dB(A)): 75				
Hose Length: 1.5m				
Cord Length: 3m				
Material: ABS Plastic				1
Blower Function - easy conversion				
On-board Accessory & Hose Storage				
Wet and Dry Pickup				
Auto Shut-off - prevents overflow				
Top handle with dust sealed switch				
Built-in air and noise diffuser				
Water Dispenser, Hot and Cold	unit	6		
Specifications:				
Free standing water dispenser				
Bottom loading				
Hot, normal and cold				
Compressor type cooling				
Hot water safety lock				
				1
Chain Saw - Rescue Equipment (Original)	unit	2		
Specifications:				
Bar length (inches): 16 to 18				
Displacement (cm³): 40.2				
Power output (kW/hp): 2.0/2.7				
Revolutions per minute (rpm) MAX: 12800				
Revolutions per minute (rpm) idle: 2800				
Weight (kg): 4.6				
Power-to-weight ratio (kg/KW): 2.3				
Sound pressure level: 101				
Sound power level: 113				
Vibration level left/right (m/s²): 6.5/8.9				
Oilomatic saw chain type: 3/8"P				
Saw chain pitch: PM3				
Hardwearing and powerful chainsaw with a				
great power-to-weight ratio.				
Features:				
Carburettor heating (V)				



By changing the chain saw from summer to winter operation, the intake air is pre-heated over the engine fins. This ensures that the carburettor does not ice up and you can continue working in freezing temperatures.			
Tool free fuel caps			
Special caps to open and close the tank cap quickly, easily and without tools.			
Anti-vibration system			
Precisely calculated buffer zones minimise the transfer of engine and saw chain vibrations to the front and rear handles. The chainsaw therefore runs noticeably smoother. This allows the user to save their strength and work longer.			
Ematic System			
Compared to conventional bars without Ematic, the Ematic system reduces the consumption of chain lubricant by up to 50 %, depending on the type of wood and the cutting attachment used.			
This system comprises an Ematic or Ematic S guide bar, an Oilomatic saw chain and a variable-flow or reduced-flow oil pump. As a result, virtually every drop of chain lubricant is delivered to exactly the right spot.			
Single-lever master control			
All important functions such as start, choke, throttle and stop are operated via a single lever.			
Accessory:			
Chainsaw case			
For storage and transport of all battery-powered and petrol chainsaws with bar lengths up to 45 cm.			
Wheel Barrow / Buggy	unit	1	
Specifications:			
Heavy Duty			
Two wheels			
Color: Orange			
Sales and the sa			



FINANCIAL OFFER:

Payment shall be	made upon completion of all requ	uired documents, inspection and acceptance of the
end user if needs	ed. Please provide the following ba	ank details.
Payment Details	<u>s:</u>	
	Name of Payee:	
-		_
	ir total best offer for the item/s about the best offered is for free.	ove. Please do not leave any blank items.
majorite o il itel	in being energals for free.	
	Purchase of Semi-Expenda	ble Machinery and Equipment at Area Center III
Approved	THE PARTY OF THE P	en Hundred Sixty Two Thousand Four Hundred Seventy Five
		Pesos Only
		(PhP762,475.00)
	TOTA	L OFFERED QUOTATION
In Words:		
In Figures:		
In Figures:	<u> </u>	Signature over Printed Name
issed By:		Signature over Printed Name
SSEC BY:	GULINAO	Signature over Printed Name
issed By:	. GULINAO anvasser	Signature over Printed Name Position/Designation
SSEC BY:	GULINAO	
SSEC BY:	. GULINAO anvasser	

