



**Control No.: SBB-24-02**

**SUPPLEMENTAL BID BULLETIN NO. 1**

Project: **"REPAIR OF ACU AT PTB OF DIAA"**

PhilGEPS Reference Number: **10850288**

Solicitation Number: **PR# 2024-02-055**

This Supplemental Bid Bulletin No. 1 dated **28 May 2024** is being issued to clarify, modify or amend items in the Bidding Documents of the above-stated government project.

**AMENDMENT**

**BIDDING DOCUMENTS**

**SECTION II. INSTRUCTION TO BIDDERS**

**FROM**

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

**TO**

**B. For the procurement of Non-Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least Fifty percent (50%) of the ABC.**

**/// NONE FOLLOWS ///**

This Supplemental Bid Bulletin No. 1 shall form part of the Bid Documents. Any provisions in the Bid Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For the information and guidance of all concerned.

**EDGARDO C. CUETO**

Chairperson

Bids and Awards Committee

Civil Aviation Authority of the Philippines – Area XI