



Republic of the Philippines

CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "Supply and Delivery of Investigation Kit for the use of AAIIB" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No. : **C24-058-06**
Name of Project : **Supply and Delivery of Investigation Kit for the use of AAIIB**
Approved Budget for Contract : **P47,500.00**
Terms : See the attached Annex "A" for Terms of Reference and corresponding Specifications
Location : Procurement Division, CAAP, MIA Road, Pasay City
Delivery Term : **Thirty (30) calendar days** from the receipt of Notice for Compliance
Partial Delivery is not allowed
Delivery Time : 8:00 AM – 4:00 PM Monday to Friday (Regular work days)
Delivery Location : **CAAP Head Office Warehouse (Supply Division)**

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

1. Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
2. Income Business Tax Return for ABC's above P500,000.00;
3. PHILGEPS Certificate of Registration;
4. Tax Clearance;
5. Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above P50,000.00; (Authorized representative must attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
6. Price quotation from (**Annex "A"**) during submission of offer/Quotation.

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.**

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

The quotation shall be submitted in sealed envelope on or before the closing date of **JUL 20 2024** at 10:00 AM, CAAP Procurement Division and addressed to:

ATTY. JOHN BEAU B. MASIGLAT
Chairperson, Canvass and Contract Committee
Gate 3 CAAP, Old MIA Road
Pasay City, Metro Manila

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.


MELINA C. REYES
CCC Vice Chairperson



PRICE QUOTATION FORM

Date: _____

The Chairperson
 Canvass and Contract Committee
 Procurement Division, CAAP,
 MIA Road, Pasay City

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

<i>Supply and Delivery of Investigation Kit for the use of AAIIB</i>				
Technical Specifications	QTY	Unit	Unit Price	Total Price
Rechargeable Ni-Mh Battery pack rating -2.4V 2000 mAh, 4.8 Wh for Garmin GPS Oregon 650	2	sets		
<ul style="list-style-type: none"> • 2.4V 2000 mAh, 4.8 Wh • Long-lasting rechargeable battery pack • The battery pack can either be charged directly in the device via the USB charger or on the PC via the USB cable. 				
Headlamp – led head torch rechargeable with charger	5	pcs		
<ul style="list-style-type: none"> • Sensor/Induction • Telescope Focusing • Material: ABS+Aluminum Alloy • 90° Adjustable • Charger: USB cable • Battery: 18650 Lithium Battery • Battery Working Hour: 5-10hours • Lamp beads: 16-core led: 4500lumens • Waterproof 				
Laser Finder – Lithium battery 3V CR15H270	10	pcs		
<ul style="list-style-type: none"> • Battery Model: CR2 • Rated Voltage: 3V • Battery Size: 15mm in diameter and 27mm in thickness • Single Capacity: 850mAh 				
Portable Power Station	1	unit		



<ul style="list-style-type: none"> • Capacity: 285wh (about 0.3 kwh) • AC Output: 220v • Power 220v 1000w/300w • LiFePO4 battery • USB output:12Wx2PCS • TPYE-C output: 18Wx1PCS • DC single output: 14.6 V-10A x2PCS • Multi-port simultaneous outout:14.6V-15A • 285wh capacity: 80000mAh (5.0V ~ 60000mAh) • Emergency light: LED • Operating temperature: - 10 °C - 40 °C • Size (length and width): 24 * 18 * 27MM • [Fastest charging] With CONPEX-Stream fast charging technology • Three charging methods: solar charging/car charger /AC wall adapter 					
Total (Inclusive of VAT)					

(Amount in Words)

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

 Name/Signature of Representative

 Position

 Name of Company

 Contact No.

 Email Address



TERMS OF REFERENCE

Name of Project	:	Supply and Delivery of Investigation Kit for the use of AAIIB
Approved Budget	:	Php47,500.00
Delivery Period	:	Thirty (30) days from the receipt of Notice for Compliance <i>Note: Partial delivery is not allowed.</i>
Delivery Location	:	CAAP Head Office Warehouse <i>Note: Delivery must be made only from 8:00AM – 4:00PM during regular work days.</i> <i>A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.</i> <i>A confirmation of availability of concerned office must be received by the supplier before proceeding with the delivery. None compliance may be a ground refusal of entry to the premises and receipt of delivery with no fault on the part of Civil Aviation Authority of the Philippines.</i>
Terms of Payment	:	Payment upon full delivery and subject to usual government accounting rules and regulations.


Technical Specifications:


Unit	Description	Quantity
1. Rechargeable Ni-Mh Battery pack rating -2.4V 2000 mAh, 4.8 Wh for Garmin GPS Oregon 650		
<i>sets</i>	<ul style="list-style-type: none"> • 2.4V 2000 mAh, 4.8 Wh • Long-lasting rechargeable battery pack • The battery pack can either be charged directly in the device via the USB charger or on the PC via the USB cable. 	2
2. Headlamp – led head torch rechargeable with charger		
<i>pcs</i>	<ul style="list-style-type: none"> • Sensor/Induction • Telescope Focusing • Material: ABS+Aluminum Alloy • 90° Adjustable • Charger: USB cable • Battery: 18650 Lithium Battery • Battery Working Hour: 5-10hours • Lamp beads: 16-core led: 4500lumens • Waterproof 	5
3. Laser Finder – Lithium battery 3V CR15H270		
<i>pcs</i>	<ul style="list-style-type: none"> • Battery Model: CR2 • Rated Voltage: 3V • Battery Size: 15mm in diameter and 27mm in thickness • Single Capacity: 850mAh 	10
4. Portable Power Station		
<i>unit</i>	<ul style="list-style-type: none"> • Capacity: 285wh (about 0.3 kwh) • AC Output: 220v • Power 220v 1000w/300w • LiFePO4 battery • USB output: 12Wx2PCS • TPYE-C output: 18Wx1PCS • DC single output: 14.6 V-10A x2PCS 	1

	<ul style="list-style-type: none">• Multi-port simultaneous outout:14.6V-15A• 285wh capacity: 80000mAh (5.0V ~ 60000mAh)• Emergency light: LED• Operating temperature: - 10 °C - 40 °C• Size (length and width): 24 * 18 * 27MM• [Fastest charging] With CONPEX-Stream fast charging technology• Three charging methods: solar charging/car charger /AC wall adapter	
--	--	--

Prepared by:

Noted by:


SARAH JANE E. BELEN
Administrative Assistant I


EDDIE HARRY G. PARADERO
Officer-In-Charge, AAIIB