



## Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

#### REQUEST FOR QUOTATION

The Civil Aviation Authority of the Philippines (CAAP-Main Office), through its Canvass and Contract Committee (CCC), will undertake a **Small Value Procurement** for the "Supply and delivery of Coaxial Cables for various ANF" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

RFQ No.

C24-060-07

Name of Project

Supply and delivery of Coaxial Cables for various ANF

Approved Budget for

Contract

P473,800.00

Terms

See the attached Annex "A" for Terms of Reference and

corresponding Specifications

Location

Procurement Division, CAAP, MIA Road, Pasay City

Delivery Term :

One Hundred Fifty (150) calendars from the receipt of

Notice for Compliance

Partial delivery is not allowed

**Delivery Time** 

8:00 AM - 4:00 PM Monday to Friday (Regular work days)

**Delivery Location** 

**ANS Technical Center** 

Interested suppliers are required to submit their valid and current documents which must be properly fastened and sealed in an envelope:

- Mayor's or Business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
- 2. Income Business Tax Return for ABC's above ₱500,000.00;
- 3. PHILGEPS Certificate of Registration;
- 4. Tax Clearance;
- 5. Notarize Omnibus Sworn Statement (GPPB prescribed Form) for ABC's above ₱50,000.00; (Authorized representative much attach Special Power of Attorney (SPA) for Sole Proprietorship Certificate for Corporation)
- 6. Price quotation from (Annex "A") during submission of offer/Quotation
- 7. Brochure

The winning supplier shall – upon claiming of the Contract – present the original copy of the documents listed above for comparison, or submit a **Certified True Copy** of the original document which must be certified by the issuing government agency. However, the **original copy** of the Omnibus Sworn Statement, Price Quotation Form, and Brochure **must be included in the sealed bid.** 

Price quotation/s must be valid for a period of one hundred twenty (120) calendar days from the date of submission.

The quotation shall be submitted in sealed envelope on or before the closing date of 17 20410:00 AM, CAAP Procurement Division and addressed to:

#### ATTY. JOHN BEAU B. MASIGLAT

Chairperson, Canvass and Contract Committee Gate 3 CAAP, Old MIA Road Pasay City, Metro Manila

Quotations exceeding the Approved Budget for the Contract shall be rejected.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form. In case two or, more bidders are determined to have submitted the Lowest Calculated/Lowest Calculated and Responsive Quotation, CAAP-CCC shall adopt and employ "draw lots" as the tie breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

The CAAP-TIAC shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CAAP shall rescind the contract once the cumulative amount of liquidated damaged reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

Pasay City, July 08, 2024

ATTY. JOHN BEAU B. MASIGLAT

CCC Chairperson

Annex "A"

### PRICE QUOTATION FORM

The Chairperson
Canvass and Contract Committee
Procurement Division, CAAP,
MIA Road, Pasay City

Date: \_\_\_\_\_

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

<b>Technical Specifications</b>	QTY	Unit	Unit Price	Total Price
1. Coaxial Cable, RG58/U, 50Ω, 305/reel				
Technical Specifications:				
Physical Characteristics:				
Conductor: 20AWG, Stranded Tinned Copper Solid, Silver				
Plated Copper				
Insulation: Polyethylene -0.035 in				
Outer Shield Material: Braid Tinned Copper		Reels		
Outer Jacket: PVC, Nominal Dia. 0.193 in Nom. Wall Thickness 0.00275 in	1	(305		
Electrical Characteristics		meters)		
Nominal Conductor: 10.8 Ohm/1000ft.				
Nominal Outer Shield: 4.1 Ohm/1000ft				
Outer Conductor: 4.1 Ohm/1000ft				
Capacitance: 30.8 pF/ft.				
Nominal Inductance: 0.0982 uH/ft				
Nominal Characteristic Impedance: 50 ohms				
2. Coaxial Cable, RG8/U, 50Ω, 305m/reel				
Technical Specifications:				
Physical Characteristics:				
Outer Conductor: Bare Copper Brading	1	Reels		
Outer Jacket: PV, 10.3mm				
Electrical Characteristics:		(305		
Characteristic Impedance: 50 Ω		meters)		
Nominal Conductor: 0.9 Ohm/1000ft				
Nominal Capacitance: 24.6pF				
Voltage Rating: 300V				

3. Coaxial Cable, RG213/U, $50\Omega$ Technical Specifications: Physical Characteristics: Inner Conductor: Bare Copper, stranded, $7 \times 0.75$ mm Insulation Dielectric: Polyethylene Outer Conductor: Bare Copper Braiding, Single Shield Outer Jacket: PVC, $10.3$ mm Electrical Characteristics: Characteristic Impedance: $50 \pm 2\Omega$ Velocity Factor: $66\%$ or greater Nominal Capacitance pF/m: $100$ Voltage Test Dielectric: $3.0$ kV DC	100	meters		
Total (Inclusive of VAT)				

(Amount in Words)
-------------------

The above-quoted prices are inclusive of all costs and applicable taxes.

#### Additional Requirement/s:

- 1. Warranty: Six 6) months from date of acceptance
- 2. Sample of offered product is required during bid submission (at least 6 inches)
- 3. Bidder should have completed Single Largest Completed Contract (SLCC) within five (4) years prior to the date of submission and receipt of bids, similar to the project to be bid, equivalent to at least fifty percent (50%) of the ABC
- 4. Delivery: One Hundred Fifty (150) Days
- 5. Indicate the brand of coaxial cable, specifications & brochure

very truly yours,	
Name and Signature of Representativ	/e
Position	
Name of Company	
Contact No.	
Email Address	





# tepublic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

## TERMS OF REFERENCE

Name of Project	:	Purchase Request for the Supply/Delivery of Coaxial Cables for Various ANF
Approved Budget	:	Php 473,800.00
Delivery Period	:	One Hundred Fifty (150) Days from the receipt of Notice of Compliance  Note: Partial delivery is not allowed.
Delivery Location	:	ANS TECHNICAL CENTER  Note: Delivery must be made only from 8:00AM-4:00PM during regular work days.  A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.  A confirmation of availability of the concerned office must be received by the supplier before proceeding with the delivery. Non compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.
Terms of Payment	:	Payment upon full delivery and subject to usual government accounting rules and regulations.

### **Technical Specifications:**

The state of the s	
1. Coaxial Cable, RG58/U, 50Ω, 305/reel  Technical Specifications: Physical Characteristics: Conductor: 20AWG, Stranded Tinned Copper Solid, Silver Plated Copper Insulation: Polyethylene -0.035 in Outer Shield Material: Braid Tinned Copper Outer Jacket: PVC, Nominal Dia. 0.193 in Nom. Wall Thickness 0.00275 in Electrical Characteristics Nominal Conductor: 10.8 Ohm/1000ft. Nominal Outer Shield: 4.1 Ohm/1000ft Outer Conductor: 4.1 Ohm/1000ft Capacitance: 30.8 pF/ft. Nominal Inductance: 0.0982 uH/ft	1
	Physical Characteristics: Conductor: 20AWG, Stranded Tinned Copper Solid, Silver Plated Copper Insulation: Polyethylene -0.035 in Outer Shield Material: Braid Tinned Copper Outer Jacket: PVC, Nominal Dia. 0.193 in Nom. Wall Thickness 0.00275 in Electrical Characteristics Nominal Conductor: 10.8 Ohm/1000ft. Nominal Outer Shield: 4.1 Ohm/1000ft Outer Conductor: 4.1 Ohm/1000ft





## Republic of the Philippines

## CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Reels (305 meters)	2. Coaxial Cable, RG8/U, 50Ω, 305m/reel  Technical Specifications: Physical Characteristics: Outer Conductor: Bare Copper Brading Outer Jacket: PV, 10.3mm  Electrical Characteristics: Characteristic Impedance: 50 Ω Nominal Conductor: 0.9 Ohm/1000ft Nominal Capacitance: 24.6pF Voltage Rating: 300V	1
meters	3. Coaxial Cable, RG213/U, 50Ω Technical Specifications: Physical Characteristics: Inner Conductor: Bare Copper, stranded, 7 x 0.75mm Insulation Dielectric: Polyethylene Outer Conductor: Bare Copper Braiding, Single Shield Outer Jacket: PVC, 10.3mm Electrical Characteristics: Characteristic Impedance: 50 ± 2Ω Velocity Factor: 66% or greater Nominal Capacitance pF/m: 100 Voltage Test Dielectric: 3.0kV DC	100

#### Notes:

- 1. Warranty: Six 6) months from date of acceptance
- 2. Sample of offered product is required during bid submission (at least 6 inches)
- 3. Bidder should have completed Single Largest Completed Contract (SLCC) within five (4) years prior to the date of submission and receipt of bids, similar to the project to be bid, equivalent to at least fifty percent (50%) of the ABC
- 4. Delivery: One Hundred Fifty (150) Days
- 5. Indicate the brand of coaxial cable, specifications & brochure

Prepared by:	Approved by:
MIRAFLOR V. ANDAYA CNSSO IV/ CNS/MET - ANOD	FLORIAN ATIENZA Acting Department Manager - ANOD